
Subject: [PATCH] Cleanup the IPv6 addresses printing in /proc files

Posted by [Pavel Emelianov](#) on Tue, 23 Oct 2007 16:37:00 GMT

[View Forum Message](#) <> [Reply to Message](#)

The /proc/net udp6, tcp6 and raw6 files print the IPs of the connection ends. Make a NIP6Lxxx macros (L stands for "long") for making the printing code look nicer.

Signed-off-by: Pavel Emelyanov <xemul@openvz.org>

```
---
diff --git a/include/linux/kernel.h b/include/linux/kernel.h
index 94bc996..5d199ae 100644
--- a/include/linux/kernel.h
+++ b/include/linux/kernel.h
@@ -307,6 +307,13 @@ @@ static inline int __attribute__ ((format (printf, 1, 2))) pr_debug(const char
*
#define NIP6_FMT "%04x:%04x:%04x:%04x:%04x:%04x:%04x:%04x"
#define NIP6_SEQFMT "%04x%04x%04x%04x%04x%04x%04x%04x"

+#define NIP6L(addr) \
+ ((addr).s6_addr32[0]), \
+ ((addr).s6_addr32[1]), \
+ ((addr).s6_addr32[2]), \
+ ((addr).s6_addr32[3])
+#define NIP6L_FMT "%08X%08X%08X%08X"
+
+#if defined(__LITTLE_ENDIAN)
+#define HIPQUAD(addr) \
+ ((unsigned char *)&addr)[3], \
diff --git a/net/ipv6/raw.c b/net/ipv6/raw.c
index ca24ef1..c3a1939 100644
--- a/net/ipv6/raw.c
+++ b/net/ipv6/raw.c
@@ -1250,13 +1250,9 @@ @@ static void raw6_sock_seq_show(struct seq_file *seq, struct sock *sp,
int i)
    destp = 0;
    srcp = inet_sk(sp)->num;
    seq_printf(seq,
-   "%4d: %08X%08X%08X%08X:%04X %08X%08X%08X%08X:%04X "
+   "%4d: " NIP6L_FMT ":%04X " NIP6L_FMT ":%04X "
        "%02X %08X%08X %02X:%08IX %08X %5d %8d %lu %d %p\n",
-   i,
-   src->s6_addr32[0], src->s6_addr32[1],
-   src->s6_addr32[2], src->s6_addr32[3], srcp,
-   dest->s6_addr32[0], dest->s6_addr32[1],
-   dest->s6_addr32[2], dest->s6_addr32[3], destp,
```

```

+ i, NIP6L(*src), srcp, NIP6L(*dest), destp,
  sp->sk_state,
  atomic_read(&sp->sk_wmem_alloc),
  atomic_read(&sp->sk_rmem_alloc),
diff --git a/net/ipv6/tcp_ipv6.c b/net/ipv6/tcp_ipv6.c
index 737b755..0041be3 100644
--- a/net/ipv6/tcp_ipv6.c
+++ b/net/ipv6/tcp_ipv6.c
@@ -1945,15 +1945,10 @@ static void get_openreq6(struct seq_file *seq,
    ttd = 0;

    seq_printf(seq,
-   "%4d: %08X%08X%08X%08X:%04X %08X%08X%08X%08X:%04X "
+   "%4d: " NIP6L_FMT ":%04X " NIP6L_FMT ":%04X "
    "%02X %08X:%08X %02X:%08IX %08X %5d %8d %d %d %p\n",
-   i,
-   src->s6_addr32[0], src->s6_addr32[1],
-   src->s6_addr32[2], src->s6_addr32[3],
-   ntohs(inet_sk(sk)->sport),
-   dest->s6_addr32[0], dest->s6_addr32[1],
-   dest->s6_addr32[2], dest->s6_addr32[3],
-   ntohs(inet_rsk(req)->rmt_port),
+   i, NIP6L(*src), ntohs(inet_sk(sk)->sport),
+   NIP6L(*dest), ntohs(inet_rsk(req)->rmt_port),
    TCP_SYN_RECV,
    0,0, /* could print option size, but that is af dependent. */
    1, /* timers active (only the expire timer) */
@@ -1996,13 +1991,9 @@ static void get_tcp6_sock(struct seq_file *seq, struct sock *sp, int i)
}

seq_printf(seq,
-   "%4d: %08X%08X%08X%08X:%04X %08X%08X%08X%08X:%04X "
+   "%4d: " NIP6L_FMT ":%04X " NIP6L_FMT ":%04X "
    "%02X %08X:%08X %02X:%08IX %08X %5d %8d %lu %d %p %u %u %u %u %d\n",
-   i,
-   src->s6_addr32[0], src->s6_addr32[1],
-   src->s6_addr32[2], src->s6_addr32[3], srcp,
-   dest->s6_addr32[0], dest->s6_addr32[1],
-   dest->s6_addr32[2], dest->s6_addr32[3], destp,
+   i, NIP6L(*src), srcp, NIP6L(*dest), destp,
    sp->sk_state,
    tp->write_seq-tp->snd_una,
    (sp->sk_state == TCP_LISTEN) ? sp->sk_ack_backlog : (tp->rcv_nxt - tp->copied_seq),
@@ -2037,13 +2028,9 @@ static void get_timewait6_sock(struct seq_file *seq,
    srcp = ntohs(tw->tw_sport);

    seq_printf(seq,
-   "%4d: %08X%08X%08X%08X:%04X %08X%08X%08X%08X:%04X "

```

```

+   "%4d: " NIP6L_FMT ":%04X " NIP6L_FMT ":%04X "
   "%02X %08X:%08X %02X:%08IX %08X %5d %8d %d %d %p\n",
-   i,
-   src->s6_addr32[0], src->s6_addr32[1],
-   src->s6_addr32[2], src->s6_addr32[3], srcp,
-   dest->s6_addr32[0], dest->s6_addr32[1],
-   dest->s6_addr32[2], dest->s6_addr32[3], destp,
+   i, NIP6L(*src), srcp, NIP6L(*dest), destp,
   tw->tw_substate, 0, 0,
   3, jiffies_to_clock_t(ttd), 0, 0, 0, 0,
   atomic_read(&tw->tw_refcnt), tw);
diff --git a/net/ipv6/udp.c b/net/ipv6/udp.c
index caebad6..bcc5f8e 100644
--- a/net/ipv6/udp.c
+++ b/net/ipv6/udp.c
@@ -919,13 +919,9 @@ static void udp6_sock_seq_show(struct seq_file *seq, struct sock *sp,
int bucket
    destp = ntohs(inet->dport);
    srcp = ntohs(inet->sport);
    seq_printf(seq,
-   "%4d: %08X%08X%08X%08X:%04X %08X%08X%08X%08X:%04X "
+   "%4d: " NIP6L_FMT ":%04X " NIP6L_FMT ":%04X "
   "%02X %08X:%08X %02X:%08IX %08X %5d %8d %lu %d %p\n",
-   bucket,
-   src->s6_addr32[0], src->s6_addr32[1],
-   src->s6_addr32[2], src->s6_addr32[3], srcp,
-   dest->s6_addr32[0], dest->s6_addr32[1],
-   dest->s6_addr32[2], dest->s6_addr32[3], destp,
+   bucket, NIP6L(*src), srcp, NIP6L(*dest), destp,
   sp->sk_state,
   atomic_read(&sp->sk_wmem_alloc),
   atomic_read(&sp->sk_rmem_alloc),

```

Subject: Re: [PATCH] Cleanup the IPv6 addresses printing in /proc files

Posted by [davem](#) on Wed, 24 Oct 2007 03:43:50 GMT

[View Forum Message](#) <> [Reply to Message](#)

From: Pavel Emelyanov <xemul@openvz.org>

Date: Tue, 23 Oct 2007 20:37:22 +0400

> The /proc/net udp6, tcp6 and raw6 files print the IPs of
> the connection ends. Make a NIP6Lxxx macros (L stands for
> "long") for making the printing code look nicer.

>

> Signed-off-by: Pavel Emelyanov <xemul@openvz.org>

Applied, thanks.

Subject: Re: [PATCH] Cleanup the IPv6 addresses printing in /proc files

Posted by [Joe Perches](#) on Wed, 24 Oct 2007 04:04:01 GMT

[View Forum Message](#) <> [Reply to Message](#)

On Tue, 2007-10-23 at 20:43 -0700, David Miller wrote:

> From: Pavel Emelyanov <xemul@openvz.org>
> Date: Tue, 23 Oct 2007 20:37:22 +0400
> > The /proc/net udp6, tcp6 and raw6 files print the IPs of
> > the connection ends. Make a NIP6Lxxx macros (L stands for
> > "long") for making the printing code look nicer.
> > Signed-off-by: Pavel Emelyanov <xemul@openvz.org>
> Applied, thanks.

Why aren't these addresses converted with ntohl?

Subject: Re: [PATCH] Cleanup the IPv6 addresses printing in /proc files

Posted by [davem](#) on Wed, 24 Oct 2007 04:10:45 GMT

[View Forum Message](#) <> [Reply to Message](#)

From: Joe Perches <joe@perches.com>

Date: Tue, 23 Oct 2007 21:04:01 -0700

> On Tue, 2007-10-23 at 20:43 -0700, David Miller wrote:
> > From: Pavel Emelyanov <xemul@openvz.org>
> > Date: Tue, 23 Oct 2007 20:37:22 +0400
> > > The /proc/net udp6, tcp6 and raw6 files print the IPs of
> > > the connection ends. Make a NIP6Lxxx macros (L stands for
> > > "long") for making the printing code look nicer.
> > > Signed-off-by: Pavel Emelyanov <xemul@openvz.org>
> > Applied, thanks.
>
> Why aren't these addresses converted with ntohl?

The reason is immaterial because whatever the kernel is doing now we have to keep doing because applications parsing these /proc files expect things to be how they are.

We'll break things if we change it.

Subject: Re: [PATCH] Cleanup the IPv6 addresses printing in /proc files

Posted by [Joe Perches](#) on Wed, 24 Oct 2007 04:15:36 GMT

[View Forum Message](#) <> [Reply to Message](#)

On Tue, 2007-10-23 at 21:10 -0700, David Miller wrote:

> We'll break things if we change it.

Maybe, but definitely the macro names should reflect this brokenness.

Subject: Re: [PATCH] Cleanup the IPv6 addresses printing in /proc files
Posted by [davem](#) on Wed, 24 Oct 2007 04:18:52 GMT
[View Forum Message](#) <> [Reply to Message](#)

From: Joe Perches <joe@perches.com>
Date: Tue, 23 Oct 2007 21:15:36 -0700

> On Tue, 2007-10-23 at 21:10 -0700, David Miller wrote:
> > We'll break things if we change it.
>
> Maybe, but definitely the macro names should
> reflect this brokenness.

That's a good point, we don't want to encourage further use of these things.

Pavel, I'm going to revert this patch for now. It may save some code lines, but it does so at the expense of creating an interface we actually don't want more users of.
