Subject: error with centos 5 template in centos 5 host Posted by Roberto Pereyra on Wed, 24 Oct 2007 12:24:19 GMT View Forum Message <> Reply to Message

Hello

I using the unofficial centos-5 template from openvz site in a centos 5 host and have this error when start my vps:

[root@centos ~]# vzctl start 100 Starting VE ... VE is mounted Adding IP address(es): 192.168.0.1 ERROR: Can't copy file /etc/sysconfig/network bash: line 61: 7714 Segmentation fault \${CP} \${file} \${file}.\$\$ Setting CPU units: 1000 Configure meminfo: 49152 File resolv.conf was modified VE start in progress...

I can ssh access to my vps but not have network.

roberto

Ing. Roberto Pereyra ContenidosOnline http://www.contenidosonline.com.ar

Get secure managed email for your own domain with Hushmail Business - http://www.hushmail.com/business?l=503&a=3211

Subject: Re: error with centos 5 template in centos 5 host Posted by gblond on Wed, 24 Oct 2007 13:07:50 GMT View Forum Message <> Reply to Message

On 24 October 2007 16:24:19 Roberto Pereyra wrote: > Hello >

> I using the unofficial centos-5 template from openvz site in a centos > 5 host and have this error when start my vps: > _____ > > > [root@centos ~]# vzctl start 100 > Starting VE ... > VE is mounted > Adding IP address(es): 192.168.0.1 > ERROR: Can't copy file /etc/sysconfig/network > bash: line 61: 7714 Segmentation fault \${CP} \${file} \${file}.\$\$ 1) Check disk space on HW. 2) What vzctl version do you use? 3) Which centos-5 template do you use, default of minimal? > Setting CPU units: 1000 > Configure meminfo: 49152 > File resolv.conf was modified > VE start in progress... > > > -----> > I can ssh access to my vps but not have network. > > roberto

--Thank, Vitaliy Gusev

Subject: Re: error with centos 5 template in centos 5 host Posted by Roberto Pereyra on Wed, 24 Oct 2007 14:01:20 GMT View Forum Message <> Reply to Message

Thanks Vilaliy, this issue was solved, I had wrong my sysctl settings.

I have other question:

I setting my vps following the openvz wiki and have a routing error, all vps have like default routing "192.0.2.1", not the HN default route or my default HN ethernet interface.

Then I can't have internet access from my vps.

I using vzctl version 3.0.18

This happen with all template that I use and too with the "oficial" centos4-minimal template.

Can anybody help me ? Excuse my english.

Roberto

Ing. Roberto Pereyra ContenidosOnline http://www.contenidosonline.com.ar

Get secure managed email for your own domain with Hushmail Business - http://www.hushmail.com/business?l=503&a=3211

Subject: Re: error with centos 5 template in centos 5 host Posted by Roberto Pereyra on Wed, 24 Oct 2007 14:43:13 GMT View Forum Message <> Reply to Message

I running the ovzkernel-xen-2.6.18-8.1.14.el5.028stab045.1 kernel.

roberto

Ing. Roberto Pereyra ContenidosOnline http://www.contenidosonline.com.ar

Get secure managed email for your own domain with Hushmail Business - http://www.hushmail.com/business?l=503&a=3211

Subject: Re: error with centos 5 template in centos 5 host Posted by gblond on Wed, 24 Oct 2007 14:52:36 GMT View Forum Message <> Reply to Message

On 24 October 2007 18:01:20 Roberto Pereyra wrote: > Thanks Vilaliy, this issue was solved, I had wrong my sysctl settings. Please specify it sysctl settings.

>

> I have other question:

>

> I setting my vps following the openvz wiki and have a routing error,

> all vps have like default routing "192.0.2.1", not the HN default

> route or my default HN ethernet interface.

Can you give access to your HW?

>

> Then I can't have internet access from my vps.

>

> I using vzctl version 3.0.18

>

> This happen with all template that I use and too with the "oficial"

> centos4-minimal template.

>

> Can anybody help me ? Excuse my english.

>

> Roberto

--Thank, Vitaliy Gusev

Subject: Re: error with centos 5 template in centos 5 host Posted by gblond on Wed, 24 Oct 2007 15:04:57 GMT View Forum Message <> Reply to Message

On 24 October 2007 18:43:13 Roberto Pereyra wrote: > I running the ovzkernel-xen-2.6.18-8.1.14.el5.028stab045.1 kernel.

Why do you use openvz+xen kernel?

>

> roberto

--Thank, Vitaliy Gusev

Subject: Re: error with centos 5 template in centos 5 host

cat /etc/sysctl.conf # Kernel sysctl configuration file for Red Hat Linux # # For binary values, 0 is disabled, 1 is enabled. See sysctl(8) and # sysctl.conf(5) for more details. # Controls IP packet forwarding net.ipv4.ip_forward = 1 # Controls source route verification net.ipv4.conf.default.rp_filter = 1 # Do not accept source routing net.ipv4.conf.default.accept_source_route = 0

Controls the System Request debugging functionality of the kernel kernel.sysrq = 1

Controls whether core dumps will append the PID to the core filename # Useful for debugging multi-threaded applications kernel.core_uses_pid = 1

Controls the use of TCP syncookies net.ipv4.tcp_syncookies = 1

Controls the maximum size of a message, in bytes kernel.msgmnb = 65536

```
# Controls the default maxmimum size of a mesage queue kernel.msgmax = 65536
```

Controls the maximum shared segment size, in bytes kernel.shmmax = 4294967295

Controls the maximum number of shared memory segments, in pages kernel.shmall = 268435456

```
net.ipv4.conf.default.proxy_arp = 0
```

```
net.ipv4.conf.default.send_redirects = 1
net.ipv4.conf.all.send_redirects = 0
```

> Can you give access to your HW?

yes I can ssh access from HN. to VN and from VN ping to HN but can't

ping to my gateway

roberto

--Ing. Roberto Pereyra ContenidosOnline http://www.contenidosonline.com.ar

Get secure managed email for your own domain with Hushmail Business - http://www.hushmail.com/business?I=503&a=3211

Subject: Re: error with centos 5 template in centos 5 host Posted by Roberto Pereyra on Wed, 24 Oct 2007 15:16:30 GMT View Forum Message <> Reply to Message

> Why do you use openvz+xen kernel?

Because I was testing xen in the same server before.

With this kernel can I have xen and openvz together ?

roberto

Ing. Roberto Pereyra ContenidosOnline http://www.contenidosonline.com.ar

Get secure managed email for your own domain with Hushmail Business - http://www.hushmail.com/business?I=503&a=3211

Subject: Re: error with centos 5 template in centos 5 host Posted by gblond on Wed, 24 Oct 2007 15:27:41 GMT View Forum Message <> Reply to Message

On 24 October 2007 19:16:30 Roberto Pereyra wrote:

>> Why do you use openvz+xen kernel?

- >
- > Because I was testing xen in the same server before.

>

> With this kernel can I have xen and openvz together ?

Yes, but it is in the testing state.

> > roberto

--Thank, Vitaliy Gusev

Subject: Re: error with centos 5 template in centos 5 host Posted by gblond on Thu, 25 Oct 2007 07:08:59 GMT View Forum Message <> Reply to Message

Problem: when we do ping 192.168.0.2 (router) from VE100(192.168.0.1) then router answers don't reach the VE100.

I checked your HN and there are results:

Host 192.168.0.2 has permanent arp entry for ip 192.168.0.1: 00:16:3e:72:36:5 Although arp entry for ip 192.168.0.1 (VE100) must be 00:18:F3:50:72:AC (the same as for HN ip 192.168.0.5)

Decision: you must delete arp entry for the host 192.168.0.1 on the host 192.168.0.2.

Thank, Vitaliy Gusev

Page 7 of 7 ---- Generated from OpenVZ Forum