
Subject: [patch 1/1][IPV6] resend: remove duplicate call to proc_net_remove
Posted by [Daniel Lezcano](#) on Tue, 30 Oct 2007 16:23:45 GMT

[View Forum Message](#) <> [Reply to Message](#)

The file /proc/net/if_inet6 is removed twice.

First time in:

```
inet6_exit
->addrconf_cleanup
```

And followed a few lines after by:

```
inet6_exit
-> if6_proc_exit
```

Signed-off-by: Daniel Lezcano <dlezcano@fr.ibm.com>

```
net/ipv6/addrconf.c | 4 ----
1 file changed, 4 deletions(-)
```

Index: net-2.6/net/ipv6/addrconf.c

```
=====
--- net-2.6.orig/net/ipv6/addrconf.c
+++ net-2.6/net/ipv6/addrconf.c
@@ -4288,8 +4288,4 @@ void __exit addrconf_cleanup(void)
     del_timer(&addr_chk_timer);

     rtnl_unlock();
-
-#ifdef CONFIG_PROC_FS
- proc_net_remove(&init_net, "if_inet6");
-#endif
}
```

--

Containers mailing list
Containers@lists.linux-foundation.org
<https://lists.linux-foundation.org/mailman/listinfo/containers>

Subject: Re: [patch 1/1][IPV6] resend: remove duplicate call to proc_net_remove
Posted by [ebiederm](#) on Tue, 30 Oct 2007 20:53:53 GMT

[View Forum Message](#) <> [Reply to Message](#)

Daniel Lezcano <dlezcano@fr.ibm.com> writes:

```
> The file /proc/net/if_inet6 is removed twice.
> First time in:
>     inet6_exit
>     ->addrconf_cleanup
```

> And followed a few lines after by:
> inet6_exit
> -> if6_proc_exit
>
> Signed-off-by: Daniel Lezcano <dlezcano@fr.ibm.com>
Acked-by: "Eric W. Biederman" <ebiederm@xmission.com>

Looks like a good clean up to me.

```
> ---
> net/ipv6/addrconf.c | 4 ----
> 1 file changed, 4 deletions(-)
>
> Index: net-2.6/net/ipv6/addrconf.c
> =====
> --- net-2.6.orig/net/ipv6/addrconf.c
> +++ net-2.6/net/ipv6/addrconf.c
> @@ -4288,8 +4288,4 @@ void __exit addrconf_cleanup(void)
>  del_timer(&addr_chk_timer);
>
>  rtnl_unlock();
> -
> -#ifdef CONFIG_PROC_FS
> - proc_net_remove(&init_net, "if_inet6");
> -#endif
> }
>
> --
```

Containers mailing list
Containers@lists.linux-foundation.org
<https://lists.linux-foundation.org/mailman/listinfo/containers>

Subject: Re: [patch 1/1][IPV6] resend: remove duplicate call to proc_net_remove
Posted by [davem](#) on Tue, 30 Oct 2007 22:39:42 GMT
[View Forum Message](#) <> [Reply to Message](#)

From: Daniel Lezcano <dlezcano@fr.ibm.com>
Date: Tue, 30 Oct 2007 17:23:45 +0100

> The file /proc/net/if_inet6 is removed twice.
> First time in:
> inet6_exit
> ->addrconf_cleanup

> And followed a few lines after by:
> inet6_exit
> -> if6_proc_exit
>
> Signed-off-by: Daniel Lezcano <dlezcano@fr.ibm.com>

Applied, thanks Daniel.

Containers mailing list
Containers@lists.linux-foundation.org
<https://lists.linux-foundation.org/mailman/listinfo/containers>
