
Subject: [PATCH 4/7] uts namespaces: implement utsname namespaces

Posted by [serue](#) on Sat, 08 Apr 2006 04:52:06 GMT

[View Forum Message](#) <> [Reply to Message](#)

This patch defines the uts namespace and some manipulators.
Adds the uts namespace to task_struct, and initializes a
system-wide init namespace.

It leaves a #define for system_utsname so sysctl will compile.
This define will be removed in a separate patch.

Signed-off-by: Serge E. Hallyn <serue@us.ibm.com>

```
include/linux/init_task.h | 2 +
include/linux/sched.h     | 2 +
include/linux/utsname.h   | 43 ++++++-----
init/Kconfig              | 8 +++++
init/version.c            | 68 ++++++-----
kernel/exit.c             | 2 +
kernel/fork.c             | 9 +++++-
7 files changed, 120 insertions(+), 14 deletions(-)
```

```
1546b386a091cfd18a5f42f61bcba60e2763d3a2
diff --git a/include/linux/init_task.h b/include/linux/init_task.h
index 41ecbb8..21b1751 100644
--- a/include/linux/init_task.h
+++ b/include/linux/init_task.h
@@ -3,6 +3,7 @@
```

```
#include <linux/file.h>
#include <linux/rcupdate.h>
+#include <linux/utsname.h>
```

```
#define INIT_FDTABLE \
{ \
@@ -123,6 +124,7 @@ extern struct group_info init_groups;
 .journal_info = NULL, \
 .cpu_timers = INIT_CPU_TIMERS(tsk.cpu_timers), \
 .fs_excl = ATOMIC_INIT(0), \
+ .uts_ns = &init_uts_ns, \
}
```

```
diff --git a/include/linux/sched.h b/include/linux/sched.h
index 541f482..97c7990 100644
--- a/include/linux/sched.h
```

```

+++ b/include/linux/sched.h
@@ -684,6 +684,7 @@ static inline void prefetch_stack(struct

struct audit_context; /* See audit.c */
struct mempolicy;
+struct uts_namespace;

enum sleep_type {
    SLEEP_NORMAL,
@@ -807,6 +808,7 @@ struct task_struct {
    struct files_struct *files;
    /* namespace */
    struct namespace *namespace;
+ struct uts_namespace *uts_ns;
    /* signal handlers */
    struct signal_struct *signal;
    struct sighand_struct *sighand;
diff --git a/include/linux/utsname.h b/include/linux/utsname.h
index 8f0decf..e6ce607 100644
--- a/include/linux/utsname.h
+++ b/include/linux/utsname.h
@@ -1,5 +1,8 @@
#ifdef _LINUX_UTSNAME_H
#define _LINUX_UTSNAME_H
+#include <linux/sched.h>
+#include <linux/kref.h>
+#include <asm/atomic.h>

#define __OLD_UTS_LEN 8

@@ -30,15 +33,47 @@ struct new_utsname {
    char domainname[65];
};

-extern struct new_utsname system_utsname;
+struct uts_namespace {
+ struct kref kref;
+ struct new_utsname name;
+};
+extern struct uts_namespace init_uts_ns;
+
+#ifdef CONFIG_UTS_NS
+
+extern struct uts_namespace *clone_uts_ns(struct uts_namespace *old_ns);
+extern struct uts_namespace *unshare_uts_ns(void);
+extern void free_uts_ns(struct kref *kref);
+
+static inline void get_uts_ns(struct uts_namespace *ns)

```

```

+{
+ kref_get(&ns->kref);
+}
+
+static inline void put_uts_ns(struct uts_namespace *ns)
+{
+ kref_put(&ns->kref, free_uts_ns);
+}
+
+
+##else
+static inline void get_uts_ns(struct uts_namespace *ns)
+{
+}
+static inline void put_uts_ns(struct uts_namespace *ns)
+{
+}
+}
+##endif

-static inline struct new_utsname *utsname(void) {
- return &system_utsname;
+static inline struct new_utsname *utsname(void)
+{
+ return &current->uts_ns->name;
+}

static inline struct new_utsname *init_utsname(void) {
- return &system_utsname;
+ return &init_uts_ns.name;
+}

+##define system_utsname init_uts_ns.name
+
+extern struct rw_semaphore uts_sem;
+##endif
diff --git a/init/Kconfig b/init/Kconfig
index 3b36a1d..8460e5a 100644
--- a/init/Kconfig
+++ b/init/Kconfig
@@ -166,6 +166,14 @@ config SYSCTL
    building a kernel for install/rescue disks or your system is very
    limited in memory.

+config UTS_NS
+ bool "UTS Namespaces"
+ default n
+ help
+ Support uts namespaces. This allows containers, i.e.
+ vservers, to use uts namespaces to provide different

```

```

+ uts info for different servers. If unsure, say N.
+
config AUDIT
  bool "Auditing support"
  depends on NET
diff --git a/init/version.c b/init/version.c
index 3ddc3ce..c05d8f8 100644
--- a/init/version.c
+++ b/init/version.c
@@ -11,22 +11,74 @@
#include <linux/uts.h>
#include <linux/utsname.h>
#include <linux/version.h>
+#include <linux/sched.h>

#define version(a) Version_ ## a
#define version_string(a) version(a)

int version_string(LINUX_VERSION_CODE);

-struct new_utsname system_utsname = {
- .sysname = UTS_SYSNAME,
- .nodename = UTS_NODENAME,
- .release = UTS_RELEASE,
- .version = UTS_VERSION,
- .machine = UTS_MACHINE,
- .domainname = UTS_DOMAINNAME,
+struct uts_namespace init_uts_ns = {
+ .kref = {
+ .refcount = ATOMIC_INIT(2),
+ },
+ .name = {
+ .sysname = UTS_SYSNAME,
+ .nodename = UTS_NODENAME,
+ .release = UTS_RELEASE,
+ .version = UTS_VERSION,
+ .machine = UTS_MACHINE,
+ .domainname = UTS_DOMAINNAME,
+ },
};

-EXPORT_SYMBOL(system_utsname);
+#ifdef CONFIG_UTS_NS
+/*
+ * Clone a new ns copying an original utsname, setting refcount to 1
+ * @old_ns: namespace to clone
+ * Return NULL on error (failure to kmalloc), new ns otherwise
+ */

```

```

+struct uts_namespace *clone_uts_ns(struct uts_namespace *old_ns)
+{
+ struct uts_namespace *ns;
+
+ ns = kmalloc(sizeof(struct uts_namespace), GFP_KERNEL);
+ if (ns) {
+ memcpy(&ns->name, &old_ns->name, sizeof(ns->name));
+ kref_init(&ns->kref);
+ }
+ return ns;
+}
+
+/*
+ * unshare the current process' utsname namespace. Changes
+ * to the utsname of this process won't be seen by parent, and
+ * vice versa
+ *
+ * Return NULL on error (failure to kmalloc), new ns otherwise
+ *
+ * TODO: decide where this should be locked (depends on how/where
+ * we decide to use this)
+ */
+struct uts_namespace *unshare_uts_ns(void)
+{
+ struct uts_namespace *old_ns = current->uts_ns;
+ struct uts_namespace *new_ns = clone_uts_ns(old_ns);
+ if (new_ns) {
+ current->uts_ns = new_ns;
+ put_uts_ns(old_ns);
+ }
+ return new_ns;
+}
+
+void free_uts_ns(struct kref *kref)
+{
+ struct uts_namespace *ns;
+
+ ns = container_of(kref, struct uts_namespace, kref);
+ kfree(ns);
+}
+#endif

```

```

const char linux_banner[] =
"Linux version " UTS_RELEASE " (" LINUX_COMPILE_BY "@"
diff --git a/kernel/exit.c b/kernel/exit.c
index 6c2eeb8..97c5405 100644
--- a/kernel/exit.c
+++ b/kernel/exit.c

```

```

@@ -34,6 +34,7 @@
#include <linux/mutex.h>
#include <linux/futex.h>
#include <linux/compat.h>
+#include <linux/utsname.h>

#include <asm/uaccess.h>
#include <asm/unistd.h>
@@ -173,6 +174,7 @@ repeat:
    spin_unlock(&p->proc_lock);
    proc_pid_flush(proc_dentry);
    release_thread(p);
+ put_uts_ns(p->uts_ns);
    call_rcu(&p->rcu, delayed_put_task_struct);

    p = leader;
diff --git a/kernel/fork.c b/kernel/fork.c
index 3384eb8..62e4479 100644
--- a/kernel/fork.c
+++ b/kernel/fork.c
@@ -44,6 +44,7 @@
#include <linux/rmap.h>
#include <linux/acct.h>
#include <linux/cn_proc.h>
+#include <linux/utsname.h>

#include <asm/pgtable.h>
#include <asm/pgalloc.h>
@@ -1119,6 +1120,8 @@ static task_t *copy_process(unsigned lon
/* Perform scheduler related setup. Assign this task to a CPU. */
sched_fork(p, clone_flags);

+ get_uts_ns(p->uts_ns);
+
/* Need tasklist lock for parent etc handling! */
write_lock_irq(&tasklist_lock);

@@ -1158,7 +1161,7 @@ static task_t *copy_process(unsigned lon
    spin_unlock(&current->sighand->siglock);
    write_unlock_irq(&tasklist_lock);
    retval = -ERESTARTNOINTR;
- goto bad_fork_cleanup_namespace;
+ goto bad_fork_cleanup_utsns;
}

if (clone_flags & CLONE_THREAD) {
@@ -1171,7 +1174,7 @@ static task_t *copy_process(unsigned lon
    spin_unlock(&current->sighand->siglock);

```

```
write_unlock_irq(&tasklist_lock);
retval = -EAGAIN;
- goto bad_fork_cleanup_namespace;
+ goto bad_fork_cleanup_utsns;
}

p->group_leader = current->group_leader;
@@ -1223,6 +1226,8 @@ static task_t *copy_process(unsigned long
proc_fork_connector(p);
return p;
```

```
+bad_fork_cleanup_utsns:
+ put_uts_ns(p->uts_ns);
bad_fork_cleanup_namespace:
exit_namespace(p);
bad_fork_cleanup_keys:
```

```
--
1.2.4
```

Subject: Re: [PATCH 4/7] uts namespaces: implement utsname namespaces
Posted by [Cedric Le Goater](#) on Mon, 10 Apr 2006 16:06:54 GMT
[View Forum Message](#) <> [Reply to Message](#)

Serge E. Hallyn wrote:

```
> ...
> -struct new_utsname system_utsname = {
> - .sysname = UTS_SYSNAME,
> - .nodename = UTS_NODENAME,
> - .release = UTS_RELEASE,
> - .version = UTS_VERSION,
> - .machine = UTS_MACHINE,
> - .domainname = UTS_DOMAINNAME,
> +struct uts_namespace init_uts_ns = {
> + .kref = {
> + .refcount = ATOMIC_INIT(2),
> + },
> + .name = {
> + .sysname = UTS_SYSNAME,
> + .nodename = UTS_NODENAME,
> + .release = UTS_RELEASE,
> + .version = UTS_VERSION,
> + .machine = UTS_MACHINE,
> + .domainname = UTS_DOMAINNAME,
> + },
> };
>
> -EXPORT_SYMBOL(system_utsname);
```

this should probably be replaced with

```
EXPORT_SYMBOL(init_uts_ns);
```

or export init_utsname().

C.
