

---

Subject: [PATCH 1/2] cleanup pernet operation without CONFIG\_NET\_NS

Posted by [den](#) on Wed, 07 Nov 2007 11:57:18 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

If CONFIG\_NET\_NS is not set, the only namespace is possible.

This patch removes list of pernet\_operations and cleanups code a bit.  
This list is not needed if there are no namespaces. We should just call  
->init method.

Additionally, the ->exit will be called on module unloading only. This  
case is safe - the code is not discarded. For the in/kernel code, ->exit  
should never be called.

Signed-off-by: Denis V. Lunev <den@openvz.org>

```
--- ./net/core/net_namespace.c.netinitdata 2007-10-15 13:55:25.000000000 +0400
```

```
+++ ./net/core/net_namespace.c 2007-11-06 14:33:14.000000000 +0300
```

```
@ @ -179,6 +180,7 @ @ static int __init net_ns_init(void)
```

```
pure_initcall(net_ns_init);
```

```
+#ifdef CONFIG_NET_NS
```

```
static int register_pernet_operations(struct list_head *list,  
    struct pernet_operations *ops)
```

```
{
```

```
@ @ -220,6 +222,23 @ @ static void unregister_pernet_operations  
ops->exit(net);
```

```
}
```

```
+#else
```

```
+
```

```
+static int register_pernet_operations(struct list_head *list,  
+    struct pernet_operations *ops)
```

```
+{
```

```
+ if (ops->init == NULL)
```

```
+ return 0;
```

```
+ return ops->init(&init_net);
```

```
+}
```

```
+
```

```
+static void unregister_pernet_operations(struct pernet_operations *ops)
```

```
+{
```

```
+ if (ops->exit)
```

```
+ ops->exit(&init_net);
```

```
+}
```

```
+#endif
```

```
+
```

```
/**
```

- \* register\_pernet\_subsys - register a network namespace subsystem
  - \* @ops: pernet operations structure for the subsystem
- 

---

Subject: Re: [PATCH 1/2] cleanup pernet operation without CONFIG\_NET\_NS  
Posted by [davem](#) on Tue, 13 Nov 2007 11:24:07 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

From: "Denis V. Lunev" <den@openvz.org>  
Date: Wed, 7 Nov 2007 15:00:07 +0300

> If CONFIG\_NET\_NS is not set, the only namespace is possible.  
>  
> This patch removes list of pernet\_operations and cleanups code a bit.  
> This list is not needed if there are no namespaces. We should just call  
> ->init method.  
>  
> Additionally, the ->exit will be called on module unloading only. This  
> case is safe - the code is not discarded. For the in/kernel code, ->exit  
> should never be called.  
>  
> Signed-off-by: Denis V. Lunev <den@openvz.org>

Applied.

---

---

Subject: Re: [PATCH 1/2] cleanup pernet operation without CONFIG\_NET\_NS  
Posted by [ebiederm](#) on Thu, 15 Nov 2007 14:13:36 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

"Denis V. Lunev" <den@openvz.org> writes:

> If CONFIG\_NET\_NS is not set, the only namespace is possible.  
>  
> This patch removes list of pernet\_operations and cleanups code a bit.  
> This list is not needed if there are no namespaces. We should just call  
> ->init method.  
>  
> Additionally, the ->exit will be called on module unloading only. This  
> case is safe - the code is not discarded. For the in/kernel code, ->exit  
> should never be called.

This patch looks sane, and reasonable in the !CONFIG\_NET\_NS case.

Eric

---

Containers mailing list

