
Subject: May be a Bug

Posted by [mastersherin](#) on Wed, 14 Nov 2007 09:52:02 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hello,

I disabled a VE. I am not able to start it. That is fine. But if I try to restart it, then that node become up and running.

```
-----
# vzlist |grep 124
    124      3 running      host.com
# grep -i disabled /etc/vz/conf/124.conf
DISABLED="no"
# vzctl set 124 --disabled yes --save
Saved parameters for VE 124
# grep -i disabled /etc/vz/conf/124.conf
DISABLED="yes"
# vzctl stop 124 force
Stopping VE ...
VE was stopped
VE is unmounted
```

```
# vzctl start 124
VE start disabled
# vzlist -a |grep 124
    124      - stopped -      host.com
# vzctl restart 124
Restarting VE
Starting VE ...
VE is mounted
Setting CPU units: 1000
Set hostname: host.com
VE start in progress...
# vzlist -a |grep 124
    124      3 running      host.com
-----
```

I tested in kernel 2.6.9 to 2.6.22 . Tested OS's are Centos4.5 , Centos5 , Fc4, FC5 and FC6

So the question , is "disabled" option useful or not ?

Subject: Re: May be a Bug

Posted by [vaverin](#) on Thu, 15 Nov 2007 11:43:20 GMT

[View Forum Message](#) <> [Reply to Message](#)

Thank you for bugreport!

