
Subject: Online migration/keeping tcp connections

Posted by [dagr](#) on Fri, 23 Nov 2007 09:37:43 GMT

[View Forum Message](#) <> [Reply to Message](#)

I know that online migration can keep idle tcp connections. Ie if i connect to VE by ssh and do nothing , than after online migration session is still active, i can run commands , etc .

But it changes if data transmitted during migration .

Lets say if i do "scp VE:file1 file2". Or if i connect via ssh and do "vmstat 1" , then after migration it either looses connection or "vmstat 1" dies and ssh session still ok .Anyway transferring file always fails. (its valid both for vzmigrate tool and for my custom migration script)

I thought it could be fixed with iptables.

If i have running VE and do "vmstat 1" , then if i make smth like

```
"vzctl exec ve_test iptables -I OUTPUT -j DROP; iptables -I FORWARD -d ve_test_ip -j DROP"
```

.(to block packets from inside and outside), "vmstat 1" hangs and when i undo this rules it resumes. Same with copying file.

So i thought if i do migration with blocking packets before suspend and unblocking after resume (when all mess with changing arp/network interfaces ends) then migration will be absolutely transparent for both client and VE. Ie it will be the same as just blocking packets without migration . But it didnt help.

I will investigate further, anyway i wonder if you can tell me about possible reasons why this happens.

(vzctl-3.0.18-1,ovzkernel-PAE-2.6.18-8.1.15.el5.028stab047.1)

Subject: Re: Online migration/keeping tcp connections

Posted by [dagr](#) on Fri, 23 Nov 2007 13:49:38 GMT

[View Forum Message](#) <> [Reply to Message](#)

Ok , looks like i found problem . Ve_ip was masqearaded to HN ips which are different . Looks like first output packet after resume was masqueraded wrong way . Copy file ok , running 'top' ok , still get strange error during "vmstat 1"

Subject: Re: Online migration/keeping tcp connections

Posted by [dagr](#) on Mon, 26 Nov 2007 09:02:46 GMT

[View Forum Message](#) <> [Reply to Message](#)

Looks like there is a rule.

Online migration can only keep active connections (transferring file) - on 1 ve_ip per 1 interface. Because such active connections are kept only if VE_ip is always masqueraded to same VE_ip. Ie if there is VE with 2 external ips and there are 2 active copying processes from both ip , then after migration 1 copying will fail.
