
Subject: Fuse(sshfs) instead of NFS

Posted by [RobinVossen](#) on Tue, 04 Dec 2007 08:59:09 GMT

[View Forum Message](#) <> [Reply to Message](#)

Well,

I am in a Hurry here since we almost hit the DeathLine.

So, well thats why we though about changing from NFS (

http://forum.openvz.org/index.php?t=msg&goto=24234&# msg_24234) to SSHFS (Or at least ANYTHING that does like the same but works..)

I dont care what it is as long as its works.

So I took at look at Fuse+SSHFS.

So I did:

<http://wiki.openvz.org/FUSE>

Exactly as it said..

I even did change the /etc/ld.so.conf file and I did add the following lines:

```
/usr/local/lib/libfuse.so.2.7.1
```

```
/usr/local/lib/libfuse.so.2
```

Both the files are there.

But when I do:

```
ssh _sxb@192.168.1.1:/home/_sxb /mnt
```

I get

Quote:sshfs: error while loading shared libraries: libfuse.so.2: cannot open shared object file: No such file or directory

So I took a look at my /usr/local/lib/libfuse.so.2 file..

And it is there.

I tried to restart the VZbox. but no luck.

And I hope I understand this correctly..

This:

```
ssh _sxb@192.168.1.1:/home/_sxb /mnt
```

is runned on the Client were I want to make a SSH-Tunnel for my FileSystem. I want to login with the user _sxb on the box 192.168.1.1 I want to mount the /home/_sxb directory from the 192.168.1.1 box to the /mnt folder of my local box?

The server just needs to have OpenSSH_4.5p1, OpenSSL 0.9.8d

The kernel I use is:

```
2.6.18-openvz-686
```

Can anyone help me with this?

Thanks..

Cheers,

Robin

Subject: Re: Fuse(sshfs) instead of NFS
Posted by [kir](#) on Tue, 04 Dec 2007 09:10:24 GMT
[View Forum Message](#) <> [Reply to Message](#)

1. /etc/ld.so.conf contains list of `_directories_` with shared libraries, not the files itself. If you change it, you need to rerun `ldconfig`.
 2. Installing libraries manually and in a non-standard location is a bad practice. Most modern distros come with a packages supporting fuse -- say, for fedora 8 there are fuse, fuse-libs and fuse-sshfs packages available, and you need all three of them in order to mount via ssh.
 3. Since you haven't specified which distro do you run inside a VE, I can not help you with determining which packages you need to install.
 4. Quote:sshhd _sxb@192.168.1.1:/home_sxb /mnt
I guess you mean sshfs not sshd here. To avoid such errors please use copy/paste when showing what's happening on your system.
-

Subject: Re: Fuse(sshfs) instead of NFS
Posted by [RobinVossen](#) on Tue, 04 Dec 2007 09:38:04 GMT
[View Forum Message](#) <> [Reply to Message](#)

kir wrote on Tue, 04 December 2007 04:101. /etc/ld.so.conf contains list of `_directories_` with shared libraries, not the files itself. If you change it, you need to rerun `ldconfig`.
Ah, ok. thanks i didnt know that.
But I see now that the `/usr/local/lib` folder is already in that file.

kir wrote on Tue, 04 December 2007 04:102. Installing libraries manually and in a non-standard location is a bad practice. Most modern distros come with a packages supporting fuse -- say, for fedora 8 there are fuse, fuse-libs and fuse-sshfs packages available, and you need all three of them in order to mount via ssh.
I did do exactly what to tutorial said. So I compiled the packages myself.. (Did I screw up.. :/ ??)

kir wrote on Tue, 04 December 2007 04:103. Since you haven't specified which distro do you run inside a VE, I can not help you with determining which packages you need to install.
I use Gentoo and I think I need:
sys-fs/sshfs-fuse

kir wrote on Tue, 04 December 2007 04:104. Quote:sshhd _sxb@192.168.1.1:/home_sxb /mnt
I guess you mean sshfs not sshd here. To avoid such errors please use copy/paste when showing what's happening on your system.
How can I copy from a Terminal Box that doesnt have any webbrowser on it?
This is a Terminal Only box.
And yea I did sshfs..

Thanks already.
I hope that my information give you the information you need to help me

Cheers,
Robin

Subject: Re: Fuse(sshfs) instead of NFS
Posted by [kir](#) on Tue, 04 Dec 2007 09:57:42 GMT
[View Forum Message](#) <> [Reply to Message](#)

Quote:But I see now that the /usr/local/lib folder is already in that file.

And now you need to run ldconfig

Quote:I use Gentoo and I think I need:
sys-fs/sshfs-fuse

Yeah, I guess at this point it's better to

1. undo your changes to /etc/ld.so.conf
2. rerun ldconfig
3. do 'make uninstall' for fuse and sshfs-fuse (the same way you did 'make install')
4. run 'emerge sshfs-fuse' and it will emerge it and all its dependencies.

After that it should work.

Quote:How can I copy from a Terminal Box that doesn't have any web browser on it?
Perhaps by ssh-ing into it from a system on which you do have a web browser. Alternatively, use a text browser (such as links or elinks). Alternatively, on a "Terminal Box" save what you need into a text file, copy it over the network to your desktop and then open the file and do copy/paste. You see, there are a lot of solutions

Subject: Re: Fuse(sshfs) instead of NFS
Posted by [RobinVossen](#) on Tue, 04 Dec 2007 10:10:15 GMT
[View Forum Message](#) <> [Reply to Message](#)

kir wrote on Tue, 04 December 2007 04:57
And now you need to run ldconfig

Yeah, I guess at this point it's better to

1. undo your changes to /etc/ld.so.conf
2. rerun ldconfig

Already taken care of.
Now I'll do:

kir wrote on Tue, 04 December 2007 04:57

3. do 'make uninstall' for fuse and sshfs-fuse (the same way you did 'make install')

4. run 'emerge sshfs-fuse' and it will emerge it and all its

And hope it will work..

After that it should work.

Quote:You see, there are a lot of solutions

heh yea, ok you got me there.

But SSHing using Windows (PuTTY) never is my strong point.

It always messes up when I use nano or Emacs (or Vi).

I dont install links since I simply want to spare the system from having file I dont want/need.

I just have to be a bit cleaner with typing.

Also I checked the Kernel config for it to support NFS or SSHFS. It did, but I did turn something else on. So I have to wait for the kernel to compile now.

Then ill try what you told.

Cheers,
Robin

Subject: Re: Fuse(sshfs) instead of NFS

Posted by [RobinVossen](#) on Tue, 04 Dec 2007 11:28:29 GMT

[View Forum Message](#) <> [Reply to Message](#)

Ok, I was done with the Kernel.

So I did what you said. I removed them I did emerge and I got that I miss the Linux-Sources.. So Emerge is going to Build something in the Kernel. That means that I cant run it, since well the kernel is a OpenVZ kernel right?

It doesnt have ANY USE flags. so I cant temper with them.

My exact error was:

get_version || die "Unable to calculate Linux kernel Version"

Before that I saw a error saying something about no config file in the LinuxSources.

Well do you think its going to be easier to try sshfs up now to NFS?
Since I need either..

Cheers,

Robin

Subject: Re: Fuse(sshfs) instead of NFS
Posted by [kir](#) on Tue, 04 Dec 2007 11:34:24 GMT
[View Forum Message](#) <> [Reply to Message](#)

I guess it just wants to check if the kernel config options are fine.

You can emerge openvz-sources (with USE=symlink) and then copy your real kernel .config to /usr/src/linux, after that try emerging fuse again.

Subject: Re: Fuse(sshfs) instead of NFS
Posted by [RobinVossen](#) on Tue, 04 Dec 2007 11:56:38 GMT
[View Forum Message](#) <> [Reply to Message](#)

Well there I have a Problem then..

The Hardware Node is Debian Stable since I had problems with installing it on Gentoo.

So the HN is Debian and the OpenVZs are Gentoo..

Cheers,
Robin

Subject: Re: Fuse(sshfs) instead of NFS
Posted by [RobinVossen](#) on Wed, 05 Dec 2007 08:14:20 GMT
[View Forum Message](#) <> [Reply to Message](#)

Ok, well I took a look at sshfs.
I think there is a mistake with the kernel. Since I cant compile it in using "make menuconfig"
So I looked back at NFS once. To be sure I can get this up before Friday.. (My Deathline)
I did merge that into the kernel..
Here is a part of my kernel Config:

```
#  
# Network File Systems  
#  
[b]CONFIG_NFS_FS=y  
CONFIG_NFS_V3=y  
CONFIG_NFS_V3_ACL=y  
CONFIG_NFS_V4=y  
CONFIG_NFS_DIRECTIO=y  
CONFIG_NFSD=y
```

```
CONFIG_NFSD_V2_ACL=y
CONFIG_NFSD_V3=y
CONFIG_NFSD_V3_ACL=y
CONFIG_NFSD_V4=y
CONFIG_NFSD_TCP=y[/b]
CONFIG_LOCKD=y
CONFIG_LOCKD_V4=y
CONFIG_EXPORTFS=y
CONFIG_NFS_ACL_SUPPORT=y
CONFIG_NFS_COMMON=y
CONFIG_SUNRPC=y
CONFIG_SUNRPC_GSS=y
CONFIG_RPCSEC_GSS_KRB5=y
CONFIG_RPCSEC_GSS_SPKM3=m
CONFIG_SMB_FS=m
# CONFIG_SMB_NLS_DEFAULT is not set
CONFIG_CIFS=m
# CONFIG_CIFS_STATS is not set
# CONFIG_CIFS_WEAK_PW_HASH is not set
# CONFIG_CIFS_XATTR is not set
# CONFIG_CIFS_DEBUG2 is not set
# CONFIG_CIFS_EXPERIMENTAL is not set
CONFIG_NCP_FS=m
CONFIG_NCPFS_PACKET_SIGNING=y
CONFIG_NCPFS_IOCTL_LOCKING=y
CONFIG_NCPFS_STRONG=y
CONFIG_NCPFS_NFS_NS=y
CONFIG_NCPFS_OS2_NS=y
# CONFIG_NCPFS_SMALLDOS is not set
CONFIG_NCPFS_NLS=y
CONFIG_NCPFS_EXTRAS=y
CONFIG_CODA_FS=m
# CONFIG_CODA_FS_OLD_API is not set
CONFIG_AFS_FS=m
CONFIG_RXRPC=m
CONFIG_9P_FS=m

#
# Partition Types
#
CONFIG_PARTITION_ADVANCED=y
CONFIG_ACORN_PARTITION=y
# CONFIG_ACORN_PARTITION_CUMANA is not set
# CONFIG_ACORN_PARTITION_EESOX is not set
CONFIG_ACORN_PARTITION_ICS=y
# CONFIG_ACORN_PARTITION_ADFS is not set
# CONFIG_ACORN_PARTITION_POWERTEC is not set
CONFIG_ACORN_PARTITION_RISCIX=y
```

```
CONFIG_OSF_PARTITION=y
CONFIG_AMIGA_PARTITION=y
CONFIG_ATARI_PARTITION=y
CONFIG_MAC_PARTITION=y
CONFIG_MSDOS_PARTITION=y
CONFIG_BSD_DISKLABEL=y
CONFIG_MINIX_SUBPARTITION=y
CONFIG_SOLARIS_X86_PARTITION=y
CONFIG_UNIXWARE_DISKLABEL=y
CONFIG_LDM_PARTITION=y
# CONFIG_LDM_DEBUG is not set
CONFIG_SGI_PARTITION=y
CONFIG_ULTRIX_PARTITION=y
CONFIG_SUN_PARTITION=y
CONFIG_KARMA_PARTITION=y
CONFIG_EFI_PARTITION=y
```

```
#
# Native Language Support
#
CONFIG_NLS=y
CONFIG_NLS_DEFAULT="iso8859-1"
CONFIG_NLS_CODEPAGE_437=m
CONFIG_NLS_CODEPAGE_737=m
CONFIG_NLS_CODEPAGE_775=m
CONFIG_NLS_CODEPAGE_850=m
CONFIG_NLS_CODEPAGE_852=m
CONFIG_NLS_CODEPAGE_855=m
CONFIG_NLS_CODEPAGE_857=m
CONFIG_NLS_CODEPAGE_860=m
CONFIG_NLS_CODEPAGE_861=m
CONFIG_NLS_CODEPAGE_862=m
CONFIG_NLS_CODEPAGE_863=m
CONFIG_NLS_CODEPAGE_864=m
CONFIG_NLS_CODEPAGE_865=m
CONFIG_NLS_CODEPAGE_866=m
CONFIG_NLS_CODEPAGE_869=m
CONFIG_NLS_CODEPAGE_936=m
CONFIG_NLS_CODEPAGE_950=m
CONFIG_NLS_CODEPAGE_932=m
CONFIG_NLS_CODEPAGE_949=m
CONFIG_NLS_CODEPAGE_874=m
CONFIG_NLS_ISO8859_8=m
CONFIG_NLS_CODEPAGE_1250=m
CONFIG_NLS_CODEPAGE_1251=m
CONFIG_NLS_ASCII=m
CONFIG_NLS_ISO8859_1=m
CONFIG_NLS_ISO8859_2=m
```

CONFIG_NLS_ISO8859_3=m
CONFIG_NLS_ISO8859_4=m
CONFIG_NLS_ISO8859_5=m
CONFIG_NLS_ISO8859_6=m
CONFIG_NLS_ISO8859_7=m
CONFIG_NLS_ISO8859_9=m
CONFIG_NLS_ISO8859_13=m
CONFIG_NLS_ISO8859_14=m
CONFIG_NLS_ISO8859_15=m
CONFIG_NLS_KOI8_R=m
CONFIG_NLS_KOI8_U=m
CONFIG_NLS_UTF8=m

Instrumentation Support

CONFIG_PROFILING=y
CONFIG_OPROFILE=m
CONFIG_KPROBES is not set

Kernel hacking

CONFIG_TRACE_IRQFLAGS_SUPPORT=y
CONFIG_PRINTK_TIME is not set
CONFIG_MAGIC_SYSRQ=y
CONFIG_UNUSED_SYMBOLS=y
CONFIG_SYSRQ_DEBUG is not set
CONFIG_DEBUG_KERNEL is not set
CONFIG_LOG_BUF_SHIFT=15
CONFIG_DEBUG_BUGVERBOSE=y
CONFIG_DEBUG_FS=y
CONFIG_UNWIND_INFO is not set
CONFIG_EARLY_PRINTK=y
CONFIG_X86_FIND_SMP_CONFIG=y
CONFIG_X86_MPPARSE=y
CONFIG_DOUBLEFAULT=y

OpenVZ

CONFIG_VE=y
CONFIG_VE_CALLS=m
CONFIG_VZ_GENCALLS=y
CONFIG_VE_NETDEV=m
CONFIG_VE_ETHDEV=m
CONFIG_VZ_DEV=m
CONFIG_VE_IPTABLES=y

CONFIG_VZ_WDOG=m
CONFIG_VZ_CHECKPOINT=m

I have been looking really deep into my error logs.

Stuff that I find are:

Quote:nfdssvc: No such deviceandQuote:Cant find file

/lib/modules/2.6.18-openvz-686/modules.dep

I did fix that by making the dir: "/lib/modules/version" and then I runned depmod..

but the files are empty now.. Well I dont know what I do wrong.

I'd really love if anyone can help me..

And Kir.. you have already BEEN a LOT of help.

Thank you for everything till this part already

Cheers,
Robin
