
Subject: [PATCH 1/2 2.6.25] netns: struct net content re-work (v3)

Posted by [den](#) on Tue, 11 Dec 2007 11:53:59 GMT

[View Forum Message](#) <> [Reply to Message](#)

Recently David Miller and Herbert Xu pointed out that struct net becomes overbloated and un-maintainable. There are two solutions:

- provide a pointer to a network subsystem definition from struct net.
This costs an additional dereference
- place sub-system definition into the structure itself. This will speedup run-time access at the cost of recompilation time

The second approach looks better for us. Other sub-systems will follow.

Signed-off-by: Denis V. Lunev <den@openvz.org>

Acked-by: Daniel Lezcano <dlezcano@fr.ibm.com>

```
include/net/net_namespace.h |  6 +----  
include/net/netns/unix.h   | 13 ++++++-----  
net/unix/af_unix.c        |  4 +++-  
net/unix/sysctl_net_unix.c| 12 ++++++-----  
4 files changed, 24 insertions(+), 11 deletions(-)  
create mode 100644 include/net/netns/unix.h
```

```
diff --git a/include/net/net_namespace.h b/include/net/net_namespace.h
```

```
index b62e31f..d943fd4 100644
```

```
--- a/include/net/net_namespace.h
```

```
+++ b/include/net/net_namespace.h
```

```
@@ -8,6 +8,8 @@
```

```
#include <linux/workqueue.h>
```

```
#include <linux/list.h>
```

```
+#include <net/netns/unix.h>
```

```
+
```

```
struct proc_dir_entry;
```

```
struct net_device;
```

```
struct sock;
```

```
@@ -45,9 +47,7 @@ struct net {
```

```
    rwlock_t packet_sklist_lock;
```

```
    struct hlist_head packet_sklist;
```

```
- /* unix sockets */
```

```
- int sysctl_unix_max_dgram_qlen;
```

```
- struct ctl_table_header *unix_ctl;
```

```
+ struct netns_unix unx;
```

```
};
```

```
#ifdef CONFIG_NET
```

```
diff --git a/include/net/netns/unix.h b/include/net/netns/unix.h
```

```

new file mode 100644
index 0000000..284649d
--- /dev/null
+++ b/include/net/netns/unix.h
@@ -0,0 +1,13 @@
+/*
+ * Unix network namespace
+ */
+#ifndef __NETNS_UNIX_H__
#define __NETNS_UNIX_H__
+
+struct ctl_table_header;
+struct netns_unix {
+ int sysctl_max_dgram_qlen;
+ struct ctl_table_header *ctl;
+};
+
+#endif /* __NETNS_UNIX_H__ */
diff --git a/net/unix/af_unix.c b/net/unix/af_unix.c
index b8a2189..63a9239 100644
--- a/net/unix/af_unix.c
+++ b/net/unix/af_unix.c
@@ -592,7 +592,7 @@ static struct sock * unix_create1(struct net *net, struct socket *sock)
     &af_unix_sk_receive_queue_lock_key);

     sk->sk_write_space = unix_write_space;
- sk->sk_max_ack_backlog = net->sysctl_unix_max_dgram_qlen;
+ sk->sk_max_ack_backlog = net->unx.sysctl_max_dgram_qlen;
     sk->sk_destruct = unix_sock_destructor;
     u = unix_sk(sk);
     u->dentry = NULL;
@@ -2138,7 +2138,7 @@ static int unix_net_init(struct net *net)
{
    int error = -ENOMEM;

- net->sysctl_unix_max_dgram_qlen = 10;
+ net->unx.sysctl_max_dgram_qlen = 10;
    if (unix_sysctl_register(net))
        goto out;

diff --git a/net/unix/sysctl_net_unix.c b/net/unix/sysctl_net_unix.c
index 553ef6a..77513d7 100644
--- a/net/unix/sysctl_net_unix.c
+++ b/net/unix/sysctl_net_unix.c
@@ -18,7 +18,7 @@ static ctl_table unix_table[] = {
{
    .ctl_name = NET_UNIX_MAX_DGRAM_QLEN,
    .procname = "max_dgram_qlen",

```

```

- .data = &init_net.sysctl_unix_max_dgram_qlen,
+ .data = &init_net.unx.sysctl_max_dgram_qlen,
  . maxlen = sizeof(int),
  .mode = 0644,
  .proc_handler = &proc_dointvec
@@ -40,9 +40,9 @@ int unix_sysctl_register(struct net *net)
if (table == NULL)
    goto err_alloc;

- table[0].data = &net->sysctl_unix_max_dgram_qlen;
- net->unix_ctl = register_net_sysctl_table(net, unix_path, table);
- if (net->unix_ctl == NULL)
+ table[0].data = &net->unx.sysctl_max_dgram_qlen;
+ net->unx_ctl = register_net_sysctl_table(net, unix_path, table);
+ if (net->unx_ctl == NULL)
    goto err_reg;

return 0;
@@ -57,8 +57,8 @@ void unix_sysctl_unregister(struct net *net)
{
    struct ctl_table *table;

- table = net->unix_ctl->ctl_table_arg;
- unregister_sysctl_table(net->unix_ctl);
+ table = net->unx_ctl->ctl_table_arg;
+ unregister_sysctl_table(net->unx_ctl);
    kfree(table);
}

--
```

1.5.3.rc5

Subject: Re: [PATCH 1/2 2.6.25] netns: struct net content re-work (v3)

Posted by [davem](#) on Tue, 11 Dec 2007 12:19:26 GMT

[View Forum Message](#) <> [Reply to Message](#)

From: "Denis V. Lunev" <den@openvz.org>

Date: Tue, 11 Dec 2007 14:55:07 +0300

> Recently David Miller and Herbert Xu pointed out that struct net becomes
 > overbloated and un-maintainable. There are two solutions:
 > - provide a pointer to a network subsystem definition from struct net.
 > This costs an additional dereference
 > - place sub-system definition into the structure itself. This will speedup
 > run-time access at the cost of recompilation time
 >
 > The second approach looks better for us. Other sub-systems will follow.

>
> Signed-off-by: Denis V. Lunev <den@openvz.org>
> Acked-by: Daniel Lezcano <dlezcano@fr.ibm.com>

Applied.
