Subject: vfat filesystem support from inside VE Posted by ipcop1965 on Fri, 14 Dec 2007 22:54:13 GMT View Forum Message <> Reply to Message

I saw that from inside VE there is support to mount the following filesystems:

[root@VE123 /]# cat /proc/filesystems

ext2 ext3 nodev rpc_pipefs nodev autofs nodev proc nodev sysfs nodev tmpfs nodev devpts

I'd like to add support for vfat filesystem in order to mount an external lomega USB disk which I provided to VE by means of --devnodes option of vzctl: [root@VE123 ~]# fdisk -I /dev/sda

Disk /dev/sda: 500.1 GB, 500107862016 bytes 255 heads, 63 sectors/track, 60801 cylinders Units = cylinders of 16065 * 512 = 8225280 bytes

Device Boot Start End Blocks Id System /dev/sda1 * 1 60801 488384001 b W95 FAT32

Is there any way to do that?

Many Thanks

FC

Subject: Re: vfat filesystem support from inside VE Posted by ugob on Sat, 15 Dec 2007 16:52:06 GMT View Forum Message <> Reply to Message

I think it would be simpler just to reformate the external drive in ext3.

What is the goal of having this external hdd? Backups?

Regards,

Ugo

Of course I reformated the external drive in ext3 and the problem was overtaken. But I'd like to better understand how openvz works because I used it on three production systems and worked very fine. I read on the manuals that it was possible to load iptables modules so I wondered if it was possible to do the same.

Thanks

FC

Subject: Re: vfat filesystem support from inside VE Posted by dev on Wed, 19 Dec 2007 19:33:50 GMT View Forum Message <> Reply to Message

it's possible to mark FAT filesystem_type in the code with flag FS_VIRTUALIZED and this fs (FAT) will become available for mounts from inside VE.

we probably need to implement some run-time configurable way nowdays...

Subject: Re: vfat filesystem support from inside VE Posted by novazur on Fri, 12 Jun 2009 16:27:44 GMT View Forum Message <> Reply to Message

nothing new about that ?

IMAGE=/install/images/ipcop-1.4.21-install-usb-fdd.i386.img; mkdosfs -n IPCOPBOOT -F 16 -I \$IMAGE && for i in `seq 0 7`; do if (! losetup /dev/loop\${i} >/dev/null 2>&1); then LOOPDEV="/dev/loop\${i}"; break; fi; done; losetup \$LOOPDEV \$IMAGE && mount -t vfat \$LOOPDEV /install/mnt && cp -R /install/cdrom/* /install/mnt && mv /install/mnt/boot/isolinux/{instroot.gz,vmlinuz,f*\.txt,memtest} /install/mnt && rm -rf /install/mnt/boot && cp /usr/src/config/kernel/syslinux.cfg /install/mnt/syslinux.cfg && umount /install/mnt && losetup -d \$LOOPDEV && syslinux \$IMAGE mkdosfs 2.11 (12 Mar 2005) mount: unknown filesystem type 'vfat' make: *** [/usr/src/log/usb-key] Error 32 So I really need vfat in VE and I don't think bind mount can help me. Is there a solution now ? Hi.

Well, we still have not implemented any run-time configurable way to provide the ability to mark FS as virtualized (on fully user's risk), thus if you want go this way, we'll have to recompile the kernel marking FAT fs virtualized (not so difficult really, if you'd like i can send you a patch).

But you also can go another way: you can use FUSE inside a Container and there exists 'fusefat' module which provides ability to work with fat fs.

http://wiki.openvz.org/Mounting_filesystems http://wiki.openvz.org/FUSE http://sourceforge.net/projects/libfat/

If you are going to try this way, please, share your experience after you make it working.

--

Konstantin

Subject: Re: vfat filesystem support from inside VE Posted by novazur on Sat, 13 Jun 2009 07:13:42 GMT View Forum Message <> Reply to Message

I'll try that (FUSE). Thanks a lot.

Subject: Re: vfat filesystem support from inside VE Posted by novazur on Sun, 14 Jun 2009 17:21:14 GMT View Forum Message <> Reply to Message

I saw what you mean, but I'm not sure that's the good way, because I need vfat to use mkdosfs and I don't know if fuse is sufficient for that.

So, the solution may be the kernel patch (not sure), or simply not create usb-key and boot.img in ipcop

I'll try this last solution to see if I can even have the cd iso.