

---

## Subject: Live Migration Fails

Posted by [parturi](#) on Sat, 22 Dec 2007 14:53:35 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hello guys, does anyone knows why while trying to migrate a VE I get this error?

```
root@hostbw-253 ~]# vzmigrate -r no --online --keep-dst -v 10.0.10.251 111
OPT:-r
OPT:--online
OPT:--keep-dst
OPT:-v
OPT:10.0.10.251
Starting online migration of VE 111 on 10.0.10.251
OpenVZ is running...
  Loading /etc/vz/vz.conf and /etc/vz/conf/111.conf files
  Check IPs on destination node: 190.2.55.204 10.0.10.204
Preparing remote node
  Copying config file
111.conf                100% 882   0.9KB/s  00:00
Saved parameters for VE 111
/usr/sbin/vzmigrate: line 382: [: missing `']
  Creating remote VE root dir
  Creating remote VE private dir
  VZ disk quota disabled -- skipping quota migration
Syncing private
Live migrating VE
  Suspending VE
Setting up checkpoint...
  suspend...
  get context...
Checkpointing completed succesfully
  Dumping VE
Setting up checkpoint...
  join context..
  dump...
Can not dump VE: Invalid argument
iptables-save exited with 255
Checkpointing failed
Error: Failed to dump VE
Resuming...
Running: /usr/lib/vzctl/scripts/vps-net_add
  put context
The migration is from root@localhost to root@ovz98
```

This is HWN configurations:

```
[root@localhost ~]# uname -a
```

Linux localhost.localdomain 2.6.18-ovz028stab035.1-smp #1 SMP Sat Jun 9  
12:15:32 MSD 2007 i686 i686 i386 GNU/Linux

```
[root@localhost ~]# rpm -qa | grep vz
vzrpm44-4.4.1-22.5
vzrpm43-python-4.3.3-7_nonptl.6
vzyum-2.4.0-11
vzpkg-2.7.0-18
vztmpl-fedora-core-3-2.0-2
vztmpl-fedora-core-5-2.0-2
vzctl-3.0.22-1
ovzkernel-smp-2.6.9-023stab032.1
ovzkernel-smp-2.6.16-026test020.1
vzrpm44-python-4.4.1-22.5
vzrpm43-4.3.3-7_nonptl.6
vztmpl-centos-4-2.0-2
vztmpl-fedora-core-4-2.0-2
kernel-smp-2.6.18-ovz028stab035.1
vzctl-lib-3.0.22-1
vzquota-3.0.11-1
```

```
[root@ovz98 ~]# uname -a
Linux ovz98.dnsba.com 2.6.18-53.el5.028stab051.1 #1 SMP Fri Nov 30 03:05:22
MSK 2007 i686 athlon i386 GNU/Linux
```

```
[root@ovz98 ~]# rpm -qa | grep vz
ovzkernel-2.6.18-8.1.4.el5.028stab035.1
vzrpm44-4.4.1-22.5
vzrpm43-python-4.3.3-7_nonptl.6
vzyum-2.4.0-11
vztmpl-centos-4-2.0-2
vztmpl-fedora-core-4-2.0-2
vzctl-3.0.22-1
ovzkernel-2.6.18-53.el5.028stab051.1
vzrpm44-python-4.4.1-22.5
vzrpm43-4.3.3-7_nonptl.6
vzpkg-2.7.0-18
vztmpl-fedora-core-3-2.0-2
vztmpl-fedora-core-5-2.0-2
vzctl-lib-3.0.22-1
vzquota-3.0.11-1
```

Any idea?

---

---

Subject: Re: Live Migration Fails

Posted by [Thorsten Schifferdeck](#) on Sat, 22 Dec 2007 20:27:02 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi Pablo,

yep, since the last git commit to vzmigrate (->  
<http://git.openvz.org/?p=vzctl;a=commitdiff;h=ebd5fb00a4eb0134d7ef4ebfdc0b6ae43d07d8fd>  
) , the extended test command was removed, so change at line 382:

```
if [ $? != 20 && $? != 21 && $? != 0 ]; then
```

to:

```
if [[ $? != 20 && $? != 21 && $? != 0 ]]; then
```

Bye,

Thorsten

Pablo L. Arturi wrote:

> Hello guys, does anyone knows why while trying to migrate a VE I get this  
> error?

>

```
> root@hostbw-253 ~]# vzmigrate -r no --online --keep-dst -v 10.0.10.251 111
```

```
> OPT:-r
```

```
> OPT:--online
```

```
> OPT:--keep-dst
```

```
> OPT:-v
```

```
> OPT:10.0.10.251
```

```
> Starting online migration of VE 111 on 10.0.10.251
```

```
> OpenVZ is running...
```

```
> Loading /etc/vz/vz.conf and /etc/vz/conf/111.conf files
```

```
> Check IPs on destination node: 190.2.55.204 10.0.10.204
```

```
> Preparing remote node
```

```
> Copying config file
```

```
> 111.conf 100% 882 0.9KB/s 00:00
```

```
> Saved parameters for VE 111
```

```
> /usr/sbin/vzmigrate: line 382: [: missing `']
```

```
> Creating remote VE root dir
```

```
> Creating remote VE private dir
```

```
> VZ disk quota disabled -- skipping quota migration
```

```
> Syncing private
```

```
> Live migrating VE
```

```
> Suspending VE
```

```
> Setting up checkpoint...
```

```
> suspend...
```

```
> get context...
```

```
> Checkpointing completed succesfully
> Dumping VE
> Setting up checkpoint...
>   join context..
>   dump...
> Can not dump VE: Invalid argument
> iptables-save exited with 255
> Checkpointing failed
> Error: Failed to dump VE
> Resuming...
> Running: /usr/lib/vzctl/scripts/vps-net_add
>   put context
> The migration is from root@localhost to root@ovz98
>
> This is HWN configurations:
>
> [root@localhost ~]# uname -a
> Linux localhost.localdomain 2.6.18-ovz028stab035.1-smp #1 SMP Sat Jun 9
> 12:15:32 MSD 2007 i686 i686 i386 GNU/Linux
>
>
> [root@localhost ~]# rpm -qa | grep vz
> vzrpm44-4.4.1-22.5
> vzrpm43-python-4.3.3-7_nonptl.6
> vzyum-2.4.0-11
> vzpkg-2.7.0-18
> vztmpl-fedora-core-3-2.0-2
> vztmpl-fedora-core-5-2.0-2
> vzctl-3.0.22-1
> ovzkernel-smp-2.6.9-023stab032.1
> ovzkernel-smp-2.6.16-026test020.1
> vzrpm44-python-4.4.1-22.5
> vzrpm43-4.3.3-7_nonptl.6
> vztmpl-centos-4-2.0-2
> vztmpl-fedora-core-4-2.0-2
> kernel-smp-2.6.18-ovz028stab035.1
> vzctl-lib-3.0.22-1
> vzquota-3.0.11-1
>
> [root@ovz98 ~]# uname -a
> Linux ovz98.dnsba.com 2.6.18-53.el5.028stab051.1 #1 SMP Fri Nov 30 03:05:22
> MSK 2007 i686 athlon i386 GNU/Linux
>
> [root@ovz98 ~]# rpm -qa | grep vz
> ovzkernel-2.6.18-8.1.4.el5.028stab035.1
> vzrpm44-4.4.1-22.5
> vzrpm43-python-4.3.3-7_nonptl.6
> vzyum-2.4.0-11
```

> vztmpl-centos-4-2.0-2  
> vztmpl-fedora-core-4-2.0-2  
> vzctl-3.0.22-1  
> ovzkernel-2.6.18-53.el5.028stab051.1  
> vzrpm44-python-4.4.1-22.5  
> vzrpm43-4.3.3-7\_nonptl.6  
> vzpkg-2.7.0-18  
> vztmpl-fedora-core-3-2.0-2  
> vztmpl-fedora-core-5-2.0-2  
> vzctl-lib-3.0.22-1  
> vzquota-3.0.11-1  
>  
>  
>  
> Any idea?  
>

---

---

Subject: Re: Live Migration Fails  
Posted by [parturi](#) on Sun, 23 Dec 2007 21:25:13 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

> Pablo L. Arturi wrote:  
> > Hello guys, does anyone knows why while trying to migrate a VE I get  
this  
> > error?  
> >  
> > root@hostbw-253 ~]# vz migrate -r no --online --keep-dst -v 10.0.10.251  
111  
> > OPT:-r  
> > OPT:--online  
> > OPT:--keep-dst  
> > OPT:-v  
> > OPT:10.0.10.251  
> > Starting online migration of VE 111 on 10.0.10.251  
> > OpenVZ is running...  
> > Loading /etc/vz/vz.conf and /etc/vz/conf/111.conf files  
> > Check IPs on destination node: 190.2.55.204 10.0.10.204  
> > Preparing remote node  
> > Copying config file  
> > 111.conf 100% 882 0.9KB/s  
00:00  
> > Saved parameters for VE 111  
> > /usr/sbin/vzmigrate: line 382: [: missing `']  
> > Creating remote VE root dir  
> > Creating remote VE private dir  
> > VZ disk quota disabled -- skipping quota migration  
> > Syncing private

```
> > Live migrating VE
> >   Suspending VE
> > Setting up checkpoint...
> >   suspend...
> >   get context...
> > Checkpointing completed succesfully
> >   Dumping VE
> > Setting up checkpoint...
> >   join context..
> >   dump...
> > Can not dump VE: Invalid argument
> > iptables-save exited with 255
> > Checkpointing failed
> > Error: Failed to dump VE
> > Resuming...
> > Running: /usr/lib/vzctl/scripts/vps-net_add
> >   put context
> > The migration is from root@localhost to root@ovz98
> >
> > This is HWN configurations:
> >
> > [root@localhost ~]# uname -a
> > Linux localhost.localdomain 2.6.18-ovz028stab035.1-smp #1 SMP Sat Jun 9
> > 12:15:32 MSD 2007 i686 i686 i386 GNU/Linux
> >
> >
> > [root@localhost ~]# rpm -qa | grep vz
> > vzrpm44-4.4.1-22.5
> > vzrpm43-python-4.3.3-7_nonptl.6
> > vzyum-2.4.0-11
> > vzpkg-2.7.0-18
> > vztmpl-fedora-core-3-2.0-2
> > vztmpl-fedora-core-5-2.0-2
> > vzctl-3.0.22-1
> > ovzkernel-smp-2.6.9-023stab032.1
> > ovzkernel-smp-2.6.16-026test020.1
> > vzrpm44-python-4.4.1-22.5
> > vzrpm43-4.3.3-7_nonptl.6
> > vztmpl-centos-4-2.0-2
> > vztmpl-fedora-core-4-2.0-2
> > kernel-smp-2.6.18-ovz028stab035.1
> > vzctl-lib-3.0.22-1
> > vzquota-3.0.11-1
> >
> > [root@ovz98 ~]# uname -a
> > Linux ovz98.dnsba.com 2.6.18-53.el5.028stab051.1 #1 SMP Fri Nov 30
03:05:22
> > MSK 2007 i686 athlon i386 GNU/Linux
```

```
> >
> > [root@ovz98 ~]# rpm -qa | grep vz
> > ovzkernel-2.6.18-8.1.4.el5.028stab035.1
> > vzrpm44-4.4.1-22.5
> > vzrpm43-python-4.3.3-7_nonptl.6
> > vzyum-2.4.0-11
> > vztmpl-centos-4-2.0-2
> > vztmpl-fedora-core-4-2.0-2
> > vzctl-3.0.22-1
> > ovzkernel-2.6.18-53.el5.028stab051.1
> > vzrpm44-python-4.4.1-22.5
> > vzrpm43-4.3.3-7_nonptl.6
> > vzpkg-2.7.0-18
> > vztmpl-fedora-core-3-2.0-2
> > vztmpl-fedora-core-5-2.0-2
> > vzctl-lib-3.0.22-1
> > vzquota-3.0.11-1
> >
> >
> >
> > Any idea?
> >
> Hi Pablo,
>
> yep, since the last git commit to vzmigrate (->
>
> http://git.openvz.org/?p=vzctl;a=commitdiff;h=ebd5fb00a4eb0134d7ef4ebfdc0b6ae43d07d8fd
> ), the extended test command was removed, so change at line 382:
>
> if [ $? != 20 && $? != 21 && $? != 0 ]; then
>
> to:
> if [[ $? != 20 && $? != 21 && $? != 0 ]]; then
>
> Bye,
> Thorsten
```

Hello Thorsten, thanks for your reply.

I changed the line 382 and the '/usr/sbin/vzmigrate: line 382: [: missing `]' dissappeared. But I keep getting the other errors which doesn't let the VE to be migrated.  
Any other idea?

Thank you,  
Pablo

---

---

Subject: Re: Live Migration Fails  
Posted by [parturi](#) on Sun, 23 Dec 2007 23:41:05 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

```
> > Pablo L. Arturi wrote:
> > > Hello guys, does anyone knows why while trying to migrate a VE I get
> > this
> > > error?
> > >
> > > root@hostbw-253 ~]# vzmigrate -r no --online --keep-dst -v 10.0.10.251
> > 111
> > > OPT:-r
> > > OPT:--online
> > > OPT:--keep-dst
> > > OPT:-v
> > > OPT:10.0.10.251
> > > Starting online migration of VE 111 on 10.0.10.251
> > > OpenVZ is running...
> > >   Loading /etc/vz/vz.conf and /etc/vz/conf/111.conf files
> > >   Check IPs on destination node: 190.2.55.204 10.0.10.204
> > > Preparing remote node
> > >   Copying config file
> > > 111.conf                100% 882   0.9KB/s
> > 00:00
> > > Saved parameters for VE 111
> > > /usr/sbin/vzmigrate: line 382: [: missing `']
> > >   Creating remote VE root dir
> > >   Creating remote VE private dir
> > >   VZ disk quota disabled -- skipping quota migration
> > > Syncing private
> > > Live migrating VE
> > >   Suspending VE
> > > Setting up checkpoint...
> > >   suspend...
> > >   get context...
> > > Checkpointing completed succesfully
> > >   Dumping VE
> > > Setting up checkpoint...
> > >   join context..
> > >   dump...
> > > Can not dump VE: Invalid argument
> > > iptables-save exited with 255
> > > Checkpointing failed
> > > Error: Failed to dump VE
> > > Resuming...
> > > Running: /usr/lib/vzctl/scripts/vps-net_add
> > >   put context
> > > The migration is from root@localhost to root@ovz98
> > >
```

```
> > > This is HWN configurations:
> > >
> > > [root@localhost ~]# uname -a
> > > Linux localhost.localdomain 2.6.18-ovz028stab035.1-smp #1 SMP Sat Jun
9
> > > 12:15:32 MSD 2007 i686 i686 i386 GNU/Linux
> > >
> > >
> > > [root@localhost ~]# rpm -qa | grep vz
> > > vzrpm44-4.4.1-22.5
> > > vzrpm43-python-4.3.3-7_nonptl.6
> > > vzyum-2.4.0-11
> > > vzpkg-2.7.0-18
> > > vztmpl-fedora-core-3-2.0-2
> > > vztmpl-fedora-core-5-2.0-2
> > > vzctl-3.0.22-1
> > > ovzkernel-smp-2.6.9-023stab032.1
> > > ovzkernel-smp-2.6.16-026test020.1
> > > vzrpm44-python-4.4.1-22.5
> > > vzrpm43-4.3.3-7_nonptl.6
> > > vztmpl-centos-4-2.0-2
> > > vztmpl-fedora-core-4-2.0-2
> > > kernel-smp-2.6.18-ovz028stab035.1
> > > vzctl-lib-3.0.22-1
> > > vzquota-3.0.11-1
> > >
> > > [root@ovz98 ~]# uname -a
> > > Linux ovz98.dnsba.com 2.6.18-53.el5.028stab051.1 #1 SMP Fri Nov 30
> 03:05:22
> > > MSK 2007 i686 athlon i386 GNU/Linux
> > >
> > > [root@ovz98 ~]# rpm -qa | grep vz
> > > ovzkernel-2.6.18-8.1.4.el5.028stab035.1
> > > vzrpm44-4.4.1-22.5
> > > vzrpm43-python-4.3.3-7_nonptl.6
> > > vzyum-2.4.0-11
> > > vztmpl-centos-4-2.0-2
> > > vztmpl-fedora-core-4-2.0-2
> > > vzctl-3.0.22-1
> > > ovzkernel-2.6.18-53.el5.028stab051.1
> > > vzrpm44-python-4.4.1-22.5
> > > vzrpm43-4.3.3-7_nonptl.6
> > > vzpkg-2.7.0-18
> > > vztmpl-fedora-core-3-2.0-2
> > > vztmpl-fedora-core-5-2.0-2
> > > vzctl-lib-3.0.22-1
> > > vzquota-3.0.11-1
> > >
```

```

> > >
> > >
> > > Any idea?
> > >
> > Hi Pablo,
> >
> > yep, since the last git commit to vzmigrate (->
> >
>
http://git.openvz.org/?p=vzctl;a=commitdiff;h=ebd5fb00a4eb0134d7ef4ebfdc0b6ae43d07d8fd
> > ), the extended test command was removed, so change at line 382:
> >
> > if [ $? != 20 && $? != 21 && $? != 0 ]; then
> >
> > to:
> > if [[ $? != 20 && $? != 21 && $? != 0 ]]; then
> >
> > Bye,
> > Thorsten
>
> Hello Thorsten, thanks for your reply.
>
> I changed the line 382 and the '/usr/sbin/vzmigrate: line 382: [: missing
> `]' dissapeared. But I keep getting the other errors which doesn't let the
> VE to be migrated.
> Any other idea?
>
> Thank you,
> Pablo

```

I have tried the offline migration (excluding --online) from the command line, and the VE was migrated. But when I try to start it I get the following error:

```

[root@ovz98 111]# vzctl restart 301
Restarting VE
Starting VE ...
VE is mounted
Adding IP address(es): NNN.NNN.NNN.NNN
bash: line 61: 29723 Segmentation fault /bin/sed -e
"s|^$name=.*|$name=\"$value\"|" <${file} >${file}.$$
ERROR: Can't change file /etc/sysconfig/network
Setting CPU units: 41562
Configure meminfo: 145261
Set hostname: opertime.dnsba.com
bash: line 61: 29740 Segmentation fault /bin/sed -e
"s|^$name=.*|$name=\"$value\"|" <${file} >${file}.$$
ERROR: Can't change file /etc/sysconfig/network

```

VE start in progress...  
[root@ovz98 111]# vzlist -a

I tried also rsync-ing the entire private area with "rsync -avz", but the same happens.

Any idea on this?

THank you,  
Pablo

---

Subject: Re: Live Migration Fails  
Posted by [dev](#) on Mon, 24 Dec 2007 09:05:10 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Can you post output of dmesg here plz?  
Looks like your installation somehow broken.  
I can hardly imagine why sed should normally catch SIGSEGV.  
Maybe it is compiled for some more modern CPU than you use on destination machine?  
Or vice versa - maybe you use ancient distribution in VE?

So plz provide more info like what OS distribution is running inside VE,  
dmesg output, and what other error you experienced during online migration  
after fixed vzmigrate as Thorsten suggested?

Kirill

Pablo L. Arturi wrote:

>>>Pablo L. Arturi wrote:

>>>

>>>>Hello guys, does anyone knows why while trying to migrate a VE I get

>>

>>this

>>

>>>>error?

>>>>

>>>>root@hostbw-253 ~]# vzmigrate -r no --online --keep-dst -v 10.0.10.251

>>

>>111

>>

>>>>OPT:-r

>>>>OPT:--online

>>>>OPT:--keep-dst

>>>>OPT:-v

>>>>OPT:10.0.10.251

>>>>Starting online migration of VE 111 on 10.0.10.251

```
>>>>OpenVZ is running...
>>>> Loading /etc/vz/vz.conf and /etc/vz/conf/111.conf files
>>>> Check IPs on destination node: 190.2.55.204 10.0.10.204
>>>>Preparing remote node
>>>> Copying config file
>>>>111.conf          100% 882   0.9KB/s
>>
>>00:00
>>
>>>>Saved parameters for VE 111
>>>>/usr/sbin/vzmigrate: line 382: [: missing `]'
>>>> Creating remote VE root dir
>>>> Creating remote VE private dir
>>>> VZ disk quota disabled -- skipping quota migration
>>>>Syncing private
>>>>Live migrating VE
>>>> Suspending VE
>>>>Setting up checkpoint...
>>>> suspend...
>>>> get context...
>>>>Checkpointing completed succesfully
>>>> Dumping VE
>>>>Setting up checkpoint...
>>>> join context..
>>>> dump...
>>>>Can not dump VE: Invalid argument
>>>>iptables-save exited with 255
>>>>Checkpointing failed
>>>>Error: Failed to dump VE
>>>>Resuming...
>>>>Running: /usr/lib/vzctl/scripts/vps-net_add
>>>> put context
>>>>The migration is from root@localhost to root@ovz98
>>>>
>>>>This is HWN configurations:
>>>>
>>>>[root@localhost ~]# uname -a
>>>>Linux localhost.localdomain 2.6.18-ovz028stab035.1-smp #1 SMP Sat Jun
>
> 9
>
>>>>12:15:32 MSD 2007 i686 i686 i386 GNU/Linux
>>>>
>>>>
>>>>[root@localhost ~]# rpm -qa | grep vz
>>>>vzrpm44-4.4.1-22.5
>>>>vzrpm43-python-4.3.3-7_nonptl.6
>>>>vzyum-2.4.0-11
```

```
>>>>vzpkg-2.7.0-18
>>>>vztmpl-fedora-core-3-2.0-2
>>>>vztmpl-fedora-core-5-2.0-2
>>>>vzctl-3.0.22-1
>>>>ovzkernel-smp-2.6.9-023stab032.1
>>>>ovzkernel-smp-2.6.16-026test020.1
>>>>vzrpm44-python-4.4.1-22.5
>>>>vzrpm43-4.3.3-7_nonptl.6
>>>>vztmpl-centos-4-2.0-2
>>>>vztmpl-fedora-core-4-2.0-2
>>>>kernel-smp-2.6.18-ovz028stab035.1
>>>>vzctl-lib-3.0.22-1
>>>>vzquota-3.0.11-1
>>>>
>>>>[root@ovz98 ~]# uname -a
>>>>Linux ovz98.dnsba.com 2.6.18-53.el5.028stab051.1 #1 SMP Fri Nov 30
>>
>>03:05:22
>>
>>>>MSK 2007 i686 athlon i386 GNU/Linux
>>>>
>>>>[root@ovz98 ~]# rpm -qa | grep vz
>>>>ovzkernel-2.6.18-8.1.4.el5.028stab035.1
>>>>vzrpm44-4.4.1-22.5
>>>>vzrpm43-python-4.3.3-7_nonptl.6
>>>>vzyum-2.4.0-11
>>>>vztmpl-centos-4-2.0-2
>>>>vztmpl-fedora-core-4-2.0-2
>>>>vzctl-3.0.22-1
>>>>ovzkernel-2.6.18-53.el5.028stab051.1
>>>>vzrpm44-python-4.4.1-22.5
>>>>vzrpm43-4.3.3-7_nonptl.6
>>>>vzpkg-2.7.0-18
>>>>vztmpl-fedora-core-3-2.0-2
>>>>vztmpl-fedora-core-5-2.0-2
>>>>vzctl-lib-3.0.22-1
>>>>vzquota-3.0.11-1
>>>>
>>>>
>>>>
>>>>Any idea?
>>>>
>>>
>>>Hi Pablo,
>>>
>>>yep, since the last git commit to vzmigrate (->
>>>
> http://git.openvz.org/?p=vzctl;a=commitdiff;h=ebd5fb00a4eb0134d7ef4ebfdc0b6ae43d07d8fd
```

```

>
>>>), the extended test command was removed, so change at line 382:
>>>
>>>if [ $? != 20 && $? != 21 && $? != 0 ]; then
>>>
>>>to:
>>>if [[ $? != 20 && $? != 21 && $? != 0 ]]; then
>>>
>>>Bye,
>>> Thorsten
>>
>>Hello Thorsten, thanks for your reply.
>>
>>I changed the line 382 and the '/usr/sbin/vzmigrate: line 382: [: missing
>>`]' dissapeared. But I keep getting the other errors which doesn't let the
>>VE to be migrated.
>>Any other idea?
>>
>>Thank you,
>>Pablo
>
>
> I have tried the offline migration (excluding --online) from the command
> line, and the VE was migrated. But when I try to start it I get the
> following error:
>
> [root@ovz98 111]# vzctl restart 301
> Restarting VE
> Starting VE ...
> VE is mounted
> Adding IP address(es): NNN.NNN.NNN.NNN
> bash: line 61: 29723 Segmentation fault /bin/sed -e
> "s|^$name=.*|$name=\"$value\"|" <${file} >${file}.$$
> ERROR: Can't change file /etc/sysconfig/network
> Setting CPU units: 41562
> Configure meminfo: 145261
> Set hostname: opertime.dnsba.com
> bash: line 61: 29740 Segmentation fault /bin/sed -e
> "s|^$name=.*|$name=\"$value\"|" <${file} >${file}.$$
> ERROR: Can't change file /etc/sysconfig/network
> VE start in progress...
> [root@ovz98 111]# vzlist -a
>
> I tried also rsync-ing the entire private area with "rsync -avz", but the
> same happens.
>
> Any idea on this?
>

```

> Thank you,  
> Pablo  
>

---

Subject: Re: Live Migration Fails  
Posted by [parturi](#) on Mon, 24 Dec 2007 16:16:05 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Thanks Kirill, this is the detailed information about the issue:

\*\* After making changes suggested by Thorsten I got the following error:

```
//////////////////// VZMIGRATE OUTPUT START //////////////////////
root@hostbw-253 ~]# vzmigrate -r no --online --keep-dst -v 10.0.10.251 111
OPT:-r
OPT:--online
OPT:--keep-dst
OPT:-v
OPT:10.0.10.251
Starting online migration of VE 111 on 10.0.10.251
OpenVZ is running...
  Loading /etc/vz/vz.conf and /etc/vz/conf/111.conf files
  Check IPs on destination node: 190.2.55.204 10.0.10.204
Preparing remote node
  Copying config file
111.conf                100% 882   0.9KB/s 00:00

Saved parameters for VE 111
/usr/sbin/vzmigrate: line 382: [: missing `]'
  Creating remote VE root dir
  Creating remote VE private dir
  VZ disk quota disabled -- skipping quota migration
Syncing private
Live migrating VE
  Suspending VE
Setting up checkpoint...
  suspend...
  get context...
Checkpointing completed successfully
  Dumping VE
Setting up checkpoint...
  join context..
  dump...
Can not dump VE: Invalid argument
iptables-save exited with 255
Checkpointing failed
Error: Failed to dump VE
```

```
Resuming...
Running: /usr/lib/vzctl/scripts/vps-net_add
put context
//////////////////////////////// VZMIGRATE OUTPUT END //////////////////////////////////
```

After this I tried changing the tmpve var inside vz.conf, just in case I didn't have the proper user's rights in /tmp folder. Nothing changed, the same errores came up.

Then, I tried an offline migration, and it did the migration but the VE never started (because of networking not bein started). Actually there are 41 process running, but there is not networking configuration running. The same happens if I just rsync the VE private area and ve.cofig file. Exactly the same networking problem.

```
//////////////////////////////// VZCTL START 111 //////////////////////////////////
```

```
[root@ovz98 ~]# vzctl restart 111
Restarting VE
Stopping VE ...
VE was stopped
Running: /usr/lib/vzctl/scripts/vps-net_del
Running: /usr/sbin/vzquota stat 111 -f
VE is unmounted
Running: /usr/lib/vzctl/scripts/vps-stop
Starting VE ...
Mounting root: /vz/root/111 /vz/private/111
VE is mounted
Set iptables mask 0x000017bf
Set features mask 0000000000000000/0000000000000000
Adding IP address(es): 10.0.10.200
Running: /usr/lib/vzctl/scripts/vps-net_add
Running VE script: /etc/vz/dists/scripts/redhat-add_ip.sh
bash: line 61: 3793 Segmentation fault /bin/sed -e
"s|^$name=.*|$name=\"$value\"" <${file} >${file}.$$
ERROR: Can't change file /etc/sysconfig/network
Setting CPU units: 41562
Configure meminfo: 145261
Set hostname: hostname.domain.com
Running VE script: /etc/vz/dists/scripts/redhat-set_hostname.sh
bash: line 61: 3810 Segmentation fault /bin/sed -e
"s|^$name=.*|$name=\"$value\"" <${file} >${file}.$$
ERROR: Can't change file /etc/sysconfig/network
VE start in progress...
```

```
//////////////////////////////// VZCTL START 111 END //////////////////////////////////
```

////////////////// DMESG OUTPUT ////////////////////

ide: Assuming 33MHz system bus speed for PIO modes; override with idebus=xx  
NFORCE-MCP61: IDE controller at PCI slot 0000:00:06.0  
NFORCE-MCP61: chipset revision 162  
NFORCE-MCP61: not 100% native mode: will probe irqs later  
NFORCE-MCP61: 0000:00:06.0 (rev a2) UDMA133 controller  
  ide0: BM-DMA at 0xffa0-0xffa7, BIOS settings: hda:pio, hdb:pio  
Probing IDE interface ide0...  
Probing IDE interface ide0...  
Probing IDE interface ide1...  
ide-floppy driver 0.99.newide  
usbcore: registered new driver hiddev  
usbcore: registered new driver usbhid  
drivers/usb/input/hid-core.c: v2.6:USB HID core driver  
PNP: PS/2 Controller [PNP0303:PS2K] at 0x60,0x64 irq 1  
PNP: PS/2 controller doesn't have AUX irq; using default 12  
serio: i8042 KBD port at 0x60,0x64 irq 1  
serio: i8042 AUX port at 0x60,0x64 irq 12  
mice: PS/2 mouse device common for all mice  
md: md driver 0.90.3 MAX\_MD\_DEVS=256, MD\_SB\_DISKS=27  
md: bitmap version 4.39  
TCP bic registered  
Initializing IPsec netlink socket  
NET: Registered protocol family 1  
NET: Registered protocol family 17  
powernow-k8: Found 1 AMD Athlon(tm) 64 X2 Dual Core Processor 5200+  
processors (2 cpu cores) (version 2.10.00)  
powernow-k8: MP systems not supported by PSB BIOS structure  
powernow-k8: MP systems not supported by PSB BIOS structure  
Using IPI Shortcut mode  
Freeing unused kernel memory: (0073a000-00775000) 236k freed  
Write protecting the kernel read-only data: 403k  
Time: hpet clocksource has been installed.  
USB Universal Host Controller Interface driver v3.0  
ohci\_hcd: 2005 April 22 USB 1.1 'Open' Host Controller (OHCI) Driver (PCI)  
ACPI: PCI Interrupt Link [LUB0] enabled at IRQ 11  
PCI: setting IRQ 11 as level-triggered  
ACPI: PCI Interrupt 0000:00:02.0[A] -> Link [LUB0] -> GSI 11 (level, low) ->  
IRQ 11  
PCI: Setting latency timer of device 0000:00:02.0 to 64  
ohci\_hcd 0000:00:02.0: OHCI Host Controller  
ohci\_hcd 0000:00:02.0: new USB bus registered, assigned bus number 1  
ohci\_hcd 0000:00:02.0: irq 11, io mem 0xdfeff000  
usb usb1: configuration #1 chosen from 1 choice  
hub 1-0:1.0: USB hub found  
hub 1-0:1.0: 8 ports detected  
ACPI: PCI Interrupt Link [LUB2] enabled at IRQ 10

PCI: setting IRQ 10 as level-triggered  
ACPI: PCI Interrupt 0000:00:02.1[B] -> Link [LUB2] -> GSI 10 (level, low) -> IRQ 10  
PCI: Setting latency timer of device 0000:00:02.1 to 64  
ehci\_hcd 0000:00:02.1: EHCI Host Controller  
ehci\_hcd 0000:00:02.1: new USB bus registered, assigned bus number 2  
ehci\_hcd 0000:00:02.1: debug port 1  
PCI: cache line size of 64 is not supported by device 0000:00:02.1  
ehci\_hcd 0000:00:02.1: irq 10, io mem 0xdfefec00  
ehci\_hcd 0000:00:02.1: USB 2.0 started, EHCI 1.00, driver 10 Dec 2004  
usb usb2: configuration #1 chosen from 1 choice  
hub 2-0:1.0: USB hub found  
hub 2-0:1.0: 8 ports detected  
SCSI subsystem initialized  
libata version 2.21 loaded.  
sata\_nv 0000:00:08.0: version 3.4  
ACPI: PCI Interrupt Link [LSA0] enabled at IRQ 15  
PCI: setting IRQ 15 as level-triggered  
ACPI: PCI Interrupt 0000:00:08.0[A] -> Link [LSA0] -> GSI 15 (level, low) -> IRQ 15  
PCI: Setting latency timer of device 0000:00:08.0 to 64  
scsi0 : sata\_nv  
scsi1 : sata\_nv  
ata1: SATA max UDMA/133 cmd 0x0001d480 ctl 0x0001d402 bmdma 0x0001cc00 irq 15  
ata2: SATA max UDMA/133 cmd 0x0001d080 ctl 0x0001d002 bmdma 0x0001cc08 irq 15  
ata1: SATA link up 3.0 Gbps (SStatus 123 SControl 300)  
ata1.00: ATA-7: WDC WD2500KS-00MJB0, 02.01C03, max UDMA/133  
ata1.00: 488397168 sectors, multi 16: LBA48  
ata1.00: configured for UDMA/133  
ata2: SATA link down (SStatus 0 SControl 300)  
Vendor: ATA Model: WDC WD2500KS-00M Rev: 02.0  
Type: Direct-Access ANSI SCSI revision: 05  
SCSI device sda: 488397168 512-byte hdwr sectors (250059 MB)  
sda: Write Protect is off  
sda: Mode Sense: 00 3a 00 00  
SCSI device sda: drive cache: write back  
SCSI device sda: 488397168 512-byte hdwr sectors (250059 MB)  
sda: Write Protect is off  
sda: Mode Sense: 00 3a 00 00  
SCSI device sda: drive cache: write back  
sda: sda1 sda2 sda3 sda4 < sda5 >  
sd 0:0:0:0: Attached scsi disk sda  
kjournald starting. Commit interval 5 seconds  
EXT3-fs: mounted filesystem with ordered data mode.  
EDAC MC: Ver: 2.0.1 Nov 30 2007  
EDAC MC0: Giving out device to k8\_edac Athlon64/Opteron: DEV 0000:00:18.2

input: PC Speaker as /class/input/input0  
parport: PnPBIOS parport detected.  
parport0: PC-style at 0x378, irq 7 [PCSP,TRISTATE]  
8139cp: 10/100 PCI Ethernet driver v1.2 (Mar 22, 2004)  
8139cp 0000:01:06.0: This (id 10ec:8139 rev 10) is not an 8139C+ compatible  
chip  
8139cp 0000:01:06.0: Try the "8139too" driver instead.  
Floppy drive(s): fd0 is 1.44M  
8139too Fast Ethernet driver 0.9.27  
ACPI: PCI Interrupt Link [LNKA] enabled at IRQ 11  
ACPI: PCI Interrupt 0000:01:06.0[A] -> Link [LNKA] -> GSI 11 (level, low) ->  
IRQ 11  
eth0: RealTek RTL8139 at 0xf8942c00, 00:08:54:b0:a5:98, IRQ 11  
eth0: Identified 8139 chip type 'RTL-8100B/8139D'  
FDC 0 is a post-1991 82077  
sd 0:0:0:0: Attached scsi generic sg0 type 0  
ACPI: PCI Interrupt Link [LAZA] enabled at IRQ 11  
ACPI: PCI Interrupt 0000:00:05.0[B] -> Link [LAZA] -> GSI 11 (level, low) ->  
IRQ 11  
PCI: Setting latency timer of device 0000:00:05.0 to 64  
lp0: using parport0 (interrupt-driven).  
lp0: console ready  
ACPI: Power Button (FF) [PWRF]  
ACPI: Power Button (CM) [PWRB]  
ibm\_acpi: ec object not found  
md: Autodetecting RAID arrays.  
md: autorun ...  
md: ... autorun DONE.  
device-mapper: ioctl: 4.11.0-ioctl (2006-09-14) initialised:  
dm-devel@redhat.com  
EXT3 FS on sda2, internal journal  
kjournald starting. Commit interval 5 seconds  
EXT3 FS on sda1, internal journal  
EXT3-fs: mounted filesystem with ordered data mode.  
kjournald starting. Commit interval 5 seconds  
EXT3 FS on sda5, internal journal  
EXT3-fs: mounted filesystem with ordered data mode.  
Adding 4192956k swap on /dev/sda3. Priority:-1 extents:1 across:4192956k  
NET: Registered protocol family 10  
IPv6 over IPv4 tunneling driver  
process `sysctl' is using deprecated sysctl (syscall)  
net.ipv6.neigh.lo.retrans\_time; Use net.ipv6.neigh.lo.retrans\_time\_ms  
instead.  
eth1: link up, 10Mbps, half-duplex, lpa 0x0000  
Bluetooth: Core ver 2.10  
NET: Registered protocol family 31  
Bluetooth: HCI device and connection manager initialized  
Bluetooth: HCI socket layer initialized

Bluetooth: L2CAP ver 2.8  
Bluetooth: L2CAP socket layer initialized  
Bluetooth: RFCOMM socket layer initialized  
Bluetooth: RFCOMM TTY layer initialized  
Bluetooth: RFCOMM ver 1.8  
Bluetooth: HIDP (Human Interface Emulation) ver 1.1  
ip\_tables: (C) 2000-2006 Netfilter Core Team  
tun: Universal TUN/TAP device driver, 1.6  
tun: (C) 1999-2004 Max Krasnyansky <maxk@qualcomm.com>  
Netfilter messages via NETLINK v0.30.  
ip\_conntrack version 2.4 (8192 buckets, 65536 max) - 232 bytes per conntrack  
VE: 106: started  
eth1: no IPv6 routers present  
VE: 108: started  
VE: 112: started  
VE: 113: started  
VE: 114: started  
VE: 115: started  
VE: 500: started  
VE: 900: started  
VE: 901: started  
VE: 902: started  
VE: 903: started  
VE: 1000: started  
VE: 1001: started  
VE: 2000: started  
VE: 10048: started  
VE: 10049: started  
VE: 10050: started  
VE: 10051: started  
TCP: Treason uncloaked! Peer 200.12.203.18:1120/80 shrinks window  
1015203084:1015203085. Repaired.  
TCP: Treason uncloaked! Peer 200.12.203.18:1118/80 shrinks window  
1020555828:1020555829. Repaired.  
TCP: Treason uncloaked! Peer 200.12.203.18:1122/80 shrinks window  
1022251152:1022251153. Repaired.  
TCP: Treason uncloaked! Peer 200.12.203.18:1132/80 shrinks window  
1030204312:1030204313. Repaired.  
TCP: Treason uncloaked! Peer 200.12.203.18:1142/80 shrinks window  
1043989287:1043989288. Repaired.  
TCP: Treason uncloaked! Peer 200.12.203.18:1144/80 shrinks window  
1057906979:1057906980. Repaired.  
TCP: Treason uncloaked! Peer 200.12.203.18:1146/80 shrinks window  
1051557569:1051557570. Repaired.  
TCP: Treason uncloaked! Peer 200.12.203.18:1148/80 shrinks window  
1059746156:1059746157. Repaired.  
TCP: Treason uncloaked! Peer 200.12.203.18:1150/80 shrinks window  
1056735872:1056735873. Repaired.

VE: 111: started  
rm uses obsolete (PF\_INET,SOCK\_PACKET)  
VE: 111: stopped  
VE: 111: started  
VE: 111: stopped  
VE: 111: started  
VE: 111: stopped  
VE: 111: started  
VE: 111: stopped  
VE: 111: started  
VE: 111: stopped  
VE: 111: started  
CPT ERR: failed to exec iptables-save: -2  
CPT ERR: d64f8000,111 :iptables-save exited with 255  
VE: 111: stopped  
VE: 252: started  
VZ QUOTA: disk softlimit exceeded for id=252  
VZ QUOTA: disk quota softlimit expired for id=252  
TCP: Treason uncloaked! Peer 200.42.32.4:3119/80 shrinks window  
1141418704:1141418705. Repaired.  
TCP: Treason uncloaked! Peer 200.42.32.4:3125/80 shrinks window  
1153554951:1153554952. Repaired.  
TCP: Treason uncloaked! Peer 200.42.32.4:3125/80 shrinks window  
1153554951:1153554952. Repaired.  
VE: 111: stopped  
VE: 111: started  
VE: 111: stopped  
VE: 1000: stopped  
VE: 10048: stopped  
VE: 10051: stopped  
VE: 1001: stopped  
VE: 10050: stopped  
VE: 2000: stopped  
VE: 903: stopped  
VE: 10049: stopped  
VE: 112: stopped  
VE: 500: stopped  
VE: 108: stopped  
VE: 902: stopped  
VE: 115: stopped  
VE: 113: stopped  
VE: 114: stopped  
VE: 901: stopped  
VE: 900: stopped  
VE: 106: stopped  
Removing netfilter NETLINK layer.  
ip\_tables: (C) 2000-2006 Netfilter Core Team  
tun: Universal TUN/TAP device driver, 1.6

tun: (C) 1999-2004 Max Krasnyansky <maxk@qualcomm.com>  
Netfilter messages via NETLINK v0.30.  
ip\_conntrack version 2.4 (8192 buckets, 65536 max) - 232 bytes per conntrack  
VE: 106: started  
VE: 108: started  
VE: 112: started  
VE: 113: started  
VE: 114: started  
VE: 115: started  
VE: 111: started  
VE: 500: started  
VE: 900: started  
VE: 901: started  
VE: 902: started  
VE: 903: started  
VE: 1000: started  
VE: 1001: started  
VE: 2000: started  
VE: 10048: started  
VE: 10049: started  
VE: 10050: started  
VE: 10051: started  
VE: 111: stopped  
VE: 111: started

//////////////////////////////////// DMESG END  
////////////////////////////////////

\*\* HWN OS

Origin OPENVZ NODE

CentOS release 4.4 (Final)  
Linux version 2.6.18-ovz028stab035.1-smp (root@centos-32-build) (gcc version  
3.4.4 20050721 (Red Hat 3.4.4-2)) #1 SMP Sat Jun 9 12:15:32 MSD 2007

DESTINATION OPENVZ NODE

CentOS release 5 (Final)  
Linux version 2.6.18-53.el5.028stab051.1 (root@rhel5-32-build) (gcc version  
4.1.1 20070105 (Red Hat 4.1.1-52)) #1 SMP Fri Nov 30 03:05:22 MSK 2007

VE OS  
Fedora-core-5-i386-default package

I am now stop trying to make vzmigrate work and trying rsyncing the VE manually. I just made some manual migrations of other VEs, even some of them were FC5 template VEs and after rsync them they just started like if they were in the Origin OPENVZ NODE. This one, is the only with this issue, others with FC5 and other templates worked just instantly.

Doing the manual rsync and copying the ve.conf I get the same error while starting the VPS

```
//////////////////////////////// VZCTL START 111 //////////////////////////////////
```

```
[root@ovz98 ~]# vzctl restart 111
Restarting VE
Stopping VE ...
VE was stopped
Running: /usr/lib/vzctl/scripts/vps-net_del
Running: /usr/sbin/vzquota stat 111 -f
VE is unmounted
Running: /usr/lib/vzctl/scripts/vps-stop
Starting VE ...
Mounting root: /vz/root/111 /vz/private/111
VE is mounted
Set iptables mask 0x000017bf
Set features mask 0000000000000000/0000000000000000
Adding IP address(es): 10.0.10.200
Running: /usr/lib/vzctl/scripts/vps-net_add
Running VE script: /etc/vz/dists/scripts/redhat-add_ip.sh
bash: line 61: 3793 Segmentation fault /bin/sed -e
"s|^$name=.*|$name=\"$value\"" <${file} >${file}.$$
ERROR: Can't change file /etc/sysconfig/network
Setting CPU units: 41562
Configure meminfo: 145261
Set hostname: hostname.domain.com
Running VE script: /etc/vz/dists/scripts/redhat-set_hostname.sh
bash: line 61: 3810 Segmentation fault /bin/sed -e
"s|^$name=.*|$name=\"$value\"" <${file} >${file}.$$
ERROR: Can't change file /etc/sysconfig/network
VE start in progress...
```

```
//////////////////////////////// VZCTL START 111 END //////////////////////////////////
```

The vzlist -a output shows:

```
111      41 running 10.0.10.200  hostname.domain.com
```

but networking is not running on the ve.

```
[root@hostname/]# ifconfig
lo      Link encap:Local Loopback
        inet addr:127.0.0.1  Mask:255.0.0.0
        inet6 addr: ::1/128 Scope:Host
        UP LOOPBACK RUNNING  MTU:16436  Metric:1
        RX packets:1544 errors:0 dropped:0 overruns:0 frame:0
        TX packets:1544 errors:0 dropped:0 overruns:0 carrier:0
        collisions:0 txqueuelen:0
        RX bytes:101904 (99.5 KiB)  TX bytes:101904 (99.5 KiB)
```

```
[root@hostname /]# ls -la /etc/sysconfig/network
-rw-r--r-- 1 root root 67 Dec 23 21:33 /etc/sysconfig/network
```

```
[root@hostname/]# ls -la /etc/sysconfig/network-scripts/
total 232
drwxr-xr-x 2 root root 4096 Dec 24 12:39 .
drwxr-xr-x 8 root root 4096 Dec 24 12:39 ..
-rw-r--r-- 1 root root 254 Jun 20 2001 ifcfg-lo
-rw-r--r-- 1 root root 101 Dec 24 12:39 ifcfg-venet0
lrwxrwxrwx 1 root root 20 Dec 23 20:37 ifdown -> ../../sbin/ifdown
-rwxr-xr-x 1 root root 1552 Feb 9 2006 ifdown-aliases
-rwxr-xr-x 1 root root 623 Jan 19 2005 ifdown-bnep
-rwxr-xr-x 1 root root 4004 Jun 30 2006 ifdown-eth
-rwxr-xr-x 1 root root 827 Apr 15 2005 ifdown-ipp
-rwxr-xr-x 1 root root 1769 Mar 28 2005 ifdown-ipsec
-rwxr-xr-x 1 root root 4352 Sep 10 2004 ifdown-ipv6
lrwxrwxrwx 1 root root 11 Dec 23 20:37 ifdown-isdn -> ifdown-ipp
-rwxr-xr-x 1 root root 1235 Jan 31 2005 ifdown-post
-rwxr-xr-x 1 root root 1082 Sep 15 2003 ifdown-ppp
-rwxr-xr-x 1 root root 1568 Nov 12 2002 ifdown-sit
-rwxr-xr-x 1 root root 902 Jun 26 2002 ifdown-sl
lrwxrwxrwx 1 root root 18 Dec 23 20:37 ifup -> ../../sbin/ifup
-rwxr-xr-x 1 root root 13342 Feb 9 2006 ifup-aliases
-rwxr-xr-x 1 root root 857 Feb 15 2006 ifup-bnep
-rwxr-xr-x 1 root root 10055 Jun 30 2006 ifup-eth
-rwxr-xr-x 1 root root 11900 Sep 26 2005 ifup-ipp
-rwxr-xr-x 1 root root 8077 Mar 30 2005 ifup-ipsec
-rwxr-xr-x 1 root root 10466 Oct 17 2004 ifup-ipv6
-rwxr-xr-x 1 root root 821 Jun 26 2002 ifup-iph
lrwxrwxrwx 1 root root 9 Dec 23 20:37 ifup-isdn -> ifup-ipp
-rwxr-xr-x 1 root root 689 Jun 26 2002 ifup-plip
-rwxr-xr-x 1 root root 926 Jun 26 2002 ifup-plusb
-rwxr-xr-x 1 root root 2234 Apr 15 2005 ifup-post
-rwxr-xr-x 1 root root 4219 Apr 25 2005 ifup-ppp
-rwxr-xr-x 1 root root 1316 Oct 3 2005 ifup-routes
-rwxr-xr-x 1 root root 3546 Oct 17 2004 ifup-sit
-rwxr-xr-x 1 root root 1646 Jun 26 2002 ifup-sl
```

```
-rwxr-xr-x 1 root root 3325 Sep 30 2005 ifup-wireless
-rwxr-xr-x 1 root root 5432 Jan 12 2005 init.ipv6-global
-rwxr-xr-x 1 root root 1154 Feb 6 2006 net.hotplug
-rw-r--r-- 1 root root 9898 Mar 17 2006 network-functions
-rw-r--r-- 1 root root 38496 Apr 15 2005 network-functions-ipv6
-rw-r--r-- 1 root root 57 Dec 21 16:19 route-venet0
```

Thanks!  
Pablo

```
> Can you post output of dmesg here plz?
> Looks like your installation somehow broken.
> I can hardly imagine why sed should normally catch SIGSEGV.
> Maybe it is compiled for some more modern CPU than you use on destination
machine?
> Or vice versa - maybe you use ancient distribution in VE?
>
> So plz provide more info like what OS distribution is running inside VE,
> dmesg output, and what other error you experienced during online migration
> after fixed vzmigrate as Thorsten suggested?
>
> Kirill
>
>
> Pablo L. Arturi wrote:
> >>>Pablo L. Arturi wrote:
> >>>
> >>>>Hello guys, does anyone knows why while trying to migrate a VE I get
> >>
> >>this
> >>
> >>>>error?
> >>>>
> >>>>root@hostbw-253 ~]# vzmigrate -r no --online --keep-dst -v 10.0.10.251
> >>
> >>111
> >>
> >>>>OPT:-r
> >>>>OPT:--online
> >>>>OPT:--keep-dst
> >>>>OPT:-v
> >>>>OPT:10.0.10.251
> >>>>Starting online migration of VE 111 on 10.0.10.251
> >>>>OpenVZ is running...
> >>>> Loading /etc/vz/vz.conf and /etc/vz/conf/111.conf files
> >>>> Check IPs on destination node: 190.2.55.204 10.0.10.204
> >>>>Preparing remote node
```

```
> >>>> Copying config file
> >>>>111.conf                               100% 882   0.9KB/s
> >>
> >>00:00
> >>
> >>>>Saved parameters for VE 111
> >>>>/usr/sbin/vzmigrate: line 382: [: missing `]'
> >>>> Creating remote VE root dir
> >>>> Creating remote VE private dir
> >>>> VZ disk quota disabled -- skipping quota migration
> >>>>Syncing private
> >>>>Live migrating VE
> >>>> Suspending VE
> >>>>Setting up checkpoint...
> >>>> suspend...
> >>>> get context...
> >>>>Checkpointing completed succesfully
> >>>> Dumping VE
> >>>>Setting up checkpoint...
> >>>> join context..
> >>>> dump...
> >>>>Can not dump VE: Invalid argument
> >>>>iptables-save exited with 255
> >>>>Checkpointing failed
> >>>>Error: Failed to dump VE
> >>>>Resuming...
> >>>>Running: /usr/lib/vzctl/scripts/vps-net_add
> >>>> put context
> >>>>The migration is from root@localhost to root@ovz98
> >>>>
> >>>>This is HWN configurations:
> >>>>
> >>>>[root@localhost ~]# uname -a
> >>>>Linux localhost.localdomain 2.6.18-ovz028stab035.1-smp #1 SMP Sat Jun
> >
> > 9
> >
> >>>>12:15:32 MSD 2007 i686 i686 i386 GNU/Linux
> >>>>
> >>>>
> >>>>[root@localhost ~]# rpm -qa | grep vz
> >>>>vzrpm44-4.4.1-22.5
> >>>>vzrpm43-python-4.3.3-7_nonptl.6
> >>>>vzyum-2.4.0-11
> >>>>vzpkg-2.7.0-18
> >>>>vztmpl-fedora-core-3-2.0-2
> >>>>vztmpl-fedora-core-5-2.0-2
> >>>>vzctl-3.0.22-1
```

```

> >>>>ovzkernel-smp-2.6.9-023stab032.1
> >>>>ovzkernel-smp-2.6.16-026test020.1
> >>>>vzrpm44-python-4.4.1-22.5
> >>>>vzrpm43-4.3.3-7_nonptl.6
> >>>>vztmpl-centos-4-2.0-2
> >>>>vztmpl-fedora-core-4-2.0-2
> >>>>kernel-smp-2.6.18-ovz028stab035.1
> >>>>vzctl-lib-3.0.22-1
> >>>>vzquota-3.0.11-1
> >>>>
> >>>>[root@ovz98 ~]# uname -a
> >>>>Linux ovz98.dnsba.com 2.6.18-53.el5.028stab051.1 #1 SMP Fri Nov 30
> >>
> >>03:05:22
> >>
> >>>>MSK 2007 i686 athlon i386 GNU/Linux
> >>>>
> >>>>[root@ovz98 ~]# rpm -qa | grep vz
> >>>>ovzkernel-2.6.18-8.1.4.el5.028stab035.1
> >>>>vzrpm44-4.4.1-22.5
> >>>>vzrpm43-python-4.3.3-7_nonptl.6
> >>>>vzyum-2.4.0-11
> >>>>vztmpl-centos-4-2.0-2
> >>>>vztmpl-fedora-core-4-2.0-2
> >>>>vzctl-3.0.22-1
> >>>>ovzkernel-2.6.18-53.el5.028stab051.1
> >>>>vzrpm44-python-4.4.1-22.5
> >>>>vzrpm43-4.3.3-7_nonptl.6
> >>>>vzpkg-2.7.0-18
> >>>>vztmpl-fedora-core-3-2.0-2
> >>>>vztmpl-fedora-core-5-2.0-2
> >>>>vzctl-lib-3.0.22-1
> >>>>vzquota-3.0.11-1
> >>>>
> >>>>
> >>>>
> >>>>Any idea?
> >>>>
> >>>>
> >>>>Hi Pablo,
> >>>>
> >>>>yep, since the last git commit to vzmigrate (->
> >>>>
> >
> http://git.openvz.org/?p=vzctl;a=commitdiff;h=ebd5fb00a4eb0134d7ef4ebfdc0b6ae43d07d8fd
> >
> >>>>), the extended test command was removed, so change at line 382:
> >>>>

```

```
> >>> if [ $? != 20 && $? != 21 && $? != 0 ]; then
> >>>
> >>> to:
> >>> if [[ $? != 20 && $? != 21 && $? != 0 ]]; then
> >>>
> >>> Bye,
> >>> Thorsten
> >>
> >> Hello Thorsten, thanks for your reply.
> >>
> >> I changed the line 382 and the '/usr/sbin/vzmigrate: line 382: [:
missing
> >> `]' dissapeared. But I keep getting the other errors which doesn't let
the
> >> VE to be migrated.
> >> Any other idea?
> >>
> >> Thank you,
> >> Pablo
> >
> >
> > I have tried the offline migration (excluding --online) from the command
> > line, and the VE was migrated. But when I try to start it I get the
> > following error:
> >
> > [root@ovz98 111]# vzctl restart 301
> > Restarting VE
> > Starting VE ...
> > VE is mounted
> > Adding IP address(es): NNN.NNN.NNN.NNN
> > bash: line 61: 29723 Segmentation fault /bin/sed -e
> > "s|^$name=.*|$name=\"$value\"|" <${file} >${file}.$$
> > ERROR: Can't change file /etc/sysconfig/network
> > Setting CPU units: 41562
> > Configure meminfo: 145261
> > Set hostname: opertime.dnsba.com
> > bash: line 61: 29740 Segmentation fault /bin/sed -e
> > "s|^$name=.*|$name=\"$value\"|" <${file} >${file}.$$
> > ERROR: Can't change file /etc/sysconfig/network
> > VE start in progress...
> > [root@ovz98 111]# vzlist -a
> >
> > I tried also rsync-ing the entire private area with "rsync -avz", but
the
> > same happens.
> >
> > Any idea on this?
> >
```

> > Thank you,  
> > Pablo  
> >

---

Subject: Re: Live Migration Fails  
Posted by [parturi](#) on Mon, 24 Dec 2007 16:39:34 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

I could make it work manually, at least to pass christmas at home :)  
creating venet0:\* devices and running ifup-route venet0. It just make it  
work.

I know the probably better way to fix this would be installing the VE in a  
new template, but I could't think of anything I could do wrong regarding  
only this VE.

Thanks and Merry Christmas to everyone.  
Pablo

> Thanks Kirill, this is the detailed information about the issue:  
>  
> \*\* After making changes suggested by Thorsten I got the following error:  
>  
> ////////////////////////////////// VZMIGRATE OUTPUT START //////////////////////////////////  
> root@hostbw-253 ~]# vzmigrate -r no --online --keep-dst -v 10.0.10.251 111  
> OPT:-r  
> OPT:--online  
> OPT:--keep-dst  
> OPT:-v  
> OPT:10.0.10.251  
> Starting online migration of VE 111 on 10.0.10.251  
> OpenVZ is running...  
> Loading /etc/vz/vz.conf and /etc/vz/conf/111.conf files  
> Check IPs on destination node: 190.2.55.204 10.0.10.204  
> Preparing remote node  
> Copying config file  
> 111.conf 100% 882 0.9KB/s 00:00  
>  
> Saved parameters for VE 111  
> /usr/sbin/vzmigrate: line 382: [: missing `']  
> Creating remote VE root dir  
> Creating remote VE private dir  
> VZ disk quota disabled -- skipping quota migration  
> Syncing private  
> Live migrating VE  
> Suspending VE

```

> Setting up checkpoint...
>   suspend...
>   get context...
> Checkpointing completed succesfully
>   Dumping VE
> Setting up checkpoint...
>   join context..
>   dump...
> Can not dump VE: Invalid argument
> iptables-save exited with 255
> Checkpointing failed
> Error: Failed to dump VE
> Resuming...
> Running: /usr/lib/vzctl/scripts/vps-net_add
>   put context
> ////////////////////////////////////////////////// VZMIGRATE OUTPUT END //////////////////////////////////
>
> After this I tried changing the tmpve var inside vz.conf, just in case I
> didn't have the proper user's rights in /tmp folder. Nothing changed, the
> same errores came up.
>
> Then, I tried an offline migration, and it did the migration but the VE
> never started (because of networking not bein started). Actually there are
> 41 process running, but there is not networking configuration running.
> The same happens if I just rsync the VE private area and ve.cofig file.
> Exactly the same networking problem.
>
> ////////////////////////////////////////////////// VZCTL START 111 //////////////////////////////////
>
> [root@ovz98 ~]# vzctl restart 111
> Restarting VE
> Stopping VE ...
> VE was stopped
> Running: /usr/lib/vzctl/scripts/vps-net_del
> Running: /usr/sbin/vzquota stat 111 -f
> VE is unmounted
> Running: /usr/lib/vzctl/scripts/vps-stop
> Starting VE ...
> Mounting root: /vz/root/111 /vz/private/111
> VE is mounted
> Set iptables mask 0x000017bf
> Set features mask 0000000000000000/0000000000000000
> Adding IP address(es): 10.0.10.200
> Running: /usr/lib/vzctl/scripts/vps-net_add
> Running VE script: /etc/vz/dists/scripts/redhat-add_ip.sh
> bash: line 61: 3793 Segmentation fault  /bin/sed -e
> "s|^$name=.*|$name=\"$value\"" <${file} >${file}.$$
> ERROR: Can't change file /etc/sysconfig/network

```

```

> Setting CPU units: 41562
> Configure meminfo: 145261
> Set hostname: hostname.domain.com
> Running VE script: /etc/vz/dists/scripts/redhat-set_hostname.sh
> bash: line 61: 3810 Segmentation fault /bin/sed -e
> "s|^$name=.*|$name=\"$value\"" <${file} >${file}.$$
> ERROR: Can't change file /etc/sysconfig/network
> VE start in progress...
>
> ////////////////////////////////// VZCTL START 111 END
////////////////////////////////
>
>
> ////////////////////////////////// DMESG OUTPUT //////////////////////////////////
>
> ide: Assuming 33MHz system bus speed for PIO modes; override with
idebus=xx
> NFORCE-MCP61: IDE controller at PCI slot 0000:00:06.0
> NFORCE-MCP61: chipset revision 162
> NFORCE-MCP61: not 100% native mode: will probe irqs later
> NFORCE-MCP61: 0000:00:06.0 (rev a2) UDMA133 controller
> ide0: BM-DMA at 0xffa0-0xffa7, BIOS settings: hda:pio, hdb:pio
> Probing IDE interface ide0...
> Probing IDE interface ide0...
> Probing IDE interface ide1...
> ide-floppy driver 0.99.newide
> usbcore: registered new driver hiddev
> usbcore: registered new driver usbhid
> drivers/usb/input/hid-core.c: v2.6:USB HID core driver
> PNP: PS/2 Controller [PNP0303:PS2K] at 0x60,0x64 irq 1
> PNP: PS/2 controller doesn't have AUX irq; using default 12
> serio: i8042 KBD port at 0x60,0x64 irq 1
> serio: i8042 AUX port at 0x60,0x64 irq 12
> mice: PS/2 mouse device common for all mice
> md: md driver 0.90.3 MAX_MD_DEVS=256, MD_SB_DISKS=27
> md: bitmap version 4.39
> TCP bic registered
> Initializing IPsec netlink socket
> NET: Registered protocol family 1
> NET: Registered protocol family 17
> powernow-k8: Found 1 AMD Athlon(tm) 64 X2 Dual Core Processor 5200+
> processors (2 cpu cores) (version 2.10.00)
> powernow-k8: MP systems not supported by PSB BIOS structure
> powernow-k8: MP systems not supported by PSB BIOS structure
> Using IPI Shortcut mode
> Freeing unused kernel memory: (0073a000-00775000) 236k freed
> Write protecting the kernel read-only data: 403k
> Time: hpet clocksource has been installed.

```

```

> USB Universal Host Controller Interface driver v3.0
> ohci_hcd: 2005 April 22 USB 1.1 'Open' Host Controller (OHCI) Driver (PCI)
> ACPI: PCI Interrupt Link [LUB0] enabled at IRQ 11
> PCI: setting IRQ 11 as level-triggered
> ACPI: PCI Interrupt 0000:00:02.0[A] -> Link [LUB0] -> GSI 11 (level,
low) ->
> IRQ 11
> PCI: Setting latency timer of device 0000:00:02.0 to 64
> ohci_hcd 0000:00:02.0: OHCI Host Controller
> ohci_hcd 0000:00:02.0: new USB bus registered, assigned bus number 1
> ohci_hcd 0000:00:02.0: irq 11, io mem 0xdfeff000
> usb usb1: configuration #1 chosen from 1 choice
> hub 1-0:1.0: USB hub found
> hub 1-0:1.0: 8 ports detected
> ACPI: PCI Interrupt Link [LUB2] enabled at IRQ 10
> PCI: setting IRQ 10 as level-triggered
> ACPI: PCI Interrupt 0000:00:02.1[B] -> Link [LUB2] -> GSI 10 (level,
low) ->
> IRQ 10
> PCI: Setting latency timer of device 0000:00:02.1 to 64
> ehci_hcd 0000:00:02.1: EHCI Host Controller
> ehci_hcd 0000:00:02.1: new USB bus registered, assigned bus number 2
> ehci_hcd 0000:00:02.1: debug port 1
> PCI: cache line size of 64 is not supported by device 0000:00:02.1
> ehci_hcd 0000:00:02.1: irq 10, io mem 0xdfefec00
> ehci_hcd 0000:00:02.1: USB 2.0 started, EHCI 1.00, driver 10 Dec 2004
> usb usb2: configuration #1 chosen from 1 choice
> hub 2-0:1.0: USB hub found
> hub 2-0:1.0: 8 ports detected
> SCSI subsystem initialized
> libata version 2.21 loaded.
> sata_nv 0000:00:08.0: version 3.4
> ACPI: PCI Interrupt Link [LSA0] enabled at IRQ 15
> PCI: setting IRQ 15 as level-triggered
> ACPI: PCI Interrupt 0000:00:08.0[A] -> Link [LSA0] -> GSI 15 (level,
low) ->
> IRQ 15
> PCI: Setting latency timer of device 0000:00:08.0 to 64
> scsi0 : sata_nv
> scsi1 : sata_nv
> ata1: SATA max UDMA/133 cmd 0x0001d480 ctl 0x0001d402 bmdma 0x0001cc00 irq
> 15
> ata2: SATA max UDMA/133 cmd 0x0001d080 ctl 0x0001d002 bmdma 0x0001cc08 irq
> 15
> ata1: SATA link up 3.0 Gbps (SStatus 123 SControl 300)
> ata1.00: ATA-7: WDC WD2500KS-00MJB0, 02.01C03, max UDMA/133
> ata1.00: 488397168 sectors, multi 16: LBA48
> ata1.00: configured for UDMA/133

```

```

> ata2: SATA link down (SStatus 0 SControl 300)
> Vendor: ATA      Model: WDC WD2500KS-00M Rev: 02.0
> Type: Direct-Access      ANSI SCSI revision: 05
> SCSI device sda: 488397168 512-byte hdwr sectors (250059 MB)
> sda: Write Protect is off
> sda: Mode Sense: 00 3a 00 00
> SCSI device sda: drive cache: write back
> SCSI device sda: 488397168 512-byte hdwr sectors (250059 MB)
> sda: Write Protect is off
> sda: Mode Sense: 00 3a 00 00
> SCSI device sda: drive cache: write back
> sda: sda1 sda2 sda3 sda4 < sda5 >
> sd 0:0:0:0: Attached scsi disk sda
> kjournald starting. Commit interval 5 seconds
> EXT3-fs: mounted filesystem with ordered data mode.
> EDAC MC: Ver: 2.0.1 Nov 30 2007
> EDAC MC0: Giving out device to k8_edac Athlon64/Opteron: DEV 0000:00:18.2
> input: PC Speaker as /class/input/input0
> parport: PnPBIOS parport detected.
> parport0: PC-style at 0x378, irq 7 [PCSPPP,TRISTATE]
> 8139cp: 10/100 PCI Ethernet driver v1.2 (Mar 22, 2004)
> 8139cp 0000:01:06.0: This (id 10ec:8139 rev 10) is not an 8139C+
compatible
> chip
> 8139cp 0000:01:06.0: Try the "8139too" driver instead.
> Floppy drive(s): fd0 is 1.44M
> 8139too Fast Ethernet driver 0.9.27
> ACPI: PCI Interrupt Link [LNKA] enabled at IRQ 11
> ACPI: PCI Interrupt 0000:01:06.0[A] -> Link [LNKA] -> GSI 11 (level,
low) ->
> IRQ 11
> eth0: RealTek RTL8139 at 0xf8942c00, 00:08:54:b0:a5:98, IRQ 11
> eth0: Identified 8139 chip type 'RTL-8100B/8139D'
> FDC 0 is a post-1991 82077
> sd 0:0:0:0: Attached scsi generic sg0 type 0
> ACPI: PCI Interrupt Link [LAZA] enabled at IRQ 11
> ACPI: PCI Interrupt 0000:00:05.0[B] -> Link [LAZA] -> GSI 11 (level,
low) ->
> IRQ 11
> PCI: Setting latency timer of device 0000:00:05.0 to 64
> lp0: using parport0 (interrupt-driven).
> lp0: console ready
> ACPI: Power Button (FF) [PWRF]
> ACPI: Power Button (CM) [PWRB]
> ibm_acpi: ec object not found
> md: Autodetecting RAID arrays.
> md: autorun ...
> md: ... autorun DONE.

```

> device-mapper: ioctl: 4.11.0-ioctl (2006-09-14) initialised:  
> dm-devel@redhat.com  
> EXT3 FS on sda2, internal journal  
> kjournald starting. Commit interval 5 seconds  
> EXT3 FS on sda1, internal journal  
> EXT3-fs: mounted filesystem with ordered data mode.  
> kjournald starting. Commit interval 5 seconds  
> EXT3 FS on sda5, internal journal  
> EXT3-fs: mounted filesystem with ordered data mode.  
> Adding 4192956k swap on /dev/sda3. Priority:-1 extents:1 across:4192956k  
> NET: Registered protocol family 10  
> IPv6 over IPv4 tunneling driver  
> process `sysctl' is using deprecated sysctl (syscall)  
> net.ipv6.neigh.lo.retrans\_time; Use net.ipv6.neigh.lo.retrans\_time\_ms  
> instead.  
> eth1: link up, 10Mbps, half-duplex, lpa 0x0000  
> Bluetooth: Core ver 2.10  
> NET: Registered protocol family 31  
> Bluetooth: HCI device and connection manager initialized  
> Bluetooth: HCI socket layer initialized  
> Bluetooth: L2CAP ver 2.8  
> Bluetooth: L2CAP socket layer initialized  
> Bluetooth: RFCOMM socket layer initialized  
> Bluetooth: RFCOMM TTY layer initialized  
> Bluetooth: RFCOMM ver 1.8  
> Bluetooth: HIDP (Human Interface Emulation) ver 1.1  
> ip\_tables: (C) 2000-2006 Netfilter Core Team  
> tun: Universal TUN/TAP device driver, 1.6  
> tun: (C) 1999-2004 Max Krasnyansky <maxk@qualcomm.com>  
> Netfilter messages via NETLINK v0.30.  
> ip\_conntrack version 2.4 (8192 buckets, 65536 max) - 232 bytes per  
conntrack  
> VE: 106: started  
> eth1: no IPv6 routers present  
> VE: 108: started  
> VE: 112: started  
> VE: 113: started  
> VE: 114: started  
> VE: 115: started  
> VE: 500: started  
> VE: 900: started  
> VE: 901: started  
> VE: 902: started  
> VE: 903: started  
> VE: 1000: started  
> VE: 1001: started  
> VE: 2000: started  
> VE: 10048: started

> VE: 10049: started  
> VE: 10050: started  
> VE: 10051: started  
> TCP: Treason uncloaked! Peer 200.12.203.18:1120/80 shrinks window  
> 1015203084:1015203085. Repaired.  
> TCP: Treason uncloaked! Peer 200.12.203.18:1118/80 shrinks window  
> 1020555828:1020555829. Repaired.  
> TCP: Treason uncloaked! Peer 200.12.203.18:1122/80 shrinks window  
> 1022251152:1022251153. Repaired.  
> TCP: Treason uncloaked! Peer 200.12.203.18:1132/80 shrinks window  
> 1030204312:1030204313. Repaired.  
> TCP: Treason uncloaked! Peer 200.12.203.18:1142/80 shrinks window  
> 1043989287:1043989288. Repaired.  
> TCP: Treason uncloaked! Peer 200.12.203.18:1144/80 shrinks window  
> 1057906979:1057906980. Repaired.  
> TCP: Treason uncloaked! Peer 200.12.203.18:1146/80 shrinks window  
> 1051557569:1051557570. Repaired.  
> TCP: Treason uncloaked! Peer 200.12.203.18:1148/80 shrinks window  
> 1059746156:1059746157. Repaired.  
> TCP: Treason uncloaked! Peer 200.12.203.18:1150/80 shrinks window  
> 1056735872:1056735873. Repaired.  
> VE: 111: started  
> rm uses obsolete (PF\_INET,SOCK\_PACKET)  
> VE: 111: stopped  
> VE: 111: started  
> VE: 111: stopped  
> VE: 111: started  
> VE: 111: stopped  
> VE: 111: started  
> VE: 111: stopped  
> VE: 111: started  
> VE: 111: stopped  
> VE: 111: started  
> CPT ERR: failed to exec iptables-save: -2  
> CPT ERR: d64f8000,111 :iptables-save exited with 255  
> VE: 111: stopped  
> VE: 252: started  
> VZ QUOTA: disk softlimit exceeded for id=252  
> VZ QUOTA: disk quota softlimit expired for id=252  
> TCP: Treason uncloaked! Peer 200.42.32.4:3119/80 shrinks window  
> 1141418704:1141418705. Repaired.  
> TCP: Treason uncloaked! Peer 200.42.32.4:3125/80 shrinks window  
> 1153554951:1153554952. Repaired.  
> TCP: Treason uncloaked! Peer 200.42.32.4:3125/80 shrinks window  
> 1153554951:1153554952. Repaired.  
> VE: 111: stopped  
> VE: 111: started  
> VE: 111: stopped

```
> VE: 1000: stopped
> VE: 10048: stopped
> VE: 10051: stopped
> VE: 1001: stopped
> VE: 10050: stopped
> VE: 2000: stopped
> VE: 903: stopped
> VE: 10049: stopped
> VE: 112: stopped
> VE: 500: stopped
> VE: 108: stopped
> VE: 902: stopped
> VE: 115: stopped
> VE: 113: stopped
> VE: 114: stopped
> VE: 901: stopped
> VE: 900: stopped
> VE: 106: stopped
> Removing netfilter NETLINK layer.
> ip_tables: (C) 2000-2006 Netfilter Core Team
> tun: Universal TUN/TAP device driver, 1.6
> tun: (C) 1999-2004 Max Krasnyansky <maxk@qualcomm.com>
> Netfilter messages via NETLINK v0.30.
> ip_contrack version 2.4 (8192 buckets, 65536 max) - 232 bytes per
contrack
> VE: 106: started
> VE: 108: started
> VE: 112: started
> VE: 113: started
> VE: 114: started
> VE: 115: started
> VE: 111: started
> VE: 500: started
> VE: 900: started
> VE: 901: started
> VE: 902: started
> VE: 903: started
> VE: 1000: started
> VE: 1001: started
> VE: 2000: started
> VE: 10048: started
> VE: 10049: started
> VE: 10050: started
> VE: 10051: started
> VE: 111: stopped
> VE: 111: started
>
> //////////////////////////////////// DMESG END
```

```
> //////////////////////////////////////
>
>
>
> ** HWN OS
>
> Origin OPENVZ NODE
>
> CentOS release 4.4 (Final)
> Linux version 2.6.18-ovz028stab035.1-smp (root@centos-32-build) (gcc
version
> 3.4.4 20050721 (Red Hat 3.4.4-2)) #1 SMP Sat Jun 9 12:15:32 MSD 2007
>
>
> DESTINATION OPENVZ NODE
>
> CentOS release 5 (Final)
> Linux version 2.6.18-53.el5.028stab051.1 (root@rhel5-32-build) (gcc
version
> 4.1.1 20070105 (Red Hat 4.1.1-52)) #1 SMP Fri Nov 30 03:05:22 MSK 2007
>
> VE OS
> Fedora-core-5-i386-default package
>
> I am now stop trying to make vzmigrate work and trying rsyncing the VE
> manually. I just made some manual migrations of other VEs, even some of
them
> were FC5 template VEs and after rsync them they just started like if they
> were in the Origin OPENVZ NODE. This one, is the only with this issue,
> others with FC5 and other templates worked just instantly.
>
>
> Doing the manual rsync and copying the ve.conf I get the same error while
> starting the VPS
>
> ////////////////////////////////////// VZCTL START 111 //////////////////////////////////////
>
> [root@ovz98 ~]# vzctl restart 111
> Restarting VE
> Stopping VE ...
> VE was stopped
> Running: /usr/lib/vzctl/scripts/vps-net_del
> Running: /usr/sbin/vzquota stat 111 -f
> VE is unmounted
> Running: /usr/lib/vzctl/scripts/vps-stop
> Starting VE ...
> Mounting root: /vz/root/111 /vz/private/111
> VE is mounted
```

```

> Set iptables mask 0x000017bf
> Set features mask 0000000000000000/0000000000000000
> Adding IP address(es): 10.0.10.200
> Running: /usr/lib/vzctl/scripts/vps-net_add
> Running VE script: /etc/vz/dists/scripts/redhat-add_ip.sh
> bash: line 61: 3793 Segmentation fault /bin/sed -e
> "s|^$name=.*|$name=\"$value\"" <${file} >${file}.$$
> ERROR: Can't change file /etc/sysconfig/network
> Setting CPU units: 41562
> Configure meminfo: 145261
> Set hostname: hostname.domain.com
> Running VE script: /etc/vz/dists/scripts/redhat-set_hostname.sh
> bash: line 61: 3810 Segmentation fault /bin/sed -e
> "s|^$name=.*|$name=\"$value\"" <${file} >${file}.$$
> ERROR: Can't change file /etc/sysconfig/network
> VE start in progress...
>
> //////////////// VZCTL START 111 END
////////////////////
>
> The vzlist -a output shows:
>
> 111 41 running 10.0.10.200 hostname.domain.com
>
> but networking is not running on the ve.
>
> [root@hostname/]# ifconfig
> lo Link encap:Local Loopback
> inet addr:127.0.0.1 Mask:255.0.0.0
> inet6 addr: ::1/128 Scope:Host
> UP LOOPBACK RUNNING MTU:16436 Metric:1
> RX packets:1544 errors:0 dropped:0 overruns:0 frame:0
> TX packets:1544 errors:0 dropped:0 overruns:0 carrier:0
> collisions:0 txqueuelen:0
> RX bytes:101904 (99.5 KiB) TX bytes:101904 (99.5 KiB)
>
>
> [root@hostname /]# ls -la /etc/sysconfig/network
> -rw-r--r-- 1 root root 67 Dec 23 21:33 /etc/sysconfig/network
>
> [root@hostname/]# ls -la /etc/sysconfig/network-scripts/
> total 232
> drwxr-xr-x 2 root root 4096 Dec 24 12:39 .
> drwxr-xr-x 8 root root 4096 Dec 24 12:39 ..
> -rw-r--r-- 1 root root 254 Jun 20 2001 ifcfg-lo
> -rw-r--r-- 1 root root 101 Dec 24 12:39 ifcfg-venet0
> lrwxrwxrwx 1 root root 20 Dec 23 20:37 ifdown -> ../../sbin/ifdown
> -rwxr-xr-x 1 root root 1552 Feb 9 2006 ifdown-aliases

```

```
> -rwxr-xr-x 1 root root 623 Jan 19 2005 ifdown-bnep
> -rwxr-xr-x 1 root root 4004 Jun 30 2006 ifdown-eth
> -rwxr-xr-x 1 root root 827 Apr 15 2005 ifdown-ipp
> -rwxr-xr-x 1 root root 1769 Mar 28 2005 ifdown-ipsec
> -rwxr-xr-x 1 root root 4352 Sep 10 2004 ifdown-ipv6
> lrwxrwxrwx 1 root root 11 Dec 23 20:37 ifdown-isdn -> ifdown-ipp
> -rwxr-xr-x 1 root root 1235 Jan 31 2005 ifdown-post
> -rwxr-xr-x 1 root root 1082 Sep 15 2003 ifdown-ppp
> -rwxr-xr-x 1 root root 1568 Nov 12 2002 ifdown-sit
> -rwxr-xr-x 1 root root 902 Jun 26 2002 ifdown-sl
> lrwxrwxrwx 1 root root 18 Dec 23 20:37 ifup -> ../../sbin/ifup
> -rwxr-xr-x 1 root root 13342 Feb 9 2006 ifup-aliases
> -rwxr-xr-x 1 root root 857 Feb 15 2006 ifup-bnep
> -rwxr-xr-x 1 root root 10055 Jun 30 2006 ifup-eth
> -rwxr-xr-x 1 root root 11900 Sep 26 2005 ifup-ipp
> -rwxr-xr-x 1 root root 8077 Mar 30 2005 ifup-ipsec
> -rwxr-xr-x 1 root root 10466 Oct 17 2004 ifup-ipv6
> -rwxr-xr-x 1 root root 821 Jun 26 2002 ifup-ix
> lrwxrwxrwx 1 root root 9 Dec 23 20:37 ifup-isdn -> ifup-ipp
> -rwxr-xr-x 1 root root 689 Jun 26 2002 ifup-plip
> -rwxr-xr-x 1 root root 926 Jun 26 2002 ifup-plusb
> -rwxr-xr-x 1 root root 2234 Apr 15 2005 ifup-post
> -rwxr-xr-x 1 root root 4219 Apr 25 2005 ifup-ppp
> -rwxr-xr-x 1 root root 1316 Oct 3 2005 ifup-routes
> -rwxr-xr-x 1 root root 3546 Oct 17 2004 ifup-sit
> -rwxr-xr-x 1 root root 1646 Jun 26 2002 ifup-sl
> -rwxr-xr-x 1 root root 3325 Sep 30 2005 ifup-wireless
> -rwxr-xr-x 1 root root 5432 Jan 12 2005 init.ipv6-global
> -rwxr-xr-x 1 root root 1154 Feb 6 2006 net.hotplug
> -rw-r--r-- 1 root root 9898 Mar 17 2006 network-functions
> -rw-r--r-- 1 root root 38496 Apr 15 2005 network-functions-ipv6
> -rw-r--r-- 1 root root 57 Dec 21 16:19 route-venet0
>
>
> Thanks!
> Pablo
>
>> Can you post output of dmesg here plz?
>> Looks like your installation somehow broken.
>> I can hardly imagine why sed should normally catch SIGSEGV.
>> Maybe it is compiled for some more modern CPU than you use on destination
> machine?
>> Or vice versa - maybe you use ancient distribution in VE?
>>
>> So plz provide more info like what OS distribution is running inside VE,
>> dmesg output, and what other error you experienced during online
migration
>> after fixed vzmigrate as Thorsten suggested?
```

```
> >
> > Kirill
> >
> >
> > Pablo L. Arturi wrote:
> > >>Pablo L. Arturi wrote:
> > >>
> > >>>Hello guys, does anyone knows why while trying to migrate a VE I get
> > >>
> > >>this
> > >>
> > >>>error?
> > >>>
> > >>>root@hostbw-253 ~]# vzmigrate -r no --online --keep-dst -v
10.0.10.251
> > >>
> > >>111
> > >>
> > >>>OPT:-r
> > >>>OPT:--online
> > >>>OPT:--keep-dst
> > >>>OPT:-v
> > >>>OPT:10.0.10.251
> > >>>Starting online migration of VE 111 on 10.0.10.251
> > >>>OpenVZ is running...
> > >>>  Loading /etc/vz/vz.conf and /etc/vz/conf/111.conf files
> > >>>  Check IPs on destination node: 190.2.55.204 10.0.10.204
> > >>>Preparing remote node
> > >>>  Copying config file
> > >>>111.conf                100% 882   0.9KB/s
> > >>
> > >>00:00
> > >>
> > >>>Saved parameters for VE 111
> > >>> /usr/sbin/vzmigrate: line 382: [: missing `]'
> > >>>  Creating remote VE root dir
> > >>>  Creating remote VE private dir
> > >>>  VZ disk quota disabled -- skipping quota migration
> > >>>Syncing private
> > >>>Live migrating VE
> > >>>  Suspending VE
> > >>>Setting up checkpoint...
> > >>>  suspend...
> > >>>  get context...
> > >>>Checkpointing completed succesfully
> > >>>  Dumping VE
> > >>>Setting up checkpoint...
> > >>>  join context..
```

```

> > >>> dump...
> > >>>Can not dump VE: Invalid argument
> > >>>iptables-save exited with 255
> > >>>Checkpointing failed
> > >>>Error: Failed to dump VE
> > >>>Resuming...
> > >>>Running: /usr/lib/vzctl/scripts/vps-net_add
> > >>> put context
> > >>>The migration is from root@localhost to root@ovz98
> > >>>
> > >>>This is HWN configurations:
> > >>>
> > >>>[root@localhost ~]# uname -a
> > >>>Linux localhost.localdomain 2.6.18-ovz028stab035.1-smp #1 SMP Sat
Jun
> > >
> > > 9
> > >
> > >>>12:15:32 MSD 2007 i686 i686 i386 GNU/Linux
> > >>>
> > >>>
> > >>>[root@localhost ~]# rpm -qa | grep vz
> > >>>vzrpm44-4.4.1-22.5
> > >>>vzrpm43-python-4.3.3-7_nonptl.6
> > >>>vzyum-2.4.0-11
> > >>>vzpkg-2.7.0-18
> > >>>vztmpl-fedora-core-3-2.0-2
> > >>>vztmpl-fedora-core-5-2.0-2
> > >>>vzctl-3.0.22-1
> > >>>ovzkernel-smp-2.6.9-023stab032.1
> > >>>ovzkernel-smp-2.6.16-026test020.1
> > >>>vzrpm44-python-4.4.1-22.5
> > >>>vzrpm43-4.3.3-7_nonptl.6
> > >>>vztmpl-centos-4-2.0-2
> > >>>vztmpl-fedora-core-4-2.0-2
> > >>>kernel-smp-2.6.18-ovz028stab035.1
> > >>>vzctl-lib-3.0.22-1
> > >>>vzquota-3.0.11-1
> > >>>
> > >>>[root@ovz98 ~]# uname -a
> > >>>Linux ovz98.dnsba.com 2.6.18-53.el5.028stab051.1 #1 SMP Fri Nov 30
> > >>
> > >>03:05:22
> > >>
> > >>>MSK 2007 i686 athlon i386 GNU/Linux
> > >>>
> > >>>[root@ovz98 ~]# rpm -qa | grep vz
> > >>>ovzkernel-2.6.18-8.1.4.el5.028stab035.1

```

```

> > >>>vzrpm44-4.4.1-22.5
> > >>>vzrpm43-python-4.3.3-7_nonptl.6
> > >>>vzyum-2.4.0-11
> > >>>vztmpl-centos-4-2.0-2
> > >>>vztmpl-fedora-core-4-2.0-2
> > >>>vzctl-3.0.22-1
> > >>>ovzkernel-2.6.18-53.el5.028stab051.1
> > >>>vzrpm44-python-4.4.1-22.5
> > >>>vzrpm43-4.3.3-7_nonptl.6
> > >>>vzpkg-2.7.0-18
> > >>>vztmpl-fedora-core-3-2.0-2
> > >>>vztmpl-fedora-core-5-2.0-2
> > >>>vzctl-lib-3.0.22-1
> > >>>vzquota-3.0.11-1
> > >>>
> > >>>
> > >>>
> > >>>Any idea?
> > >>>
> > >>>
> > >>>Hi Pablo,
> > >>>
> > >>>yep, since the last git commit to vzmigrate (->
> > >>>
> > >>>
>
http://git.openvz.org/?p=vzctl;a=commitdiff;h=ebd5fb00a4eb0134d7ef4ebfdc0b6ae43d07d8fd
> > >
> > >>>), the extended test command was removed, so change at line 382:
> > >>>
> > >>>if [ $? != 20 && $? != 21 && $? != 0 ]; then
> > >>>
> > >>>to:
> > >>>if [[ $? != 20 && $? != 21 && $? != 0 ]]; then
> > >>>
> > >>>Bye,
> > >>> Thorsten
> > >>>
> > >>>Hello Thorsten, thanks for your reply.
> > >>>
> > >>>I changed the line 382 and the '/usr/sbin/vzmigrate: line 382: [:
> missing
> > >>`] dissapeared. But I keep getting the other errors which doesn't let
> the
> > >>>VE to be migrated.
> > >>>Any other idea?
> > >>>
> > >>>Thank you,

```

```
> > >>Pablo
> > >
> > >
> > > I have tried the offline migration (excluding --online) from the
command
> > > line, and the VE was migrated. But when I try to start it I get the
> > > following error:
> > >
> > > [root@ovz98 111]# vzctl restart 301
> > > Restarting VE
> > > Starting VE ...
> > > VE is mounted
> > > Adding IP address(es): NNN.NNN.NNN.NNN
> > > bash: line 61: 29723 Segmentation fault /bin/sed -e
> > > "s|^$name=.*|$name=\"$value\"" <${file} >${file}.$$
> > > ERROR: Can't change file /etc/sysconfig/network
> > > Setting CPU units: 41562
> > > Configure meminfo: 145261
> > > Set hostname: opertime.dnsba.com
> > > bash: line 61: 29740 Segmentation fault /bin/sed -e
> > > "s|^$name=.*|$name=\"$value\"" <${file} >${file}.$$
> > > ERROR: Can't change file /etc/sysconfig/network
> > > VE start in progress...
> > > [root@ovz98 111]# vzlist -a
> > >
> > > I tried also rsync-ing the entire private area with "rsync -avz", but
> the
> > > same happens.
> > >
> > > Any idea on this?
> > >
> > > THank you,
> > > Pablo
> > >
```

---