

---

4 defulte

Posted by [really](#) on Fri, 28 Dec 2007 05:58:54 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

vzctl: 3.0.22

---

centos 4 defulte

Posted by [maratrus](#) on Fri, 28 Dec 2007 07:09:35 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi,

Now I clearly understand how I communicate in English

In truth, I am very vaguely understood what is your problem.

Let's I describe the problem as far I understand it and you correct if it will be mistakes here.

1. You have got the sources of htop.
2. Then you compile it like a common soft.
3. When you type "\$htop" you receive the message that the command not found.
4. Then you install htop from rpm and everything is OK?

If so then:

- a) Linux searches executable files path with the PATH environment variable.
- b) You can see it value by "echo \$PATH" command.
- c) So if your executable file is not in the directories which are in the PATH variable you must use the full path of your executable.

d) Or you can add directory to your PATH variable  
PATH=\$PATH:YOUR\_DIR  
export PATH  
YOUR\_DIR - is the path of your directory.

Thank You!

//-----//

PATH=\$PATH:YOUR\_DIR  
export PATH

---

centos 4 defulte

Posted by [realy](#) on Fri, 28 Dec 2007 07:55:41 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

lol thx maratrus for ur reply

i do compile to htop from source and it work fine after reboot i'm not found it git command not found when i do it from rpm i see it after reboot

i hope you understand me :\$

thx again

---

---

centos 4 defulte

Posted by [maratrus](#) on Fri, 28 Dec 2007 09:41:27 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi,

I know that it is linguistic problem but it is so difficult for me to read messages without any punctuation mark. So I don't sure again that I understand your clearly but:

if you use bash: to set PATH variable automatically you can add appropriate directories to PATH variable in .bash\_profile file which is in your home directory. Please look at this page <http://www.troubleshooters.com/linux/prepostpath.htm>

P.S. If you add any message in third language I have to support it and have to put my messages translated in three languages. But keep in mind that in that case I too will have to translate my messages by automatically translator.

Thank You!

//-----//

<http://www.troubleshooters.com/linux/prepostpath.htm>