4 defulte

Posted by realy on Fri, 28 Dec 2007 05:58:54 GMT

View Forum Message <> Reply to Message

vzctl: 3.0.22

centos 4 defulte

Posted by maratrus on Fri, 28 Dec 2007 07:09:35 GMT

View Forum Message <> Reply to Message

Hi,

Now I clearly understand how I communicate in English
In truth, I am very vaguely understood what is your problem.
Let's I describe the problem as far I understand it and you correct if it will be mistakes here.

1. You have got the sources of htop.
2. Then you compile it like a common soft.
3. When you type "$htop" you receive the message that the command not found.
4. Then you install htop from rpm and everything is OK?

If so then:
a) Linux searches executable files path with the PATH environment variable.
b) You can see it value by "echo $PATH" command.
c) So if your executable file is not in the directories which are in the PATH variable you must use
the full path of your executable.

d) Or you can add directory to your PATH variable
PATH=$PATH:YOUR_DIR
export PATH
YOUR_DIR - is the path of your directory.

Thank You!

 //-- ----------//

PATH=$PATH:YOUR_DIR
export PATH

centos 4 defulte

Posted by realy on Fri, 28 Dec 2007 07:55:41 GMT

View Forum Message <> Reply to Message

lol thx maratrus for ur reply

i do compile to htop from source and it work fine after reboot i'm not found it git command not found when i do it from rpm i see it after reboot

i hope you understand me :$

thx again

centos 4 defulte

Posted by maratrus on Fri, 28 Dec 2007 09:41:27 GMT

View Forum Message <> Reply to Message

Hi,

I know that it is linguistic problem but it is so difficult for me to read messages without any punctuation mark. So I don't sure again that I understand your clearly but:

if you use bash: to set PATH variable automatically you can add appropriate directories to PATH variable in .bash_profile file which is in your home directory. Please look at this page http://www.troubleshooters.com/linux/prepostpath.htm

P.S. If you add any message in third language I have to support it and have to put my messages translated in three languages. But keep in mind that in that case I too will have to translate my messages by automatically translator.
Thank You!

//--- --------------------//

http://www.troubleshooters.com/linux/prepostpath.htm