

---

Subject: Ping DNS From VE & Enable Internet  
Posted by [Desigen](#) on Sun, 30 Dec 2007 23:16:44 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hi Folks,

I installed Debian with OpenVZ on a server. And I created a Debian VE called 101. Now my host machine IP is : 192.186.60.xY and our DNS server is 91.144.8.xx and the Gateway is 192.168.60.R . The new VE has an IP : 192.186.60.YY and /etc/resolv.conf has 91.144.8.xx .

From VE 101 I can ping the host and the gateway but not the DNS server. also I can't ping google.com or his IP's .

My host machine connected to the internet and can ping anything.

I used bridge to make connection between HN & VE and I follow the following Wiki :  
[http://wiki.openvz.org/Installation\\_on\\_Debian](http://wiki.openvz.org/Installation_on_Debian)  
[http://wiki.openvz.org/Using\\_private\\_IPs\\_for\\_Hardware\\_Nodes](http://wiki.openvz.org/Using_private_IPs_for_Hardware_Nodes)

I also disable my iptable on host machine :  
<http://www.cyberciti.biz/faq/turn-on-turn-off-firewall-in-linux/>

Now how can I solve this problem ? What's missing ?

Thanks for help.

---

Subject: Re: Ping DNS From VE & Enable Internet  
Posted by [maratrus](#) on Tue, 01 Jan 2008 18:42:00 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hi,

Happy New Year!

1. To clarify the situation can you explain what kind of connection between HN and VE do you use: veth or venet? What does it mean

Quote:I used bridge to make connection between HN & VE

Have you read?:

[http://wiki.openvz.org/Virtual\\_network\\_device](http://wiki.openvz.org/Virtual_network_device)

[http://wiki.openvz.org/Virtual\\_Ethernet\\_device](http://wiki.openvz.org/Virtual_Ethernet_device)

2. Can you show the output of:

"ip a l" (from HN and from VE)

3. "ip ro l" from HN

4. You can use "tcpdump" to determine the packages behaviour.

When you ping the DNS server from the VE please provide us with such information:

- Is ping requests exit from the VE?
- Is ping requests come to HN?
- Is ping reply comes to HN?

Thank You!

---

Subject: Re: Ping DNS From VE & Enable Internet  
Posted by [Desigen](#) on Thu, 03 Jan 2008 15:35:57 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hi, happy new year for you too.

Thank you for reply. I have to say the Wiki are very good. It's very helpful. My problem was in the network especially in the router or switch. So our network administrator enable the ip for the virtual machine and it's work very nice.

Thanks again.  
And HNY

---

Subject: Re: Ping DNS From VE & Enable Internet  
Posted by [protocoles](#) on Fri, 11 Jan 2008 02:09:49 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hello,

I've same problem please help I'm unable to ping any domain via VPS node.

The VPS node has Centos 4x template and The server has debian OS.

Here is the result of HW and VPS node.

Debian Server:

```
xxx.xxx.xxx.xxx dev venet0 scope link
xxx.xxx.xx.xx/27 via xxx.xxx.xxx.xxx dev eth0
xxx.xxx.xx.xx/27 dev eth0 proto kernel scope link src xxx.xxx.xxx.xxx
default via xxx.xxx.xxx.xxx dev eth0
```

=====

VPS Node:

```
1: lo: <LOOPBACK,UP,10000> mtu 16436 qdisc noqueue
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
```

```
inet6 ::1/128 scope host
    valid_lft forever preferred_lft forever
3: venet0: <BROADCAST,POINTOPOINT,NOARP,UP,10000> mtu 1500 qdisc noqueue
    link/void
    inet 127.0.0.1/32 scope host venet0
    inet xx.xxx.xxx.xxx/32 brd xxx.xxx.xxx.xxx scope global venet0:0
=====
```

Yes - I'm able to ping vps node from debian system and from vps node to debian system.

Please help

---

Subject: Re: Ping DNS From VE & Enable Internet  
Posted by [Desigen](#) on Fri, 11 Jan 2008 06:45:29 GMT  
[View Forum Message](#) <> [Reply to Message](#)

Hi, you need to add default route to your VM. it's the default route for your HW.

```
route add default gw xxx.xxx.xxx.xxx dev venet0
```

Alss, check with your network administrator if your private ip have been nated to a global ip.

good luck

---

Subject: Re: Ping DNS From VE & Enable Internet  
Posted by [maratrus](#) on Fri, 11 Jan 2008 11:27:28 GMT  
[View Forum Message](#) <> [Reply to Message](#)

Hi,

Please use "tcpdump" to determine the packets behaviour.

When you ping some domain from the VE please provide us with such information:

- Is ping requests exit from the VE?

(Use tcpdump inside VE)

- Is ping requests come to HN

(Use tcpdump on HN)

- Is ping reply comes to HN?

(Use tcpdump on HN)

Is it possible to ping your VPS from any host (except HN)? If not I suppose that the problem is in routes and the packets don't reach your HN.

Thank You!

---

Subject: Re: Ping DNS From VE & Enable Internet  
Posted by [protocolles](#) on Fri, 11 Jan 2008 12:15:12 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

I'm getting

SIOCADDRT: Network is unreachable

---

Subject: Re: Ping DNS From VE & Enable Internet  
Posted by [maratrus](#) on Fri, 11 Jan 2008 12:48:42 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hi,

1. You should not add this route inside VE.
2. vzctl adds necessary route to your VPS  
Quote:xxx.xxx.xxx.xxx dev venet0 scope link
3. Please check that you have applied all sysctl parameters.  
Can you please show us 'sysctl -a | grep ip\_forward' from HN?
4. Also check your iptable rules.

Than You!

---

Subject: Re: Ping DNS From VE & Enable Internet  
Posted by [Desigen](#) on Fri, 11 Jan 2008 12:53:45 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hi, are you sure that you build a Bridge in your HN machine ?

Follow this : [http://wiki.openvz.org/Using\\_private\\_IPs\\_for\\_Hardware\\_Nodes](http://wiki.openvz.org/Using_private_IPs_for_Hardware_Nodes)

Also, make sure your iptables on HN allow VE to forward packets :  
[http://wiki.openvz.org/Bridge\\_doesn't\\_forward\\_packets](http://wiki.openvz.org/Bridge_doesn't_forward_packets)

Finally, can you ping your VE from HN AND what about ping VE from any computer outside it zone

Enjoy !

---

Subject: Re: Ping DNS From VE & Enable Internet  
Posted by [protocolles](#) on Fri, 11 Jan 2008 13:32:54 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

I tried to add this inside my VPS but having same error.

here's the result.

```
~# sysctl -a | grep ip_forward
error: "Operation not permitted" reading key "net.ipv6.route.flush"
error: "Operation not permitted" reading key "net.ipv4.route.flush"
net.ipv4.ip_forward = 1
```

---

Subject: Re: Ping DNS From VE & Enable Internet  
Posted by [maratrus](#) on Fri, 11 Jan 2008 13:55:54 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi,

1. You should not to add any route inside your VPS.
2. Are you still able to ping your VPS from HN and HN from VPS?
3. And what about iptables?
3. You can conduct "tcpdump" experiment. I've described it above.  
Please provide us with the result of this experiment if it will be done.
4. Is it possible to ping your VPS from other host (except HN)?

Thank You!

---

Subject: Re: Ping DNS From VE & Enable Internet  
Posted by [protocoles](#) on Fri, 11 Jan 2008 14:18:15 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

No, I didn't add that route inside my VPS

Yes - I'm able to ping my VPS node from my HW and from everywhere

No, iptables has stopped in HW

Could you please tell me the command so that I can send you result?

Yes it is possible.

P.S if you want I can pm you my Hw login detail for reviewing.

Please advice

---

---

Subject: Re: Ping DNS From VE & Enable Internet  
Posted by [maratrus](#) on Fri, 11 Jan 2008 15:25:21 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hi,

1. Please check that in output of command 'arp -n' (on HN) there is an ip of your VPS.
  2. Conduct this experiment:
    - On HN: 'tcpdump -n host <YOUR\_VE\_ID>' then
    - Enter inside VE and try to ping any host
    - Please provide us with the output of tcpdump from HN.
  3. And also 'vzctl --version' on HN
  4. What kernel do you use?
- 

---

Subject: Re: Ping DNS From VE & Enable Internet  
Posted by [protocoles](#) on Fri, 11 Jan 2008 19:40:36 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Address	HWtype	HWaddress	Flags	Mask	Iface
HW_IP.xxx	ether	00:02:85:18:AC:A0	C		eth0
VPS_IP.xxx	*	<from_interface>	MP		eth0

```
=====
20:37:49.434575 IP veid_xxxx.xxx.32768 > 4.2.2.1.53: 12282+ A? yahoo.com. (27)
20:37:49.461375 IP 4.2.2.1.53 > veid_xxxx.xxx.32768: 12282 ServFail 0/0/0 (27)
20:37:49.461443 IP veid_xxxx.xxx.32768 > 4.2.2.1.53: 12282+ A? yahoo.com. (27)
20:37:49.487803 IP 4.2.2.1.53 > veid_xxxx.xxx.32768: 12282 ServFail 0/0/0 (27)
20:37:49.487865 IP veid_xxxx.xxx.32768 > 4.2.2.1.53: 52960+ A? yahoo.com.hostserver.com.
(42)
20:37:49.512643 IP 4.2.2.1.53 > veid_xxxx.xxx.32768: 52960 ServFail- [0q] 0/0/0 (12)
20:37:54.485469 IP veid_xxxx.xxx.32768 > 4.2.2.1.53: 52960+ A? yahoo.com.hostserver.com.
(42)
20:37:54.512620 IP 4.2.2.1.53 > veid_xxxx.xxx.32768: 52960 ServFail 0/0/0 (42)
20:38:00.007908 IP veid_xxxx.xxx.32768 > 4.2.2.1.53: 44300+ A? gmail.com. (27)
20:38:00.032140 IP 4.2.2.1.53 > veid_xxxx.xxx.32768: 44300 ServFail- [0q] 0/0/0 (12)
20:38:05.006210 IP veid_xxxx.xxx.32768 > 4.2.2.1.53: 44300+ A? gmail.com. (27)
20:38:05.031566 IP 4.2.2.1.53 > veid_xxxx.xxx.32768: 44300 ServFail 0/0/0 (27)
20:38:05.031627 IP veid_xxxx.xxx.32768 > 4.2.2.1.53: 42026+ A? gmail.com.hostserver.com.
(42)
20:38:05.058523 IP 4.2.2.1.53 > veid_xxxx.xxx.32768: 42026 ServFail 0/0/0 (42)
20:38:05.058571 IP veid_xxxx.xxx.32768 > 4.2.2.1.53: 42026+ A? gmail.com.hostserver.com.
(42)
20:38:05.085209 IP 4.2.2.1.53 > veid_xxxx.xxx.32768: 42026 ServFail 0/0/0 (42)
=====
```

```
# vzctl --version
vzctl version 3.0.22-1dso1
```

=====

```
# uname -r
2.6.18-ovz-028stab051.1-enterprise
```

Thank you

---

---

Subject: Re: Ping DNS From VE & Enable Internet  
Posted by [maratrus](#) on Fri, 11 Jan 2008 22:05:50 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hi,

Looks like the problem in your DNS server.  
Please check that you set suitable DNS to your VPS.  
Look at vzctl's --nameserver parameter.

Can you ping any host from inside the VPS using hosts's IP?  
If no please do the same experiment but ping anything using it IP.

Thank You!

---

---

Subject: Re: Ping DNS From VE & Enable Internet  
Posted by [Desigen](#) on Sat, 12 Jan 2008 09:40:49 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hi, try to ping googel or yahoo IP. And make sure your DNS Server IP Address in  
/etc/resolve.conf

Enjoy it !

---