
Subject: [PATCH -mm 2/4] hifn_795x: fixup container_of() usage
Posted by [Alexey Dobriyan](#) on Tue, 08 Jan 2008 08:44:34 GMT
[View Forum Message](#) <> [Reply to Message](#)

[PATCH -mm 2/4] hifn_795x: fixup container_of() usage

Signed-off-by: Alexey Dobriyan <adobriyan@sw.ru>

drivers/crypto/hifn_795x.c | 2 +-
1 file changed, 1 insertion(+), 1 deletion(-)

--- a/drivers/crypto/hifn_795x.c
+++ b/drivers/crypto/hifn_795x.c
@@ -664,7 +664,7 @@ struct hifn_context
 atomic_t sg_num;
};

+#define crypto_alg_to_hifn(alg) container_of(alg, struct hifn_crypto_alg, alg)
-#define crypto_alg_to_hifn(a) container_of(a, struct hifn_crypto_alg, alg)

static inline u32 hifn_read_0(struct hifn_device *dev, u32 reg)
{

Subject: Re: [PATCH -mm 2/4] hifn_795x: fixup container_of() usage
Posted by [Evgeniy Polyakov](#) on Tue, 08 Jan 2008 14:53:40 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi.

On Tue, Jan 08, 2008 at 11:44:34AM +0300, Alexey Dobriyan (adobriyan@sw.ru) wrote:
> [PATCH -mm 2/4] hifn_795x: fixup container_of() usage
>
> Signed-off-by: Alexey Dobriyan <adobriyan@sw.ru>

Well, I have no problem with the patch, although do not see any gain in it :)
I usually prefer to call members the same in container usage, since I always forget where each one should be placed.

--

Evgeniy Polyakov

Subject: Re: [PATCH -mm 2/4] hifn_795x: fixup container_of() usage
Posted by [Herbert Xu](#) on Tue, 08 Jan 2008 20:46:07 GMT

On Tue, Jan 08, 2008 at 11:44:34AM +0300, Alexey Dobriyan wrote:
> [PATCH -mm 2/4] hifn_795x: fixup container_of() usage
>
> Signed-off-by: Alexey Dobriyan <adobriyan@sw.ru>

Patch applied. Thanks.

--

Visit Openswan at <http://www.openswan.org/>

Email: Herbert Xu ~{PmV>Hl~} <herbert@gondor.apana.org.au>

Home Page: <http://gondor.apana.org.au/~herbert/>

PGP Key: <http://gondor.apana.org.au/~herbert/pubkey.txt>
