

---

Subject: Samba core dump after live migration  
Posted by [Jeff Blasius](#) on Tue, 22 Jan 2008 18:46:08 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Dear Users,

I find that after live migrating a container samba refuses to accept new connections (existing connections continue to work properly). I traced it back to this message in the logs which says "  
tdb(/var/cache/samba/ntforms.tdb): tdb\_reopen: file dev/inode has changed!" . Of course the inode changed, but does it need to panic...  
Is there a workaround?

I'd be willing to bet someone has come across this before, but I couldn't find an answer on the wiki or the list archives.

Centos 5  
samba-3.0.25b-1.el5\_1.4  
vzctl-3.0.18-1  
Thanks,  
jeff

```
[2008/01/22 11:53:46, 0] lib/util_tdb.c:tdb_log(662)
tdb(/var/cache/samba/ntforms.tdb): tdb_reopen: file dev/inode has changed!
[2008/01/22 11:53:46, 0] smbd/server.c:open_sockets_smbd(572)
tdb_reopen_all failed.
[2008/01/22 11:53:46, 0] lib/util.c:smb_panic(1654)
PANIC (pid 22099): tdb_reopen_all failed.
[2008/01/22 11:53:46, 0] lib/util.c:log_stack_trace(1758)
BACKTRACE: 6 stack frames:
#0 smbd(log_stack_trace+0x1c) [0x555555776ffc]
#1 smbd(smb_panic+0x43) [0x5555557770e3]
#2 smbd [0x55555582ac3a]
#3 smbd(main+0x710) [0x55555582b370]
#4 /lib64/libc.so.6(__libc_start_main+0xf4) [0x2aaaad3818a4]
#5 smbd [0x5555555bbfe9]
[2008/01/22 11:53:46, 0] lib/fault.c:dump_core(181)
dumping core in /var/log/samba/cores/smbd
```

--

Jeff Blasius / [jeff.blasius@yale.edu](mailto:jeff.blasius@yale.edu)  
Phone: (203)432-9940 51 Prospect Rm. 011  
High Performance Computing (HPC)  
UNIX Systems Administrator, Linux Systems Design & Support (LSDS)  
Yale University Information Technology Services (ITS)

---

---

Subject: Re: Samba core dump after live migration  
Posted by [dev](#) on Wed, 23 Jan 2008 09:33:44 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Looks like samba tries to be too smart :/

The only thing which can help to it - clustered file system like GFS which won't change inode numbers across nodes... As another option - VE in a file (via loopbacks) which we plan to implement in nearest future.

Thanks,  
Kirill

Jeff Blasius wrote:

```
> Dear Users,
> I find that after live migrating a container samba refuses to accept
> new connections (existing connections continue to work properly). I
> traced it back to this message in the logs which says "
> tdb(/var/cache/samba/ntforms.tdb): tdb_reopen: file dev/inode has
> changed!" . Of course the inode changed, but does it need to panic...
> Is there a workaround?
>
> I'd be willing to bet someone has come across this before, but I
> couldn't find an answer on the wiki or the list archives.
>
> Centos 5
> samba-3.0.25b-1.el5_1.4
> vzctl-3.0.18-1
> Thanks,
>      jeff
>
> [2008/01/22 11:53:46, 0] lib/util_tdb.c:tdb_log(662)
>   tdb(/var/cache/samba/ntforms.tdb): tdb_reopen: file dev/inode has changed!
> [2008/01/22 11:53:46, 0] smbd/server.c:open_sockets_smbd(572)
>   tdb_reopen_all failed.
> [2008/01/22 11:53:46, 0] lib/util.c:smb_panic(1654)
>   PANIC (pid 22099): tdb_reopen_all failed.
> [2008/01/22 11:53:46, 0] lib/util.c:log_stack_trace(1758)
>   BACKTRACE: 6 stack frames:
>   #0 smbd(log_stack_trace+0x1c) [0x555555776ffc]
>   #1 smbd(smb_panic+0x43) [0x5555557770e3]
>   #2 smbd [0x55555582ac3a]
>   #3 smbd(main+0x710) [0x55555582b370]
>   #4 /lib64/libc.so.6(__libc_start_main+0xf4) [0x2aaaad3818a4]
>   #5 smbd [0x5555555bbfe9]
> [2008/01/22 11:53:46, 0] lib/fault.c:dump_core(181)
>   dumping core in /var/log/samba/cores/smbd
>
```

>

---

---

Subject: Re: Samba core dump after live migration  
Posted by [Jeff Blasius](#) on Wed, 23 Jan 2008 19:11:37 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hello Kirill,  
Thanks for the response. This must be windows fault in some way :).

I will see if there's a way around it from the samba folks. If I get anything constructive I'll report it back here.  
-jeff

On Jan 23, 2008 4:33 AM, Kirill Korotaev <dev@sw.ru> wrote:

> Looks like samba tries to be too smart :/  
> The only thing which can help to it - clustered file system like GFS which won't change inode numbers  
> across nodes... As another option - VE in a file (via loopbacks) which we plan to implement in nearest future.  
>  
> Thanks,  
> Kirill  
>  
>  
>  
> Jeff Blasius wrote:  
> > Dear Users,  
> > I find that after live migrating a container samba refuses to accept  
> > new connections (existing connections continue to work properly). I  
> > traced it back to this message in the logs which says "  
> > tdb(/var/cache/samba/ntforms.tdb): tdb\_reopen: file dev/inode has  
> > changed!" . Of course the inode changed, but does it need to panic...  
> > Is there a workaround?  
> >  
> > I'd be willing to bet someone has come across this before, but I  
> > couldn't find an answer on the wiki or the list archives.  
> >  
> > Centos 5  
> > samba-3.0.25b-1.el5\_1.4  
> > vzctl-3.0.18-1  
> > Thanks,  
> > jeff  
> >  
> > [2008/01/22 11:53:46, 0] lib/util\_tdb.c:tdb\_log(662)  
> > tdb(/var/cache/samba/ntforms.tdb): tdb\_reopen: file dev/inode has changed!  
> > [2008/01/22 11:53:46, 0] smbd/server.c:open\_sockets\_smbd(572)  
> > tdb\_reopen\_all failed.

```
> > [2008/01/22 11:53:46, 0] lib/util.c:smb_panic(1654)
> > PANIC (pid 22099): tdb_reopen_all failed.
> > [2008/01/22 11:53:46, 0] lib/util.c:log_stack_trace(1758)
> > BACKTRACE: 6 stack frames:
> > #0 smbd(log_stack_trace+0x1c) [0x555555776ffc]
> > #1 smbd(smb_panic+0x43) [0x5555557770e3]
> > #2 smbd [0x55555582ac3a]
> > #3 smbd(main+0x710) [0x55555582b370]
> > #4 /lib64/libc.so.6(__libc_start_main+0xf4) [0x2aaaad3818a4]
> > #5 smbd [0x5555555bbfe9]
> > [2008/01/22 11:53:46, 0] lib/fault.c:dump_core(181)
> > dumping core in /var/log/samba/cores/smbd
> >
> >
>
```

--

Jeff Blasius / jeff.blasius@yale.edu  
Phone: (203)432-9940 51 Prospect Rm. 011  
High Performance Computing (HPC)  
UNIX Systems Administrator, Linux Systems Design & Support (LSDS)  
Yale University Information Technology Services (ITS)

---

---

Subject: AW: Samba core dump after live migration  
Posted by [Dietmar Maurer](#) on Thu, 31 Jan 2008 06:55:04 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

> won't change inode numbers across nodes... As another option  
> - VE in a file (via loopbacks) which we plan to implement in  
> nearest future.

VE in a file sounds interesting - what is the reasoning about that  
(advantages, usage scenarios)?

- Dietmar

---