
Subject: [PATCH 2/7 net-2.6.25] [IPV4]: Small style cleanup of the error path in rtm_to_ifaddr.

Posted by [den](#) on Fri, 25 Jan 2008 13:51:58 GMT

[View Forum Message](#) <> [Reply to Message](#)

Remove error code assignment inside brackets on failure. The code looks better if the error is assigned before condition check. Also, the compiler treats this better.

Signed-off-by: Denis V. Lunev <den@openvz.org>

net/ipv4/devinet.c | 21 ++++++++-----

1 files changed, 8 insertions(+), 13 deletions(-)

diff --git a/net/ipv4/devinet.c b/net/ipv4/devinet.c

index 21f71bf..9da4c68 100644

--- a/net/ipv4/devinet.c

+++ b/net/ipv4/devinet.c

@ @ -492,39 +492,34 @ @ static struct in_ifaddr *rtm_to_ifaddr(struct nlmsghdr *nlh)

struct ifaddrmsg *ifm;
struct net_device *dev;
struct in_device *in_dev;

- int err = -EINVAL;

+ int err;

err = nlmsg_parse(nlh, sizeof(*ifm), tb, IFA_MAX, ifa_ipv4_policy);

if (err < 0)
goto errout;

ifm = nlmsg_data(nlh);

- if (ifm->ifa_prefixlen > 32 || tb[IFA_LOCAL] == NULL) {

- err = -EINVAL;

+ err = -EINVAL;

+ if (ifm->ifa_prefixlen > 32 || tb[IFA_LOCAL] == NULL)

goto errout;

- }

dev = __dev_get_by_index(&init_net, ifm->ifa_index);

- if (dev == NULL) {

- err = -ENODEV;

+ err = -ENODEV;

+ if (dev == NULL)

goto errout;

- }

in_dev = __in_dev_get_rtnl(dev);

- if (in_dev == NULL) {

- err = -ENOBUFS;

```
+ err = -ENOBUFS;
+ if (in_dev == NULL)
    goto errout;
- }

    ifa = inet_alloc_ifa();
- if (ifa == NULL) {
+ if (ifa == NULL)
    /*
     * A potential indev allocation can be left alive, it stays
     * assigned to its device and is destroy with it.
     */
- err = -ENOBUFS;
    goto errout;
- }

    ipv4_devconf_setall(in_dev);
    in_dev_hold(in_dev);
--
1.5.3.rc5
```
