

---

Subject: [PATCH 2/3] netns netfilter: netns propagation for  
/proc/net/\*\_tables\_names

Posted by [Alexey Dobriyan](#) on Fri, 25 Jan 2008 16:44:29 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Propagate netns together with AF down to ->start/->next/->stop  
iterators. Choose table based on netns and AF for showing.

Signed-off-by: Alexey Dobriyan <[adobriyan@sw.ru](mailto:adobriyan@sw.ru)>

---

net/netfilter/x\_tables.c | 31 ++++++-----  
1 file changed, 19 insertions(+), 12 deletions(-)

--- a/net/netfilter/x\_tables.c

+++ b/net/netfilter/x\_tables.c

@@ -726,27 +726,33 @@ void \*xt\_unregister\_table(struct xt\_table \*table)  
EXPORT\_SYMBOL\_GPL(xt\_unregister\_table);

#ifdef CONFIG\_PROC\_FS

+struct xt\_names\_priv {

+ struct seq\_net\_private p;

+ int af;

+};

static void \*xt\_table\_seq\_start(struct seq\_file \*seq, loff\_t \*pos)  
{

- struct proc\_dir\_entry \*pde = (struct proc\_dir\_entry \*)seq->private;

- u\_int16\_t af = (unsigned long)pde->data;

+ struct xt\_names\_priv \*priv = seq->private;

+ struct net \*net = priv->p.net;

+ int af = priv->af;

mutex\_lock(&xt[af].mutex);

- return seq\_list\_start(&init\_net.xt.tables[af], \*pos);

+ return seq\_list\_start(&net->xt.tables[af], \*pos);

}

static void \*xt\_table\_seq\_next(struct seq\_file \*seq, void \*v, loff\_t \*pos)

{

- struct proc\_dir\_entry \*pde = (struct proc\_dir\_entry \*)seq->private;

- u\_int16\_t af = (unsigned long)pde->data;

+ struct xt\_names\_priv \*priv = seq->private;

+ struct net \*net = priv->p.net;

+ int af = priv->af;

- return seq\_list\_next(v, &init\_net.xt.tables[af], pos);

+ return seq\_list\_next(v, &net->xt.tables[af], pos);

}

```

static void xt_table_seq_stop(struct seq_file *seq, void *v)
{
- struct proc_dir_entry *pde = seq->private;
- u_int16_t af = (unsigned long)pde->data;
+ struct xt_names_priv *priv = seq->private;
+ int af = priv->af;

    mutex_unlock(&xt[af].mutex);
}
@@ -771,12 +777,13 @@ static const struct seq_operations xt_table_seq_ops = {
static int xt_table_open(struct inode *inode, struct file *file)
{
    int ret;
+ struct xt_names_priv *priv;

- ret = seq_open(file, &xt_table_seq_ops);
+ ret = seq_open_net(inode, file, &xt_table_seq_ops,
+     sizeof(struct xt_names_priv));
    if (!ret) {
- struct seq_file *seq = file->private_data;
-
- seq->private = PDE(inode);
+ priv = ((struct seq_file *)file->private_data)->private;
+ priv->af = (unsigned long)PDE(inode)->data;
    }
    return ret;
}

```

---

Subject: Re: [PATCH 2/3] netns netfilter: netns propagation for  
 /proc/net/\*\_tables\_names  
 Posted by [Patrick McHardy](#) on Wed, 30 Jan 2008 15:17:31 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Alexey Dobriyan wrote:  
 > Propagate netns together with AF down to ->start/->next/->stop  
 > iterators. Choose table based on netns and AF for showing.

Applied.

---