
Subject: Permission issues

Posted by [Ola Lundqvist](#) on Sun, 30 Apr 2006 12:08:24 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi

During Debian packaging process I checked the package using lintian
which is a tool that makes some static checks against a package.

It would be good if the upstream software installation could fix
this for me. :)

Simply remove the executable bit from the following files when installing:

W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/centos-3.conf
N:
N: This executable file is not an ELF format binary, and does not start
N: with the #! sequence that marks interpreted scripts. It might be a sh
N: script that fails to name /bin/sh as its shell.
N:
N: Refer to Policy Manual, section 10.4 for details.
N:
W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/rhel-4.conf
W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/suse-8.0.conf
W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/sles-9.conf
W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/slackware-9.1.conf
W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/ve-light.conf-sample
W: vzctl: executable-not-elf-or-script ./etc/cron.d/vpsreboot
W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/suse-9.1.conf
W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/redhat-9.conf
W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/slackware-10.0.conf
W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/debian-3.0.conf
W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/distribution.conf-template
W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/suse-8.1.conf
W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/redhat.conf
W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/suse-9.0.conf
W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/gentoo.conf
W: vzctl: executable-not-elf-or-script ./etc/cron.d/vpsnetclean
W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/ve-vps.basic.conf-sample
W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/suse.conf
W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/redhat-8.0.conf
W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/sles.conf
W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/slackware.conf
W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/opensuse.conf
W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/fedora-core-1.conf
W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/suse-8.2.conf
W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/centos.conf
W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/default

W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/debian.conf
W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/redhat-7.0.conf
W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/redhat-7.1.conf
W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/rhel-3.conf
W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/redhat-7.2.conf
W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/suse-7.3.conf
W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/redhat-7.3.conf
W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/suse-9.3.conf
W: vzctl: executable-not-elf-or-script ./etc/sysconfig/network-scripts/ifcfg-venet0
W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/suse-9.2.conf
W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/fedora-core-2.conf
W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/slackware-9.0.conf
W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/centos-4.conf
W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/fedora-core-4.conf
W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/fedora-core-3.conf
W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/mandrake.conf
W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/slackware-10.1.conf
W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/fedora-core.conf
W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/debian-3.1.conf

Regards,

// Ola

--
----- Ola Lundqvist -----
/ opal@debian.org Annebergsslingan 37 \\\n| opal@lysator.liu.se 654 65 KARLSTAD |
| +46 (0)54-10 14 30 +46 (0)70-332 1551 |
| http://www.opal.dhs.org UIN/icq: 4912500 |
\ gpg/f.p.: 7090 A92B 18FE 7994 0C36 4FE4 18A1 B1CF 0FE5 3DD9 /

Subject: Re: Permission issues
Posted by [kir](#) on Sun, 30 Apr 2006 21:50:58 GMT
[View Forum Message](#) <> [Reply to Message](#)

Ola,

Thanks for reporting! I have filed it as bug #148,
<http://bugzilla.openvz.org/148>

Ola Lundqvist wrote:

>Hi
>
>During Debian packaging process I checked the package using lintian

>which is a tool that makes some static checks against a package.
>
>It would be good if the upstream software installation could fix
>this for me. :)
>
>Simply remove the executable bit from the following files when installing:
>
>W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/centos-3.conf
>N:
>N: This executable file is not an ELF format binary, and does not start
>N: with the #! sequence that marks interpreted scripts. It might be a sh
>N: script that fails to name /bin/sh as its shell.
>N:
>N: Refer to Policy Manual, section 10.4 for details.
>N:
>W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/rhel-4.conf
>W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/suse-8.0.conf
>W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/sles-9.conf
>W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/slackware-9.1.conf
>W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/ve-light.conf-sample
>W: vzctl: executable-not-elf-or-script ./etc/cron.d/vpsreboot
>W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/suse-9.1.conf
>W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/redhat-9.conf
>W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/slackware-10.0.conf
>W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/debian-3.0.conf
>W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/distribution.conf-template
>W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/suse-8.1.conf
>W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/redhat.conf
>W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/suse-9.0.conf
>W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/gentoo.conf
>W: vzctl: executable-not-elf-or-script ./etc/cron.d/vpsnetclean
>W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/ve-vps.basic.conf-sample
>W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/suse.conf
>W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/redhat-8.0.conf
>W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/sles.conf
>W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/slackware.conf
>W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/opensuse.conf
>W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/fedora-core-1.conf
>W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/suse-8.2.conf
>W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/centos.conf
>W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/default
>W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/debian.conf
>W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/redhat-7.0.conf
>W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/redhat-7.1.conf
>W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/rhel-3.conf
>W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/redhat-7.2.conf
>W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/suse-7.3.conf
>W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/redhat-7.3.conf

```
>W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/suse-9.3.conf
>W: vzctl: executable-not-elf-or-script ./etc/sysconfig/network-scripts/ifcfg-venet0
>W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/suse-9.2.conf
>W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/fedora-core-2.conf
>W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/slackware-9.0.conf
>W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/centos-4.conf
>W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/fedora-core-4.conf
>W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/fedora-core-3.conf
>W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/mandrake.conf
>W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/slackware-10.1.conf
>W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/fedora-core.conf
>W: vzctl: executable-not-elf-or-script ./etc/sysconfig/vz-scripts/dists/debian-3.1.conf
>
>Regards,
>
>/ Ola
>
>
>
```
