
Subject: *SOLVED* Zaptel - ztdummy - kernel install help

Posted by [ricoche](#) **on Tue, 29 Jan 2008 01:28:56 GMT**

[View Forum Message](#) <> [Reply to Message](#)

Hello,

I am trying to find information about how to install/compile zaptel onto the HN of my CentOS OpenVZ system. I am obviously running the 2.6.18-53.1.4.el5.028stab053.4 kernel, but whenever I try to do anything I find that this is not located in the /usr/src/linux directory so I always get an error that says the source is not installed. I am not sure how to do that.

Edit - Just fixed my problem with yum install ovzkernel-devel

Jim

Subject: Re: Zaptel - ztdummy - kernel install help

Posted by [Kirill Shiliev](#) **on Tue, 29 Jan 2008 10:04:49 GMT**

[View Forum Message](#) <> [Reply to Message](#)

In order to compile zaptel you need to have a kernel source tree corresponding to your current kernel. So install this rpm

<http://download.openvz.org/kernel/branches/rhel5-2.6.18/028stab053.4/ovzkernel-2.6.18-53.1.4.el5.028stab053.4.src.rpm>, then zaptel should compile without problems.

I'd also like to note that if your task is to get Asterisk MeetMe working and you do not have any analog FXO cards installed, you only need to have 2 LKMs from zaptel: zaptel-base and ztdummy.

See also http://wiki.openvz.org/Asterisk_from_source

Kirill

Subject: Re: Zaptel - ztdummy - kernel install help

Posted by [ricoche](#) **on Tue, 29 Jan 2008 11:19:50 GMT**

[View Forum Message](#) <> [Reply to Message](#)

Thank you Kirill for the help.

I managed to get zaptel compiled on the VE, but I am still getting some errors which I will post here. I should note that everything on the HN side appears to be running without any problems. I just can't get the VE side of things working so that when I install Asterisk on the VE I'll see the "app_meetme.so" module under /usr/lib/asterisk/modules. It still doesn't show which means it's not installed and/or working.

On the HN side, the following commands appear to work fine:

```
modprobe ztdummy
modprobe zaptel
service start zaptel
ztcfg -v
ztcfg -d
cat /proc/zaptel/1
vzctl set 112 --devnodes zap/pseudo:rw --save
```

On the VE side, the following commands are giving me errors:

```
modprobe ztdummy
WARNING: Error inserting crc_ccitt  (/lib/modules/2.6.18-53.1.4.el5.028stab053.4/kernel/lib/crc-
ccitt.ko): Operation not permitted
WARNING: Error inserting zaptel  (/lib/modules/2.6.18-53.1.4.el5.028stab053.4/misc/zaptel.ko) :
Operation not permitted
FATAL: Error inserting ztdummy  (/lib/modules/2.6.18-53.1.4.el5.028stab053.4/misc/ztdummy.ko
): Operation not permitted
```

```
modprobe zaptel
WARNING: Error inserting crc_ccitt  (/lib/modules/2.6.18-53.1.4.el5.028stab053.4/kernel/lib/crc-
ccitt.ko): Operation not permitted
FATAL: Error inserting zaptel  (/lib/modules/2.6.18-53.1.4.el5.028stab053.4/misc/zaptel.ko) :
Operation not permitted
```

```
ztcfg -v
Notice: Configuration file is /etc/zaptel.conf
line 233: Unable to read ZapTel version information.
```

```
ZapTel Version: Unknown
Echo Canceller: Unknown
Configuration
=====
```

```
0 channels to configure.
```

```
ioctl(ZT_LOADZONE) failed: Invalid argument
line 233: Unable to register tone zone 'us'
```

```
ztcfg -d
Line 158: loadzone = us
Line 172: defaultzone=us
<End of File>
ioctl(ZT_LOADZONE) failed: Invalid argument
Notice: Configuration file is /etc/zaptel.conf
line 233: Unable to register tone zone 'us'
```

```
cat /proc/zaptel/1
cat: /proc/zaptel/1: No such file or directory
```

```
service zaptel start
Loading zaptel framework: WARNING: Error inserting crc_ccitt
(/lib/modules/2.6.18-53.1.4.el5.028stab053.4/kernel/lib/crc- ccitt.ko): Operation not permitted
FATAL: Error inserting zaptel  (/lib/modules/2.6.18-53.1.4.el5.028stab053.4/misc/zaptel.ko) :
Operation not permitted
[FAILED]
Waiting for zap to come online...OK
Loading zaptel hardware modules:No functioning zap hardware found in /proc/zaptel, loading
ztdummy
Running ztcfg: ioctl(ZT_LOADZONE) failed: Invalid argument
Notice: Configuration file is /etc/zaptel.conf
line 233: Unable to register tone zone 'us'
[ OK ]
```

Subject: Re: Zaptel - ztdummy - kernel install help
Posted by [ricoche](#) on Tue, 29 Jan 2008 11:56:07 GMT
[View Forum Message](#) <> [Reply to Message](#)

Ok, I was just able to compile Asterisk again and now the MeetMe file "app_meetme.so" is showing up in the /usr/lib/asterisk/modules directory.

What I did differently is this.

1. I downloaded an updated Zaptel from here
<http://downloads.digium.com/pub/zaptel/releases/zaptel-1.4.8.tar.gz> instead of the previous place which I can't remember. I re-installed Zaptel. The errors above were all the same so I was a bit discouraged, but nonetheless continued.
2. I copied the zaptel.h file from the 1.4.8 zaptel distribution and stuck it into the location /usr/include/zaptel/zaptel.h in the VE I was installing Asterisk.
3. I then re-installed Asterisk using ./configure, make, make install, make config. (Do I need make samples?)

I then checked the /usr/lib/asterisk/modules directory and to my surprise the "app_meetme.so" file magically appeared. Thus Asterisk must have liked something about my Zaptel/ztdummy install on the VE.

Now whether Asterisk and MeetMe will work or not remains to be seen as my next step will be to dive in and actually do some testing. Now that I appear to have all the files I need installed, perhaps I'll be ok....shhsh yeah! <laugh>

If anyone understands what happened here or has any additional info that might be helpful, please let me know. I am hoping some of my notes will help others in trying to figure all this stuff out.

Thanks,

Jim

Subject: Re: Zaptel - ztdummy - kernel install help
Posted by [Kirill Shiliev](#) on Tue, 29 Jan 2008 11:59:55 GMT
[View Forum Message](#) <> [Reply to Message](#)

Ricoche

There is no way to load a module inside VE. It's forbidden,
consider it as a feature of OVZ.

Instead you need to load zaptel modules on HN. Once again for MeetMe, it's enough to load ztdummy (which depends on zaptel-base). On VE, one doesn't need to compile zaptel as a whole.

MeetMe module will be compiled if Asterisk gets access to a single header file zaptel.h. That's enough.

All the details on how to do it is described in before mentioned HOWTO article.

If you have analog telephone card installed, then you do need to compile and load zaptel modules (corresponding to your card), but on HN, not VE.

Hope this helps.

Subject: Re: Zaptel - ztdummy - kernel install help
Posted by [ricoche](#) on Tue, 29 Jan 2008 12:06:31 GMT
[View Forum Message](#) <> [Reply to Message](#)

Thanks Kirill,

Actually you have been a huge help because you lead me back to the basic article which I re-read and got the point. I finally was able to get MeetMe to show up under Asterisk and now I'll be able to move on and actually work with the application. After three days of wrapping my head around all of this I feel I have a better understanding. Thanks again for your help.

Regards,

Jim

Subject: Re: Zaptel - ztdummy - kernel install help
Posted by [maxglucksmann](#) on Wed, 26 Jan 2011 11:55:30 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hello Kirill,

Wanted to write you because I've tried several times with the ovzkernel and ovzkernel-devel compiling also zaptel and still can't start ztdummy nor zaptel's init.d service in the CN. I've replaced the number values for security...

This is the kernel setup and ovz packages:

HN:

```
[root@box src]# rpm -qa | grep -i ovz
ovzkernel-devel-2.6.18-194.3.1.el5.028stab069.6
ovzkernel-2.6.18-194.3.1.el5.028stab069.6
```

uname -a

```
Linux box.astracom.ca 2.6.18-194.3.1.el5.028stab069.6 #1 SMP Wed May 26 18:31:05 MSD
2010 x86_64 x86_64 x86_64 GNU/Linux
```

CN:

```
[root@pickering ~]# rpm -qa | grep -i ovz
ovzkernel-2.6.18-194.3.1.el5.028stab069.6
ovzkernel-devel-2.6.18-194.3.1.el5.028stab069.6
```

uname -a

```
Linux pickering 2.6.18-194.3.1.el5.028stab069.6 #1 SMP Wed May 26 18:31:05 MSD 2010 i686
i686 i386 GNU/Linux
```

Besides that, in the HN is working properly - after doing:

```
make distclean
make clean
./configure
make menuselect (may be needed to be run twice, select only ztdummy)
make
```

FAILS

```
...
...
...
```

```
include/linux/hardirq.h:38:27: warning: "NR_IRQS" is not defined
make[3]: *** [/usr/src/comtelpbx-3.0/asterisk/zaptel-1.4.12.1/kernel/pcir adio.o] Error 1
```

```
make[2]: *** [_module_ /usr/src/comtelpbx-3.0/asterisk/zaptel-1.4.12.1/ker nel] Error 2
make[2]: Leaving directory `/usr/src/kernels/2.6.18-194.3.1.el5.028stab069.6-i686'
make[1]: *** [modules] Error 2
make[1]: Leaving directory `/usr/src/comtelpbx-3.0/asterisk/zaptel-1.4.12.1'
make: *** [all] Error 2
```

After changing the ovzkernel and ovzkernel-devel packages:
rhel5-2.6.18/028stab069.6/

```
[root@box ovzkernel]# rpm -Uvh ovzkernel-2.6.18-194.3.1.el5.028stab069.6.x86_64.rpm
Preparing... ################################################ [100%]
1:ovzkernel ################################################ [100%]
```

```
[root@box ovzkernel]# rpm -Uvh ovzkernel-devel-2.6.18-194.3.1.el5.028stab069.6.x86_64.rpm
Preparing... ################################################ [100%]
1:ovzkernel-devel ################################################ [100%]
```

```
make distclean
make clean
make menuselect (twice)
select only ztdummy
make
make install
```

```
[root@box zaptel-1.4.12.1]# make config
install -D zaptel.init /etc/rc.d/init.d/zaptel
install -D ifup-hdcl /etc/sysconfig/network-scripts/ifup-hdcl
/sbin/chkconfig --add zaptel
Zaptel has been configured.
```

If you have any zaptel hardware it is now recommended to edit /etc/default/zaptel or /etc/sysconfig/zaptel and set there an optimal value for the variable MODULES .

I think that the zaptel hardware you have on your system is:

```
...
...
...
```

```
[root@box zaptel-1.4.12.1]# service zaptel restart
Unloading zaptel hardware drivers:.
Loading zaptel framework: FATAL: Error inserting zaptel
(/lib/modules/2.6.18-194.3.1.el5.028stab069.6/misc/zaptel.ko ): Invalid module format
```

[FAILED]

Waiting for zap to come online...OK

Loading zaptel hardware modules:Running ztcfg: ioctl(ZT_LOADZONE) failed: Invalid argument

Notice: Configuration file is /etc/zaptel.conf

line 287: Unable to register tone zone 'us'

[OK]

Devices:

[root@box zaptel-1.4.12.1]# ls -lsa /dev/zap/

total 0

0 drwxr-xr-x 2 root root 140 Jan 25 20:01 .

0 drwxr-xr-x 14 root root 14440 Jan 26 01:06 ..

0 crw-rw---- 1 root root 196, 254 Jan 25 20:01 channel

0 crw-rw---- 1 root root 196, 0 Jan 25 20:01 ctl

0 crw-rw---- 1 root root 196, 255 Jan 25 20:01 pseudo

0 crw-rw---- 1 root root 196, 253 Jan 25 20:01 timer

0 crw-rw---- 1 root root 196, 250 Jan 25 20:01 transcode

[root@box zaptel-1.4.12.1]#

Port devices:

[root@box ~]# vzctl set 999888777 --devnodes zap/transcode:rw --save

Setting devices

Saved parameters for CT 999888777

[root@box ~]# vzctl set 999888777 --devnodes zap/timer:rw --save

Setting devices

Saved parameters for CT 999888777

[root@box ~]# vzctl set 999888777 --devnodes zap/pseudo:rw --save

Setting devices

Saved parameters for CT 999888777

[root@box ~]# vzctl set 999888777 --devnodes zap/ctl:rw --save

Setting devices

Saved parameters for CT 999888777

[root@box ~]# vzctl set 999888777 --devnodes zap/channel:rw --save

Setting devices

Saved parameters for CT 999888777

Still, when I'm called into a conference by viciidial's agent gui, the application app_meetme is run and the CLI says...

pseudo channel is not available:

```
== Parsing '/etc/asterisk/manager.conf': Found
== Manager 'sendcron' logged on from 127.0.0.1
-- Executing [123123123@default:1] MeetMe("SIP/sip1000001-09654350", "123123123|F") in new stack
== Parsing '/etc/asterisk/meetme.conf': Found
== Parsing '/etc/asterisk/meetme-vicidial.conf': Found
[Jan 26 14:47:15] WARNING[24346]: app_meetme.c:800 build_conf: Unable to open pseudo device
== Manager 'sendcron' logged off from 127.0.0.1
-- <SIP/sip1000001-09654350> Playing 'conf-invalid' (language 'en')
== Spawn extension (default, 123123123, 1) exited non-zero on 'SIP/sip1000001-09654350'
-- Executing [h@default:1] DeadAGI("SIP/sip1000001-09654350", "
agi://127.0.0.1:4577/call_log--HVcauses--PRI-----NODEBUG---- -16-----") in new stack
-- AGI Script agi://127.0.0.1:4577/call_log--HVcauses--PRI-----NODEBUG---- -16-----
completed, returning 0
pickering*CLI>
```

Any advice you could give will be very appreciated.

Thank you very much and have a good day,
Max Glucksmann
Mobility1 LLC

Subject: Re: Zaptel - ztdummy - kernel install help
Posted by [maxglucksmann](#) on Tue, 01 Feb 2011 00:56:33 GMT
[View Forum Message](#) <> [Reply to Message](#)

Just for reference, using url:
[download.openvz.org / kernel / branches / rhel5-2.6.18 /](http://download.openvz.org/kernel/branches/rhel5-2.6.18/)

Will try with dkms...
