
Subject: ssh service wont start - new vps
Posted by [rmcnaught](#) on Tue, 26 Feb 2008 23:55:48 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi,

Has anyone seen this problem before, cannot start SSHD from the Host Node on a newly provisioned VPS?

I check /vz/root/103/var/log/secure and it is empty, although I dont know if it normally logs things here, as it is empty. Anyone know how to troubleshoot this?

```
[root@localhost ~]# vzctl create 103 --ostemplate centos-5-i386-minimal
Creating VE private area (centos-5-i386-minimal)
Performing postcreate actions
VE private area was created
[root@localhost ~]# vzctl set 103 --ipadd 192.168.1.103 --save
Saved parameters for VE 103
[root@localhost ~]# vzctl start 103
Starting VE ...
VE is mounted
Adding IP address(es): 192.168.1.103
Setting CPU units: 1000
Configure meminfo: 65536
VE start in progress...
[root@localhost ~]# vzctl exec 103 service sshd status
sshd is stopped
[root@localhost ~]# vzctl exec 103 service sshd start
Generating SSH1 RSA host key: [FAILED]
```

Thanks

Robert

Subject: Re: ssh service wont start - new vps
Posted by [maratrus](#) on Wed, 27 Feb 2008 07:47:39 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi,

from /etc/init.d/sshd

```
KEYGEN=/usr/bin/ssh-keygen
SSHD=/usr/sbin/sshd
RSA1_KEY=/etc/ssh/ssh_host_key
RSA_KEY=/etc/ssh/ssh_host_rsa_key
DSA_KEY=/etc/ssh/ssh_host_dsa_key
```

```

PID_FILE=/var/run/sshd.pid

do_rsa1_keygen() {
    if [ ! -s $RSA1_KEY ]; then
        echo -n $"Generating SSH1 RSA host key: "
        if $KEYGEN -q -t rsa1 -f $RSA1_KEY -C " -N " >&/dev/null; then
            chmod 600 $RSA1_KEY
            chmod 644 $RSA1_KEY.pub
            if [ -x /sbin/restorecon ]; then
                /sbin/restorecon $RSA1_KEY.pub
            fi
            success $"RSA1 key generation"
            echo
        else
            failure $"RSA1 key generation"
            echo
            exit 1
        fi
    fi
}

```

We can enter the VPS and try to execute the following command inside VPS:
`$KEYGEN -q -t rsa1 -f $RSA1_KEY -C " -N "`
 (with or without -q option) and it will might be possible to observe some more information about any errors.
