
Subject: [PATCH 1/2] Add the max_usage member on the res_counter

Posted by [Pavel Emelianov](#) on Fri, 07 Mar 2008 15:30:55 GMT

[View Forum Message](#) <> [Reply to Message](#)

This is a very usefull feature. E.g. one may set the limit to "unlimited" value and check for the memory requirements of a new container.

Signed-off-by: Pavel Emelyanov <xemul@openvz.org>

```
include/linux/res_counter.h | 5 +++++
kernel/res_counter.c        | 4 +++++
mm/memcontrol.c             | 5 +++++
3 files changed, 14 insertions(+), 0 deletions(-)
```

```
diff --git a/include/linux/res_counter.h b/include/linux/res_counter.h
```

```
index 8cb1ecd..2c4deb5 100644
```

```
--- a/include/linux/res_counter.h
```

```
+++ b/include/linux/res_counter.h
```

```
@@ -25,6 +25,10 @@ struct res_counter {
```

```
    */
```

```
    unsigned long long usage;
```

```
    /*
```

```
+ * the maximal value of the usage from the counter creation
```

```
+ */
```

```
+ unsigned long long max_usage;
```

```
+ /*
```

```
    * the limit that usage cannot exceed
```

```
    */
```

```
    unsigned long long limit;
```

```
@@ -67,6 +71,7 @@ ssize_t res_counter_write(struct res_counter *counter, int member,
```

```
enum {
```

```
    RES_USAGE,
```

```
+ RES_MAX_USAGE,
```

```
    RES_LIMIT,
```

```
    RES_FAILCNT,
```

```
};
```

```
diff --git a/kernel/res_counter.c b/kernel/res_counter.c
```

```
index 791ff2b..f1f20c2 100644
```

```
--- a/kernel/res_counter.c
```

```
+++ b/kernel/res_counter.c
```

```
@@ -27,6 +27,8 @@ int res_counter_charge_locked(struct res_counter *counter, unsigned long
val)
```

```
{
```

```
    counter->usage += val;
```

```

+ if (counter->usage > counter->max_usage)
+ counter->max_usage = counter->usage;
  return 0;
}

@@ -65,6 +67,8 @@ res_counter_member(struct res_counter *counter, int member)
  switch (member) {
  case RES_USAGE:
    return &counter->usage;
+ case RES_MAX_USAGE:
+ return &counter->max_usage;
  case RES_LIMIT:
    return &counter->limit;
  case RES_FAILCNT:
diff --git a/mm/memcontrol.c b/mm/memcontrol.c
index 2d59163..e5c741a 100644
--- a/mm/memcontrol.c
+++ b/mm/memcontrol.c
@@ -911,6 +911,11 @@ static struct cftype mem_cgroup_files[] = {
  .read_u64 = mem_cgroup_read,
  },
  {
+ .name = "max_usage_in_bytes",
+ .private = RES_MAX_USAGE,
+ .read_u64 = mem_cgroup_read,
+ },
+ {
  .name = "limit_in_bytes",
  .private = RES_LIMIT,
  .write = mem_cgroup_write,
--
1.5.3.4

```

Containers mailing list
Containers@lists.linux-foundation.org
<https://lists.linux-foundation.org/mailman/listinfo/containers>

Subject: Re: [PATCH 1/2] Add the max_usage member on the res_counter
Posted by [KAMEZAWA Hiroyuki](#) on Sat, 08 Mar 2008 04:33:07 GMT
[View Forum Message](#) <> [Reply to Message](#)

On Fri, 07 Mar 2008 18:30:55 +0300
Pavel Emelyanov <xemul@openvz.org> wrote:

> This is a very usefull feature. E.g. one may set the
> limit to "unlimited" value and check for the memory

> requirements of a new container.

>

Hm, I like this. Could you add a method to reset this counter ?

Thanks,

-Kame

> Signed-off-by: Pavel Emelyanov <xemul@openvz.org>

>

> ---

> include/linux/res_counter.h | 5 +++++

> kernel/res_counter.c | 4 +++++

> mm/memcontrol.c | 5 +++++

> 3 files changed, 14 insertions(+), 0 deletions(-)

>

> diff --git a/include/linux/res_counter.h b/include/linux/res_counter.h

> index 8cb1ecd..2c4deb5 100644

> --- a/include/linux/res_counter.h

> +++ b/include/linux/res_counter.h

> @@ -25,6 +25,10 @@ struct res_counter {

> */

> unsigned long long usage;

> /*

> + * the maximal value of the usage from the counter creation

> + */

> + unsigned long long max_usage;

> + /*

> + * the limit that usage cannot exceed

> + */

> unsigned long long limit;

> @@ -67,6 +71,7 @@ ssize_t res_counter_write(struct res_counter *counter, int member,

>

> enum {

> RES_USAGE,

> + RES_MAX_USAGE,

> RES_LIMIT,

> RES_FAILCNT,

> };

> diff --git a/kernel/res_counter.c b/kernel/res_counter.c

> index 791ff2b..f1f20c2 100644

> --- a/kernel/res_counter.c

> +++ b/kernel/res_counter.c

> @@ -27,6 +27,8 @@ int res_counter_charge_locked(struct res_counter *counter, unsigned
long val)

> }

>

> counter->usage += val;

```

> + if (counter->usage > counter->max_usage)
> + counter->max_usage = counter->usage;
> return 0;
> }
>
> @@ -65,6 +67,8 @@ res_counter_member(struct res_counter *counter, int member)
> switch (member) {
> case RES_USAGE:
> return &counter->usage;
> + case RES_MAX_USAGE:
> + return &counter->max_usage;
> case RES_LIMIT:
> return &counter->limit;
> case RES_FAILCNT:
> diff --git a/mm/memcontrol.c b/mm/memcontrol.c
> index 2d59163..e5c741a 100644
> --- a/mm/memcontrol.c
> +++ b/mm/memcontrol.c
> @@ -911,6 +911,11 @@ static struct cftype mem_cgroup_files[] = {
> .read_u64 = mem_cgroup_read,
> },
> {
> + .name = "max_usage_in_bytes",
> + .private = RES_MAX_USAGE,
> + .read_u64 = mem_cgroup_read,
> + },
> + {
> .name = "limit_in_bytes",
> .private = RES_LIMIT,
> .write = mem_cgroup_write,
> --
> 1.5.3.4
>
> --
> To unsubscribe, send a message with 'unsubscribe linux-mm' in
> the body to majordomo@kvack.org. For more info on Linux MM,
> see: http://www.linux-mm.org/ .
> Don't email: dont@kvack.org email@kvack.org </a>

```

Containers mailing list
Containers@lists.linux-foundation.org
<https://lists.linux-foundation.org/mailman/listinfo/containers>

Subject: Re: [PATCH 1/2] Add the max_usage member on the res_counter
Posted by [Balbir Singh](#) on Sat, 08 Mar 2008 05:39:14 GMT

Pavel Emelyanov wrote:

```
> This is a very usefull feature. E.g. one may set the
> limit to "unlimited" value and check for the memory
> requirements of a new container.
>
> Signed-off-by: Pavel Emelyanov <xemul@openvz.org>
>
> ---
> include/linux/res_counter.h | 5 +++++
> kernel/res_counter.c       | 4 +++++
> mm/memcontrol.c           | 5 +++++
> 3 files changed, 14 insertions(+), 0 deletions(-)
>
> diff --git a/include/linux/res_counter.h b/include/linux/res_counter.h
> index 8cb1ecd..2c4deb5 100644
> --- a/include/linux/res_counter.h
> +++ b/include/linux/res_counter.h
> @@ -25,6 +25,10 @@ struct res_counter {
>  */
>  unsigned long long usage;
>  /*
>  + * the maximal value of the usage from the counter creation
>  + */
>  + unsigned long long max_usage;
>  + /*
>  * the limit that usage cannot exceed
>  */
>  unsigned long long limit;
> @@ -67,6 +71,7 @@ ssize_t res_counter_write(struct res_counter *counter, int member,
>
>  enum {
>  RES_USAGE,
>  + RES_MAX_USAGE,
>  RES_LIMIT,
>  RES_FAILCNT,
>  };
> diff --git a/kernel/res_counter.c b/kernel/res_counter.c
> index 791ff2b..f1f20c2 100644
> --- a/kernel/res_counter.c
> +++ b/kernel/res_counter.c
> @@ -27,6 +27,8 @@ int res_counter_charge_locked(struct res_counter *counter, unsigned
> long val)
>  }
>
>  counter->usage += val;
>  + if (counter->usage > counter->max_usage)
>  +  counter->max_usage = counter->usage;
```

How about

```
counter->max_usage = max(counter->usage, counter->max_usage);

> return 0;
> }
>
> @@ -65,6 +67,8 @@ res_counter_member(struct res_counter *counter, int member)
> switch (member) {
> case RES_USAGE:
>     return &counter->usage;
> + case RES_MAX_USAGE:
> +     return &counter->max_usage;
> case RES_LIMIT:
>     return &counter->limit;
> case RES_FAILCNT:
> diff --git a/mm/memcontrol.c b/mm/memcontrol.c
> index 2d59163..e5c741a 100644
> --- a/mm/memcontrol.c
> +++ b/mm/memcontrol.c
> @@ -911,6 +911,11 @@ static struct cftype mem_cgroup_files[] = {
>     .read_u64 = mem_cgroup_read,
> },
> {
> + .name = "max_usage_in_bytes",
> + .private = RES_MAX_USAGE,
> + .read_u64 = mem_cgroup_read,
> + },
> + {
>     .name = "limit_in_bytes",
>     .private = RES_LIMIT,
>     .write = mem_cgroup_write,
```

Looks very good,

Acked-by: Balbir Singh <balbir@linux.vnet.ibm.com>

--

Warm Regards,
Balbir Singh
Linux Technology Center
IBM, ISTL

Containers mailing list
Containers@lists.linux-foundation.org
<https://lists.linux-foundation.org/mailman/listinfo/containers>

Subject: Re: [PATCH 1/2] Add the max_usage member on the res_counter
Posted by [Pavel Emelianov](#) on Tue, 11 Mar 2008 08:41:45 GMT
[View Forum Message](#) <> [Reply to Message](#)

KAMEZAWA Hiroyuki wrote:

> On Fri, 07 Mar 2008 18:30:55 +0300

> Pavel Emelyanov <xemul@openvz.org> wrote:

>

>> This is a very usefull feature. E.g. one may set the

>> limit to "unlimited" value and check for the memory

>> requirements of a new container.

>>

> Hm, I like this. Could you add a method to reset this counter ?

OK. Sounds reasonable.

> How about

>

> counter->max_usage = max(counter->usage, counter->max_usage);

No, I prefer explicit checks :)

> Looks very good,

>

> Acked-by: Balbir Singh <balbir@linux.vnet.ibm.com>

OK. I'll push this change the the git at openvz.org then.

Containers mailing list

Containers@lists.linux-foundation.org

<https://lists.linux-foundation.org/mailman/listinfo/containers>
