

---

Subject: [PATCH 3/3] memcgoup: allow memory.failcnt to be reset

Posted by [Li Zefan](#) on Tue, 11 Mar 2008 10:09:02 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Allow memory.failcnt to be reset to 0:

```
echo 0 > memory.failcnt
```

And '0' is the only valid value.

This is useful when testing or observing the memory resource controller. Without this function, one will have to remember the previous failcnt to decide whether memory reclaim has happened \*again\*.

Signed-off-by: Li Zefan <lizf@cn.fujitsu.com>

---

```
Documentation/controllers/memory.txt | 4 +++-
mm/memcontrol.c                       | 15 ++++++++
2 files changed, 18 insertions(+), 1 deletions(-)
```

```
diff --git a/Documentation/controllers/memory.txt b/Documentation/controllers/memory.txt
```

```
index 866b9cd..28f80e3 100644
```

```
--- a/Documentation/controllers/memory.txt
```

```
+++ b/Documentation/controllers/memory.txt
```

```
@@ -194,7 +194,9 @@ this file after a write to guarantee the value committed by the kernel.
4096
```

The memory.failcnt field gives the number of times that the cgroup limit was -exceeded.

+exceeded. It can be reset.

+

+# echo 0 > memory.failcnt

The memory.stat file gives accounting information. Now, the number of caches, RSS and Active pages/Inactive pages are shown.

```
diff --git a/mm/memcontrol.c b/mm/memcontrol.c
```

```
index 6145031..fd26dc2 100644
```

```
--- a/mm/memcontrol.c
```

```
+++ b/mm/memcontrol.c
```

```
@@ -883,6 +883,20 @@ static int mem_force_empty_write(struct cgroup *cont, struct cftype *cft,
return ret;
}
```

```
+static int mem_failcnt_write(struct cgroup *cont, struct cftype *cft,
```

```
+    u64 val)
```

```
+{
```

```
+    struct res_counter *counter;
```

```
+
+ if (val != 0)
+ return -EINVAL;
+
+ counter = &mem_cgroup_from_cont(cont)->res;
+ res_counter_write_u64(counter, cft->private, 0);
+
+ return 0;
+}
+
static const struct mem_cgroup_stat_desc {
    const char *msg;
    u64 unit;
@@ -934,6 +948,7 @@ static struct cftype mem_cgroup_files[] = {
    {
        .name = "failcnt",
        .private = RES_FAILCNT,
+ .write_u64 = mem_failcnt_write,
        .read_u64 = mem_cgroup_read,
    },
    {
--
1.5.4.rc3
```

---

Containers mailing list  
Containers@lists.linux-foundation.org  
<https://lists.linux-foundation.org/mailman/listinfo/containers>

---