

---

Subject: [PATCH -mm] cgroup: fix boot option parsing  
Posted by [Li Zefan](#) on Mon, 17 Mar 2008 08:24:57 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

When boot with 'cgroup\_disable=cpuacct', it turns out subsystem 'cpu' is disabled.

When Balbir posted the patch to add cgroup boot option support, Paul M noticed this problem, but the patch was accepted without fixing it.

Signed-off-by: Li Zefan <lizf@cn.fujitsu.com>

---

kernel/cgroup.c | 15 ++++++-----  
1 files changed, 6 insertions(+), 9 deletions(-)

```
diff --git a/kernel/cgroup.c b/kernel/cgroup.c
index e8e8ec4..54c28ea 100644
--- a/kernel/cgroup.c
+++ b/kernel/cgroup.c
@@ -3062,25 +3062,22 @@ static void cgroup_release_agent(struct work_struct *work)
 static int __init cgroup_disable(char *str)
 {
     int i;
+ char *token;
+
+ while ((token = strsep(&str, ",")) != NULL) {
+ if (!*token)
+ continue;

- while (*str) {
- for (i = 0; i < CGROUP_SUBSYS_COUNT; i++) {
- struct cgroup_subsys *ss = subsys[i];
- if (!strcmp(str, ss->name)) {
+ if (!strcmp(token, ss->name)) {
         ss->disabled = 1;
         printk(KERN_INFO "Disabling %s control group"
            " subsystem\n", ss->name);
         break;
     }
 }
- /*
- * Find the next option if any
- */
- while (*str && (*str != ','))
- str++;
- if (*str == ',')
```

```
- str++;  
}  
return 1;  
}
```

--

1.5.4.rc3

---

Containers mailing list

Containers@lists.linux-foundation.org

<https://lists.linux-foundation.org/mailman/listinfo/containers>

---

---

Subject: Re: [PATCH -mm] cgroup: fix boot option parsing

Posted by [Paul Menage](#) on Mon, 17 Mar 2008 08:26:57 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

On Mon, Mar 17, 2008 at 4:24 PM, Li Zefan <lizf@cn.fujitsu.com> wrote:

> When boot with 'cgroup\_disable=cpuacct', it turns out subsystem

> 'cpu' is disabled.

>

> When Balbir posted the patch to add cgroup boot option support,

> Paul M noticed this problem, but the patch was accepted without

> fixing it.

>

> Signed-off-by: Li Zefan <lizf@cn.fujitsu.com>

Acked-by: Paul Menage <menage@google.com>

> ---

> kernel/cgroup.c | 15 ++++++-----

> 1 files changed, 6 insertions(+), 9 deletions(-)

>

> diff --git a/kernel/cgroup.c b/kernel/cgroup.c

> index e8e8ec4..54c28ea 100644

> --- a/kernel/cgroup.c

> +++ b/kernel/cgroup.c

> @@ -3062,25 +3062,22 @@ static void cgroup\_release\_agent(struct work\_struct \*work)

> static int \_\_init cgroup\_disable(char \*str)

> {

> int i;

> + char \*token;

> +

> + while ((token = strsep(&str, ",")) != NULL) {

> + if (!\*token)

> + continue;

>

> - while (\*str) {

> for (i = 0; i < CGROUP\_SUBSYS\_COUNT; i++) {

```

> struct cgroup_subsys *ss = subsys[i];
>
> - if (!strcmp(str, ss->name, strlen(ss->name))) {
> + if (!strcmp(token, ss->name)) {
>     ss->disabled = 1;
>     printk(KERN_INFO "Disabling %s control group"
>         " subsystem\n", ss->name);
>     break;
> }
> }
> - /*
> -  * Find the next option if any
> -  */
> - while (*str && (*str != ','))
> -     str++;
> - if (*str == ',')
> -     str++;
> }
> return 1;
> }
> --
> 1.5.4.rc3
>

```

---

Containers mailing list  
Containers@lists.linux-foundation.org  
<https://lists.linux-foundation.org/mailman/listinfo/containers>

---