
Subject: [PATCH net-2.6.26 5/6][IPV4][NETNS]: Display per-net info in sockstat file.
Posted by [Pavel Emelianov](#) on Mon, 31 Mar 2008 12:19:01 GMT
[View Forum Message](#) <> [Reply to Message](#)

Besides, now we can see per-net fragments statistics in the same file, since this stats is already per-net.

Signed-off-by: Pavel Emelyanov <xemul@openvz.org>

```
net/ipv4/proc.c | 41 ++++++-----
1 files changed, 34 insertions(+), 7 deletions(-)
```

```
diff --git a/net/ipv4/proc.c b/net/ipv4/proc.c
```

```
index 24ae23b..552169b 100644
```

```
--- a/net/ipv4/proc.c
```

```
+++ b/net/ipv4/proc.c
```

```
@@ -51,27 +51,54 @@
```

```
 */
```

```
static int sockstat_seq_show(struct seq_file *seq, void *v)
```

```
{
```

```
+ struct net *net = seq->private;
```

```
+
```

```
    socket_seq_show(seq);
```

```
    seq_printf(seq, "TCP: inuse %d orphan %d tw %d alloc %d mem %d\n",
```

```
-    sock_prot_inuse_get(&init_net, &tcp_prot),
```

```
+    sock_prot_inuse_get(net, &tcp_prot),
```

```
    atomic_read(&tcp_orphan_count),
```

```
    tcp_death_row.tw_count, atomic_read(&tcp_sockets_allocated),
```

```
    atomic_read(&tcp_memory_allocated));
```

```
    seq_printf(seq, "UDP: inuse %d mem %d\n",
```

```
-    sock_prot_inuse_get(&init_net, &udp_prot),
```

```
+    sock_prot_inuse_get(net, &udp_prot),
```

```
    atomic_read(&udp_memory_allocated));
```

```
    seq_printf(seq, "UDPLITE: inuse %d\n",
```

```
-    sock_prot_inuse_get(&init_net, &udplite_prot));
```

```
+    sock_prot_inuse_get(net, &udplite_prot));
```

```
    seq_printf(seq, "RAW: inuse %d\n",
```

```
-    sock_prot_inuse_get(&init_net, &raw_prot));
```

```
+    sock_prot_inuse_get(net, &raw_prot));
```

```
    seq_printf(seq, "FRAG: inuse %d memory %d\n",
```

```
-    ip_frag_nqueues(&init_net), ip_frag_mem(&init_net));
```

```
+    ip_frag_nqueues(net), ip_frag_mem(net));
```

```
    return 0;
```

```
}
```

```
static int sockstat_seq_open(struct inode *inode, struct file *file)
```

```
{
```

```

- return single_open(file, sockstat_seq_show, NULL);
+ int err;
+ struct net *net;
+
+ err = -ENXIO;
+ net = get_proc_net(inode);
+ if (net == NULL)
+ goto err_net;
+
+ err = single_open(file, sockstat_seq_show, net);
+ if (err < 0)
+ goto err_open;
+
+ return 0;
+
+err_open:
+ put_net(net);
+err_net:
+ return err;
+}
+
+static int sockstat_seq_release(struct inode *inode, struct file *file)
+{
+ struct net *net = ((struct seq_file *)file->private_data)->private;
+
+ put_net(net);
+ return single_release(inode, file);
+}

static const struct file_operations sockstat_seq_fops = {
@@ -79,7 +106,7 @@ static const struct file_operations sockstat_seq_fops = {
    .open = sockstat_seq_open,
    .read = seq_read,
    .llseek = seq_lseek,
- .release = single_release,
+ .release = sockstat_seq_release,
};

/* snmp items */
--
1.5.3.4

```

Subject: Re: [PATCH net-2.6.26 5/6][IPV4][NETNS]: Display per-net info in sockstat file.

Posted by [davem](#) on Tue, 01 Apr 2008 03:19:20 GMT

[View Forum Message](#) <> [Reply to Message](#)

From: Pavel Emelyanov <xemul@openvz.org>

Date: Mon, 31 Mar 2008 16:19:01 +0400

> Besides, now we can see per-net fragments statistics in the
> same file, since this stats is already per-net.

>

> Signed-off-by: Pavel Emelyanov <xemul@openvz.org>

Applied.
