
Subject: [PATCH -mm 3/3] cgroup: remove the css_set linked-list

Posted by [Li Zefan](#) on Thu, 03 Apr 2008 05:53:15 GMT

[View Forum Message](#) <> [Reply to Message](#)

Now we can run through the hash table instead of running through the linked-list.

Signed-off-by: Li Zefan <lizf@cn.fujitsu.com>

include/linux/cgroup.h | 6 -----

kernel/cgroup.c | 40 ++++++++-----

2 files changed, 20 insertions(+), 26 deletions(-)

diff --git a/include/linux/cgroup.h b/include/linux/cgroup.h

index f585b7c..d58a958 100644

--- a/include/linux/cgroup.h

+++ b/include/linux/cgroup.h

@@ -150,12 +150,6 @@ struct css_set {
 struct kref ref;

/*

- * List running through all cgroup groups. Protected by

- * css_set_lock

- */

- struct list_head list;

-

- /*

* List running through all cgroup groups in the same hash

* slot. Protected by css_set_lock

*/

diff --git a/kernel/cgroup.c b/kernel/cgroup.c

index 250e28e..9e7cf16 100644

--- a/kernel/cgroup.c

+++ b/kernel/cgroup.c

@@ -241,7 +241,6 @@ static void unlink_css_set(struct css_set *cg)

{

write_lock(&css_set_lock);

hlist_del(&cg->hlist);

- list_del(&cg->list);

css_set_count--;

while (!list_empty(&cg->cg_links)) {

struct cg_cgroup_link *link;

@@ -476,8 +475,6 @@ static struct css_set *find_css_set(

BUG_ON(!list_empty(&tmp_cg_links));

- /* Link this cgroup group into the list */

- list_add(&res->list, &init_css_set.list);

```

css_set_count++;

/* Add this cgroup group to the hash table */
@@ -962,7 +959,7 @@ static int cgroup_get_sb(struct file_system_type *fs_type,
int ret = 0;
struct super_block *sb;
struct cgroupfs_root *root;
- struct list_head tmp_cg_links, *l;
+ struct list_head tmp_cg_links;
INIT_LIST_HEAD(&tmp_cg_links);

/* First find the desired set of subsystems */
@@ -1004,6 +1001,7 @@ static int cgroup_get_sb(struct file_system_type *fs_type,
/* New superblock */
struct cgroup *cgrp = &root->top_cgroup;
struct inode *inode;
+ int i;

BUG_ON(sb->s_root != NULL);

@@ -1048,22 +1046,25 @@ static int cgroup_get_sb(struct file_system_type *fs_type,
/* Link the top cgroup in this hierarchy into all
* the css_set objects */
write_lock(&css_set_lock);
- l = &init_css_set.list;
- do {
+ for (i = 0; i < CSS_SET_TABLE_SIZE; i++) {
+ struct hlist_head *hhead = &css_set_table[i];
+ struct hlist_node *node;
struct css_set *cg;
- struct cg_cgroup_link *link;
- cg = list_entry(l, struct css_set, list);
- BUG_ON(list_empty(&tmp_cg_links));
- link = list_entry(tmp_cg_links.next,
- struct cg_cgroup_link,
- cgrp_link_list);
- list_del(&link->cgrp_link_list);
- link->cg = cg;
- list_add(&link->cgrp_link_list,
- &root->top_cgroup.css_sets);
- list_add(&link->cg_link_list, &cg->cg_links);
- l = l->next;
- } while (l != &init_css_set.list);
+ hlist_for_each_entry(cg, node, hhead, hlist) {
+ struct cg_cgroup_link *link;
+
+ BUG_ON(list_empty(&tmp_cg_links));

```

```

+ link = list_entry(tmp_cg_links.next,
+   struct cg_cgroup_link,
+   cgrp_link_list);
+ list_del(&link->cgrp_link_list);
+ link->cg = cg;
+ list_add(&link->cgrp_link_list,
+   &root->top_cgroup.css_sets);
+ list_add(&link->cg_link_list, &cg->cg_links);
+ }
+ }
  write_unlock(&css_set_lock);

  free_cg_links(&tmp_cg_links);
@@ -2508,7 +2509,6 @@ int __init cgroup_init_early(void)
  int i;
  kref_init(&init_css_set.ref);
  kref_get(&init_css_set.ref);
- INIT_LIST_HEAD(&init_css_set.list);
  INIT_LIST_HEAD(&init_css_set.cg_links);
  INIT_LIST_HEAD(&init_css_set.tasks);
  INIT_HLIST_NODE(&init_css_set.hlist);
--
1.5.4.rc3

```

Containers mailing list
Containers@lists.linux-foundation.org
<https://lists.linux-foundation.org/mailman/listinfo/containers>

Subject: Re: [PATCH -mm 3/3] cgroup: remove the css_set linked-list
Posted by [Paul Menage](#) on Thu, 03 Apr 2008 17:41:03 GMT
[View Forum Message](#) <> [Reply to Message](#)

On Wed, Apr 2, 2008 at 10:53 PM, Li Zefan <lizf@cn.fujitsu.com> wrote:
> Now we can run through the hash table instead of running through
> the linked-list.
>
> Signed-off-by: Li Zefan <lizf@cn.fujitsu.com>

Reviewed-by: Paul Menage <menage@google.com>

Looks good, thanks.

```

> ---
> include/linux/cgroup.h | 6 -----
> kernel/cgroup.c        | 40 ++++++++-----
> 2 files changed, 20 insertions(+), 26 deletions(-)
>

```

```

> diff --git a/include/linux/cgroup.h b/include/linux/cgroup.h
> index f585b7c..d58a958 100644
> --- a/include/linux/cgroup.h
> +++ b/include/linux/cgroup.h
> @@ -150,12 +150,6 @@ struct css_set {
>     struct kref ref;
>
>     /*
> -    * List running through all cgroup groups. Protected by
> -    * css_set_lock
> -    */
> -    struct list_head list;
> -
> -    /*
>     * List running through all cgroup groups in the same hash
>     * slot. Protected by css_set_lock
>     */
> diff --git a/kernel/cgroup.c b/kernel/cgroup.c
> index 250e28e..9e7cf16 100644
> --- a/kernel/cgroup.c
> +++ b/kernel/cgroup.c
> @@ -241,7 +241,6 @@ static void unlink_css_set(struct css_set *cg)
> {
>     write_lock(&css_set_lock);
>     hlist_del(&cg->hlist);
> -    list_del(&cg->list);
>     css_set_count--;
>     while (!list_empty(&cg->cg_links)) {
>         struct cg_cgroup_link *link;
> @@ -476,8 +475,6 @@ static struct css_set *find_css_set(
>
>     BUG_ON(!list_empty(&tmp_cg_links));
>
>     /* Link this cgroup group into the list */
> -    list_add(&res->list, &init_css_set.list);
>     css_set_count++;
>
>     /* Add this cgroup group to the hash table */
> @@ -962,7 +959,7 @@ static int cgroup_get_sb(struct file_system_type *fs_type,
>     int ret = 0;
>     struct super_block *sb;
>     struct cgroupfs_root *root;
> -    struct list_head tmp_cg_links, *l;
> +    struct list_head tmp_cg_links;
>     INIT_LIST_HEAD(&tmp_cg_links);
>
>     /* First find the desired set of subsystems */
> @@ -1004,6 +1001,7 @@ static int cgroup_get_sb(struct file_system_type *fs_type,

```

```

>      /* New superblock */
>      struct cgroup *cgrp = &root->top_cgroup;
>      struct inode *inode;
> +      int i;
>
>      BUG_ON(sb->s_root != NULL);
>
> @@ -1048,22 +1046,25 @@ static int cgroup_get_sb(struct file_system_type *fs_type,
>      /* Link the top cgroup in this hierarchy into all
>      * the css_set objects */
>      write_lock(&css_set_lock);
> -      l = &init_css_set.list;
> -      do {
> +      for (i = 0; i < CSS_SET_TABLE_SIZE; i++) {
> +          struct hlist_head *hhead = &css_set_table[i];
> +          struct hlist_node *node;
>          struct css_set *cg;
> -          struct cg_cgroup_link *link;
> -          cg = list_entry(l, struct css_set, list);
> -          BUG_ON(list_empty(&tmp_cg_links));
> -          link = list_entry(tmp_cg_links.next,
> -                          struct cg_cgroup_link,
> -                          cgrp_link_list);
> -          list_del(&link->cgrp_link_list);
> -          link->cg = cg;
> -          list_add(&link->cgrp_link_list,
> -                  &root->top_cgroup.css_sets);
> -          list_add(&link->cg_link_list, &cg->cg_links);
> -          l = l->next;
> -      } while (l != &init_css_set.list);
> +
> +      hlist_for_each_entry(cg, node, hhead, hlist) {
> +          struct cg_cgroup_link *link;
> +
> +          BUG_ON(list_empty(&tmp_cg_links));
> +          link = list_entry(tmp_cg_links.next,
> +                          struct cg_cgroup_link,
> +                          cgrp_link_list);
> +          list_del(&link->cgrp_link_list);
> +          link->cg = cg;
> +          list_add(&link->cgrp_link_list,
> +                  &root->top_cgroup.css_sets);
> +          list_add(&link->cg_link_list, &cg->cg_links);
> +      }
> +    }
>      write_unlock(&css_set_lock);
>
>      free_cg_links(&tmp_cg_links);

```

```
> @@ -2508,7 +2509,6 @@ int __init cgroup_init_early(void)
>     int i;
>     kref_init(&init_css_set.ref);
>     kref_get(&init_css_set.ref);
> -     INIT_LIST_HEAD(&init_css_set.list);
>     INIT_LIST_HEAD(&init_css_set.cg_links);
>     INIT_LIST_HEAD(&init_css_set.tasks);
>     INIT_HLIST_NODE(&init_css_set.hlist);
> --
> 1.5.4.rc3
>
```

Containers mailing list

Containers@lists.linux-foundation.org

<https://lists.linux-foundation.org/mailman/listinfo/containers>
