
Subject: NIC dedicated for accessing VEs from internet

Posted by [mangust](#) on Thu, 24 Apr 2008 15:33:52 GMT

[View Forum Message](#) <> [Reply to Message](#)

Tried today to make a solution different ways without great success. Even small one.
We have server, it has 2 NICs. eth0 have private IP. VEs that have IP from same private network accesible. Default gateway on router in private network.
I have another internet connection (2nd NIC), router of a provider, and public network/29, 8addresses, 6 usable, one belongs to provider's router.
Now. I m giving IPs to VEs. doesn't work. I can see it only from private network, if assigning one of this public IP on computer in private network.
I can't write even a route to that public default gateway, because it is unreachable (because there is NO ip address assigned on public NIC)
Is there a way to access VEs via interface that don't have IP? bridge? can't add even to bridge:

```
[root@trinity ~]# brctl addif br0 venet0  
can't add venet0 to bridge br0: Invalid argument
```

Subject: Re: NIC dedicated for accessing VEs from internet

Posted by [mangust](#) on Thu, 24 Apr 2008 18:11:31 GMT

[View Forum Message](#) <> [Reply to Message](#)

ooops. more likely this was a solution for us.
http://wiki.openvz.org/Using_private_IPs_for_Hardware_Nodes

Subject: Re: NIC dedicated for accessing VEs from internet

Posted by [mangust](#) on Fri, 25 Apr 2008 09:36:01 GMT

[View Forum Message](#) <> [Reply to Message](#)

variant with veth interface works, but i still want to try venet0. Today investigated more.
i did:

```
[root@trinity ~]# ifconfig eth1 up  
[root@trinity ~]# ifconfig eth1  
eth1    Link encap:Ethernet  HWaddr 00:1E:4F:2D:F1:65  
        inet6 addr: fe80::21e:4fff:fe2d:f165/64 Scope:Link  
        UP BROADCAST RUNNING MULTICAST  MTU:1500  Metric:1  
        RX packets:0 errors:0 dropped:0 overruns:0 frame:0  
        TX packets:3 errors:0 dropped:0 overruns:0 carrier:0  
        collisions:0 txqueuelen:1000  
        RX bytes:0 (0.0 b) TX bytes:250 (250.0 b)  
        Interrupt:169 Memory:f4000000-f4012100
```

```
[root@trinity ~]# /sbin/ip rule add from 62.15.232.178 table 100  
[root@trinity ~]# ip rule show
```

```

0:    from all lookup 255
32765: from 62.15.232.178 lookup 100
32766: from all lookup main
32767: from all lookup default
[root@trinity ~]# ip route add default dev eth1 via 62.15.232.182 table 100
RTNETLINK answers: Network is unreachable
[root@trinity ~]# ip route add 62.15.232.176/29 dev eth1
RTNETLINK answers: No such device
[root@trinity ~]# ifconfig eth1 inet 191.255.254.5
[root@trinity ~]# ip route add 62.15.232.176/29 dev eth1
[root@trinity ~]# ip route add default dev eth1 via 62.15.232.182 table 100
[root@trinity ~]# tcpdump -ni eth1 | grep -v 802.1d
tcpdump: verbose output suppressed, use -v or -vv for full protocol decode
listening on eth1, link-type EN10MB (Ethernet), capture size 96 bytes
11:23:56.046077 IP 62.44.79.180 > 62.15.232.178: ICMP echo request, id 63836, seq 0, length
64
11:23:56.047219 arp who-has 62.15.232.182 tell 191.255.254.5
11:23:57.045108 IP 62.44.79.180 > 62.15.232.178: ICMP echo request, id 63836, seq 1, length
64
11:23:57.047504 arp who-has 62.15.232.182 tell 191.255.254.5
11:23:58.044590 IP 62.44.79.180 > 62.15.232.178: ICMP echo request, id 63836, seq 2, length
64
11:23:58.047710 arp who-has 62.15.232.182 tell 191.255.254.5
11:23:59.045492 IP 62.44.79.180 > 62.15.232.178: ICMP echo request, id 63836, seq 3, length
64
11:24:00.046463 IP 62.44.79.180 > 62.15.232.178: ICMP echo request, id 63836, seq 4, length
64
11:24:00.047001 arp who-has 62.15.232.182 tell 191.255.254.5
11:24:01.047267 arp who-has 62.15.232.182 tell 191.255.254.5
1

```

To add a route i first need to add a network.

To add a network kernel want to see any IP address i gave some not existant.

Ping from outside not going

Computer want to determine routers MAC by ARP and request it from that not real 191.255.254.5

I don't want any IP on interface! Why not to use VE ip address for ARP?

If i add public address on that external NIC everithing working. but i don't need this IP for HW node, i will need to not to forget close it by firewall, tell services like ssh not to listen on it, finally i can't use it for VE