

---

Subject: GLIBC\_2.0 not defined

Posted by [Ideaxis](#) on Mon, 05 May 2008 15:35:01 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

We have a Debian Etch server containing OpenVZ which hosts a VZ containing a Debian Sarge. We try to execute the following command:

```
# /usr/sbin/vzctl exec 1000 /root/mysql_dump.sh
```

and get the following error messages:

```
...
mysqldump: relocation error: /usr/lib/libmysqlclient.so.10: symbol errno, version GLIBC_2.0 not
defined in file libc.so.6 with link time reference
MySQL dump for wrrs2007..
mysqldump: relocation error: /usr/lib/libmysqlclient.so.10: symbol errno, version GLIBC_2.0 not
defined in file libc.so.6 with link time reference
MySQL dump for wvtest..
mysqldump: relocation error: /usr/lib/libmysqlclient.so.10: symbol errno, version GLIBC_2.0 not
defined in file libc.so.6 with link time reference
MySQL dump for zu..
mysqldump: relocation error: /usr/lib/libmysqlclient.so.10: symbol errno, version GLIBC_2.0 not
defined in file libc.so.6 with link time reference
...
```

Within the VZ this problem is solved by putting the following line on top of the script

```
export LD_ASSUME_KERNEL=2.4.1
```

but the problem is that the script should be executed through `vzctl exec`.

Any ideas how we can solve this problem?

Kind regards,  
Jurgen

---