Subject: MediaTomb UPnP server

Posted by heruan on Sat, 31 May 2008 15:00:58 GMT

View Forum Message <> Reply to Message

There are known issues about running a media UPnP server on VEs?

My host system is a Debian Lenny with vzctl 3.0.22 and kernel 2.6.18. VE is also a Debian Lenny with mediatomb server 0.11. When I try to run mediatomb, I receive:

2008-05-31 16:52:36 INFO: Loading configuration from: /etc/mediatomb/config.xml 2008-05-31 16:52:36 INFO: Checking configuration... INFO: Setting filesystem import charset to UTF-8

2008-05-31 16:52:36 INFO: Setting filesystem import charset to UTF-8 2008-05-31 16:52:36 INFO: Setting metadata import charset to UTF-8

2008-05-31 16:52:36 INFO: Setting playlist charset to UTF-8 2008-05-31 16:52:36 INFO: Configuration check succeeded. 2008-05-31 16:52:36 ERROR: main: upnp error -117

2000-05-31 10.52.30 ERROR. Main. upnp endi -117

2008-05-31 16:52:36 ERROR: upnp_cleanup: UpnpUnRegisterRootDevice failed

Subject: Re: MediaTomb UPnP server

Posted by heruan on Sat, 31 May 2008 17:48:50 GMT

View Forum Message <> Reply to Message

Solved assigned a veth to the VE.

Subject: Re: MediaTomb UPnP server

Posted by heruan on Mon, 02 Jun 2008 10:01:26 GMT

View Forum Message <> Reply to Message

Ok, Mediatomb starts... But I can't see UPnP contents outside the VE! VE is configured with a veth interface enballed for multicast. Neither the host node can see the contents served by mediatomb. An installation of mediatomb on the host node works perfectly. I enabled multicast routing and everything necessary for UPnP, but it seems I'm missing something...

Subject: Re: MediaTomb UPnP server

Posted by starfry on Wed, 20 May 2009 18:11:50 GMT

View Forum Message <> Reply to Message

Hello.

I am picking up on an old thread here but I have the same issue. I am trying to establish a Upnp media server under OpenVZ. I have configured a veth device but I can't get multicasting to work. I am not a networking expert so would appreciate some advice to help me get Upnp working (I want to do this with MediaTomb and MythTV also).

Many thanks in advance for any help...

Subject: Re: MediaTomb UPnP server

Posted by heruan on Wed, 20 May 2009 18:27:26 GMT

View Forum Message <> Reply to Message

I haven't found an answer, yet. So help is still appreciated!

Subject: Re: MediaTomb UPnP server

Posted by starfry on Tue, 16 Jun 2009 09:18:35 GMT

View Forum Message <> Reply to Message

I have this working.

You have to reconfigure your HE's network with a bridge. You give a veth device to the VE and call it eth0. You configure that eth0 on the VE via its /etc/network/interfaces file. When the VE starts you add its veth device on the host to the bridge. You can test the networking with a tool called "ssmping".

I am away from my test machines but I will write this up and post here and also try and find a suitable place on the Wiki for it.

Subject: Re: MediaTomb UPnP server

Posted by alby on Fri, 24 Jul 2009 02:38:31 GMT

View Forum Message <> Reply to Message

I setup the bridge and using ssmping seems to confirm everything is working but the ps3 cannot see the mediaserver on the lan. Any clues what I may be missing?

Subject: Re: MediaTomb UPnP server

Posted by starfry on Fri, 24 Jul 2009 19:09:01 GMT

View Forum Message <> Reply to Message

Hi, yes. sorry I've been away from the PC for a few days. I will try to write a few notes on this and post here over the weekend.

Subject: Re: MediaTomb UPnP server

Posted by starfry on Sun, 26 Jul 2009 10:57:07 GMT

View Forum Message <> Reply to Message

Here is how to set up veth networking woth OpenVZ. These notes relate to version 3.0.22 on Ubuntu 8.04 Hardy Heron.

The first thing you must do is create a network bridge on your host.

Install the Bridge Utilities

apt-get install bridge-utils

Modify your network configuration file /etc/network/interfaces. Here is what mine looks like:

This file describes the network interfaces available on your system # and how to activate them. For more information, see interfaces(5).

The loopback network interface auto lo iface lo inet loopback

The primary network interface (bridged configuration) auto br0 iface br0 inet dhcp bridge ports eth0

Reboot, or re-start networking to invoke the new configuration #/etc/init.d/networking restart

Check you have a bridge (use ifconfig) and that your network still works before proceeding.

Next, there are some config files and scripts needed to enhance openvz so it does the required setup work to add/remove a vm from the bridge. There are three files:

/usr/sbin/vznetcfg /usr/sbin/vznetaddbr /etc/vz/vznet.conf

The first file, /usr/sbin/vznetcfg, already exists but causes a problem on ubuntu because the default shell (which is actually "dash") does not support the "source" command. Change line 20...

from this:

```
[ -f "$VZNETCFG" ] && source "$VZNETCFG" to this:
[ -f "$VZNETCFG" ] && . "$VZNETCFG"
```

The second file, /ust/sbin/vznetaddbr, is a new script that is invoked to do the bridge configuration:

#!/bin/sh # /usr/sbin/vznetaddbr # a script to add virtual network interfaces (veth's) in a CT to a bridge on CT0

```
CONFIGFILE=/etc/vz/conf/$VEID.conf
. $CONFIGFILE
VZHOSTIF=`echo $NETIF |sed 's/^.*host_ifname=\(.*\),.*$/\1/g'`
if [!-n "$VZHOSTIF"]; then
 echo "According to $CONFIGFILE CT$VEID has no veth interface configured."
 exit 0
fi
if [!-n "$VZHOSTBR"]; then
 echo "According to $CONFIGFILE CT$VEID has no bridge interface configured."
 exit 1
fi
echo "Adding interface $VZHOSTIF to bridge $VZHOSTBR on CT0 for CT$VEID"
/sbin/ifconfig $VZHOSTIF 0
echo 1 > /proc/sys/net/ipv4/conf/$VZHOSTIF/proxy arp
echo 1 > /proc/sys/net/ipv4/conf/$VZHOSTIF/forwarding
/usr/sbin/brctl addif $VZHOSTBR $VZHOSTIF
```

exit 0

The third file, /etc/vz/vznet.conf, contains a reference to the second file and is used by the first file, which is invoked during bridge setup:

```
#!/bin/sh
EXTERNAL SCRIPT="/usr/sbin/vznetaddbr"
```

With those files in place, openvz should manage connecting your veth vps to your bridge. You just need to create the VPS and configure its networking. Here's how:

```
First, create the vps:
vzctl create 123 --ostemplate ubuntu-8.04-i386-minimal
vzctl set 123 --hostname vz123 --save

next, add the bridge to the vps configuration:
echo "CONFIG_CUSTOMIZED=\"yes\"" >> /etc/vz/conf/123.conf
echo "VZHOSTBR=\"${BRIDGE:-br0}\"" >> /etc/vz/conf/123.conf
and then add an eth0 device to it:
vzctl set 123 --netif_add eth0 --save
```

Now configure networking within the vps. This basically involves creating an appropriate /etc/network/interfaces file.

For DHCP addressing, create the /etc/network/interfaces file like this:

```
cat > /vz/private/123/etc/network/interfaces << EOF auto lo iface lo inet loopback auto eth0 iface eth0 inet dhcp EOF
```

For static addressing, create the /etc/network/interfaces file like this: cat > /vz/private/123/etc/network/interfaces << EOF auto lo iface lo inet loopback auto eth0 iface eth0 inet static address 10.0.0.123 netmask 255.0.0.0 gateway 10.0.0.138 EOF

If we're doing static addressing (this is not required if using dhcp because dhcp takes care of it), create the /etc/resolv.conf file like this: cat > /vz/private/123/etc/resolv.conf << EOF search lan nameserver 10.0.0.138 EOF

That's it! The VPS is now ready for use, so start it up: vzctl start 123

You can test your setup works for multicast with a utility called ssmping. You need to install it on the VPS and also on another host (could be ct0 or a completely different machine on the network):

Install on the VPS (from the host): cp /etc/apt/sources.list /vz/root/123/etc/apt vzctl exec 123 apt-get update vzctl exec 123 apt-get install ssmping

Install elsewhere: apt-get install ssmping

To test, you run "ssmpingd" the vps and you run "ssmping" on another machine:

vzctl enter 123 ssmpingd

And on the other machine ssmping 10.0.0.123

You should get output from ssmpingd: root@vz123:/# ssmpingd received request from 10.0.2.118 received request from 10.0.2.118 received request from 10.0.2.118 received request from 10.0.2.118 received request from 10.0.2.118

You should get output from ssmping: john@tma1:~\$ ssmping 10.0.0.123 ssmping joined (S,G) = (10.0.0.123,232.43.211.234) pinging S from 10.0.2.118 unicast from 10.0.0.123, seq=1 dist=0 time=5.609 ms multicast from 10.0.0.123, seq=1 dist=0 time=5.621 ms unicast from 10.0.0.123, seq=2 dist=0 time=0.036 ms multicast from 10.0.0.123, seq=2 dist=0 time=0.045 ms unicast from 10.0.0.123, seq=3 dist=0 time=0.023 ms multicast from 10.0.0.123, seq=3 dist=0 time=0.030 ms unicast from 10.0.0.123, seq=4 dist=0 time=0.026 ms multicast from 10.0.0.123, seq=4 dist=0 time=0.032 ms unicast from 10.0.0.123, seq=5 dist=0 time=0.025 ms multicast from 10.0.0.123, seq=5 dist=0 time=0.033 ms

--- 10.0.0.123 ssmping statistics --5 packets transmitted, time 4592 ms
unicast:
5 packets received, 0% packet loss
rtt min/avg/max/std-dev = 0.023/1.143/5.609/2.233 ms
multicast:
5 packets received, 0% packet loss since first mc packet (seq 1) recvd
rtt min/avg/max/std-dev = 0.030/1.152/5.621/2.234 ms
john@tma1:~\$

If you change the networking of an existing venet0 VPS you may need to remove old routes from the routing table because they conflict with the veth setup (this is not necessary on a clean VPS built according to the above instructions). This command will achieve that:

complex command greps routes with venet in them and then removes them.

IFS is used to delimit on line breaks instead of word breaks. Shell

characters are escaped to avoid interpretation on the host.

vzctl exec 123 "IFS=\`echo -en \"\\n\\b\"\` && for r in \`ip route | grep venet0\`; do eval \"ip route del \\$r\"; done"

With that all done, you should be able to install Mediatomb or Mythtv and see them on your PS3. I won't go in to the details of those apps as I expect you know that already. The key is to have the network set up correctly and I hope my notes go some way towards helping you achieve that

The other thing is to make sure your PS3 has the latest firmware so that it supports Upnp, but I expect you have that already!

I have attached two example scripts containing the relevant commands.

File Attachments

- 1) vps_dhcp_example, downloaded 623 times
- 2) vps_static_example, downloaded 701 times

Subject: Re: MediaTomb UPnP server

Posted by alby on Mon, 27 Jul 2009 04:38:48 GMT

View Forum Message <> Reply to Message

Many thanks for your detailed notes. I now have mediatomb running happily in a debian lenny container with the mediatomb deb from squeeze.

Subject: Re: MediaTomb UPnP server

Posted by Robberson on Thu, 13 Oct 2011 01:45:39 GMT

View Forum Message <> Reply to Message

yesterday i spent several hours installing openvz with the result that it does not seem to run on my machine - a VIA EPIA V10000 running a VIA C3 at 1 GHz.

(As soon as i switched the system, a debian sarge base installation on an XFS file system) extended by Thorsten's debain packages for openvz to one of the ovz-kernels, the system became unstable: the ovz tools could not find their files although the configuration data was correct, even worse, after a "su - another_user" that User's shell could not access anything in its search path.)

Subject: Re: MediaTomb UPnP server

Posted by azagzin on Thu, 13 Oct 2011 13:56:35 GMT

View Forum Message <> Reply to Message

Robberson wrote on Wed, 12 October 2011 21:45yesterday i spent several hours installing openvz with the result that it does not seem to run on my machine - a VIA EPIA V10000 running a VIA C3 at 1 GHz.

(As soon as i switched the system, a debian sarge base installation on an XFS file system) extended by Thorsten's debain packages for openvz to one of the ovz-kernels, the system became unstable: the ovz tools could not find their files although the configuration data was correct, even worse, after a "su - another_user" that User's shell could not access anything in its search path.)

Page 8 of 8 ---- Generated from OpenVZ Forum