
Subject: [PATCH 8/8] CGroup Files: Convert res_counter_write() to be a cgroups write_string() handler

Posted by [Paul Menage](#) on Fri, 20 Jun 2008 23:44:06 GMT

[View Forum Message](#) <> [Reply to Message](#)

Currently read_counter_write() is a raw file handler even though it's ultimately taking a number, since in some cases it wants to pre-process the string when converting it to a number.

This patch converts res_counter_write() from a raw file handler to a write_string() handler; this allows some of the boilerplate copying/locking/checking to be removed, and simplifies the cleanup path, since these functions are now performed by the cgroups framework.

Signed-off-by: Paul Menage <menage@google.com>

```
---
include/linux/res_counter.h | 11 ++++++---
kernel/res_counter.c       | 47 ++++++++-----
mm/memcontrol.c           | 24 +++-----
mm/memrlimitcgroup.c      | 23 +++-----
4 files changed, 38 insertions(+), 67 deletions(-)
```

Index: cws-2.6.26-rc5-mm3/include/linux/res_counter.h

```
=====
--- cws-2.6.26-rc5-mm3.orig/include/linux/res_counter.h
+++ cws-2.6.26-rc5-mm3/include/linux/res_counter.h
@@ -63,9 +63,14 @@ u64 res_counter_read_u64(struct res_coun
 ssize_t res_counter_read(struct res_counter *counter, int member,
     const char __user *buf, size_t nbytes, loff_t *pos,
     int (*read_strategy)(unsigned long long val, char *s));
-ssize_t res_counter_write(struct res_counter *counter, int member,
-    const char __user *buf, size_t nbytes, loff_t *pos,
-    int (*write_strategy)(char *buf, unsigned long long *val));
+
+typedef int (*write_strategy_fn)(const char *buf, unsigned long long *val);
+
+int res_counter_memparse_write_strategy(const char *buf,
+    unsigned long long *res);
+
+int res_counter_write(struct res_counter *counter, int member,
+    const char *buffer, write_strategy_fn write_strategy);

/*
 * the field descriptors. one for each member of res_counter
```

Index: cws-2.6.26-rc5-mm3/kernel/res_counter.c

```
=====
--- cws-2.6.26-rc5-mm3.orig/kernel/res_counter.c
```

```

+++ cws-2.6.26-rc5-mm3/kernel/res_counter.c
@@ -102,44 +102,37 @@ u64 res_counter_read_u64(struct res_coun
    return *res_counter_member(counter, member);
}

```

```

-ssize_t res_counter_write(struct res_counter *counter, int member,
- const char __user *userbuf, size_t nbytes, loff_t *pos,
- int (*write_strategy)(char *st_buf, unsigned long long *val))
+int res_counter_memparse_write_strategy(const char *buf,
+ unsigned long long *res)
{
- int ret;
- char *buf, *end;
- unsigned long flags;
- unsigned long long tmp, *val;
+ char *end;
+ /* FIXME - make memparse() take const char* args */
+ *res = memparse((char *)buf, &end);
+ if (*end != '\0')
+ return -EINVAL;

```

```

- buf = kmalloc(nbytes + 1, GFP_KERNEL);
- ret = -ENOMEM;
- if (buf == NULL)
- goto out;
-
- buf[nbytes] = '\0';
- ret = -EFAULT;
- if (copy_from_user(buf, userbuf, nbytes))
- goto out_free;
+ *res = PAGE_ALIGN(*res);
+ return 0;
+}

```

```

- ret = -EINVAL;
+int res_counter_write(struct res_counter *counter, int member,
+ const char *buf, write_strategy_fn write_strategy)
+{
+ char *end;
+ unsigned long flags;
+ unsigned long long tmp, *val;

- stripslashes(buf);
- if (write_strategy) {
- if (write_strategy(buf, &tmp)) {
- goto out_free;
- }
+ if (write_strategy(buf, &tmp))

```

```

+ return -EINVAL;
} else {
    tmp = simple_strtoul(buf, &end, 10);
    if (*end != '\0')
- goto out_free;
+ return -EINVAL;
}
spin_lock_irqsave(&counter->lock, flags);
val = res_counter_member(counter, member);
*val = tmp;
spin_unlock_irqrestore(&counter->lock, flags);
- ret = nbytes;
-out_free:
- kfree(buf);
-out:
- return ret;
+ return 0;
}

```

Index: cws-2.6.26-rc5-mm3/mm/memcontrol.c

=====

--- cws-2.6.26-rc5-mm3.orig/mm/memcontrol.c

+++ cws-2.6.26-rc5-mm3/mm/memcontrol.c

@@ -853,32 +853,18 @@ out:

```

    return ret;
}

```

```

-static int mem_cgroup_write_strategy(char *buf, unsigned long long *tmp)

```

```

-{
- *tmp = memparse(buf, &buf);
- if (*buf != '\0')
- return -EINVAL;
-
- /*
- * Round up the value to the closest page size
- */
- *tmp = ((*tmp + PAGE_SIZE - 1) >> PAGE_SHIFT) << PAGE_SHIFT;
- return 0;
-}
-

```

```

static u64 mem_cgroup_read(struct cgroup *cont, struct cftype *cft)
{
    return res_counter_read_u64(&mem_cgroup_from_cont(cont)->res,
                                cft->private);
}

```

```

-static ssize_t mem_cgroup_write(struct cgroup *cont, struct cftype *cft,
- struct file *file, const char __user *userbuf,
- size_t nbytes, loff_t *ppos)

```

```
+static int mem_cgroup_write(struct cgroup *cont, struct cftype *cft,
+    const char *buffer)
{
    return res_counter_write(&mem_cgroup_from_cont(cont)->res,
-    cft->private, userbuf, nbytes, ppos,
-    mem_cgroup_write_strategy);
+    cft->private, buffer,
+    res_counter_memparse_write_strategy);
}
```

```
static int mem_cgroup_reset(struct cgroup *cont, unsigned int event)
@@ -968,7 +954,7 @@ static struct cftype mem_cgroup_files[]
{
    .name = "limit_in_bytes",
    .private = RES_LIMIT,
-    .write = mem_cgroup_write,
+    .write_string = mem_cgroup_write,
    .read_u64 = mem_cgroup_read,
},
{
```

Index: cws-2.6.26-rc5-mm3/mm/memrlimitcgroup.c

=====

--- cws-2.6.26-rc5-mm3.orig/mm/memrlimitcgroup.c

+++ cws-2.6.26-rc5-mm3/mm/memrlimitcgroup.c

```
@@ -118,25 +118,12 @@ static u64 memrlimit_cgroup_read(struct
    cft->private);
}
```

```
-static int memrlimit_cgroup_write_strategy(char *buf, unsigned long long *tmp)
-{
-    *tmp = memparse(buf, &buf);
-    if (*buf != '\0')
-        return -EINVAL;
-
-    *tmp = PAGE_ALIGN(*tmp);
-    return 0;
-}
-
```

```
-static ssize_t memrlimit_cgroup_write(struct cgroup *cgrp, struct cftype *cft,
-    struct file *file,
-    const char __user *userbuf,
-    size_t nbytes,
-    loff_t *ppos)
+static int memrlimit_cgroup_write(struct cgroup *cgrp, struct cftype *cft,
+    const char *buffer)
{
    return res_counter_write(&memrlimit_cgroup_from_cgrp(cgrp)->as_res,
-    cft->private, userbuf, nbytes, ppos,
```

```
- memrlimit_cgroup_write_strategy);
+ cft->private, buffer,
+ res_counter_memparse_write_strategy);
}
```

```
static struct cftype memrlimit_cgroup_files[] = {
@@ -148,7 +135,7 @@ static struct cftype memrlimit_cgroup_fi
{
    .name = "limit_in_bytes",
    .private = RES_LIMIT,
- .write = memrlimit_cgroup_write,
+ .write_string = memrlimit_cgroup_write,
    .read_u64 = memrlimit_cgroup_read,
},
{
--
```

Containers mailing list
Containers@lists.linux-foundation.org
<https://lists.linux-foundation.org/mailman/listinfo/containers>
