

---

Subject: [PATCH 07/15] sysfs: sysfs\_chmod\_file handle multiple superblocks

Posted by [ebiederm](#) on Fri, 04 Jul 2008 01:13:05 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Teach sysfs\_chmod\_file how to handle multiple sysfs superblocks.  
Since we only have one inode per sd the only thing we have to deal  
with is multiple dentries for sending fs notifications. This might  
dup the inode notifications oh well.

Signed-off-by: Eric W. Biederman <[ebiederm@xmission.com](mailto:ebiederm@xmission.com)>

---

fs/sysfs/file.c | 39 ++++++-----  
1 files changed, 25 insertions(+), 14 deletions(-)

diff --git a/fs/sysfs/file.c b/fs/sysfs/file.c

index 1304b3a..5955ae9 100644

--- a/fs/sysfs/file.c

+++ b/fs/sysfs/file.c

@@ -574,8 +574,8 @@ EXPORT\_SYMBOL\_GPL(sysfs\_add\_file\_to\_group);

int sysfs\_chmod\_file(struct kobject \*kobj, struct attribute \*attr, mode\_t mode)

```
{
    struct sysfs_dirent *victim_sd = NULL;
- struct dentry *victim = NULL;
- struct inode *inode;
+ struct super_block *sb;
+ struct inode *inode = NULL;
    struct iattr newattrs;
    int rc;
```

@@ -584,31 +584,42 @@ int sysfs\_chmod\_file(struct kobject \*kobj, struct attribute \*attr, mode\_t mode)

```
    if (!victim_sd)
        goto out;
```

```
- mutex_lock(&sysfs_rename_mutex);
- victim = sysfs_get_dentry(sysfs_sb, victim_sd);
- mutex_unlock(&sysfs_rename_mutex);
- if (IS_ERR(victim)) {
-     rc = PTR_ERR(victim);
-     victim = NULL;
-     goto out;
- }
-
```

```
- inode = victim->d_inode;
+ rc = -ENOENT;
+ mutex_lock(&sysfs_mutex);
+ inode = sysfs_get_inode(victim_sd);
+ mutex_unlock(&sysfs_mutex);
```

```

+ if (!inode)
+   goto out;

+ mutex_lock(&sysfs_rename_mutex);
+ sysfs_grab_supers();
+   mutex_lock(&inode->i_mutex);

+   newattrs.ia_mode = (mode & S_IALLUGO) | (inode->i_mode & ~S_IALLUGO);
+   newattrs.ia_valid = ATTR_MODE | ATTR_CTIME;
+   newattrs.ia_ctime = current_fs_time(inode->i_sb);
+   rc = sysfs_sd_setattr(victim_sd, inode, &newattrs);
+ if (rc)
+   goto out_unlock;
+
+ list_for_each_entry(sb, &sysfs_fs_type.fs_supers, s_instances) {
+   /* Ignore it when the dentry does not exist on the
+    * target superblock.
+    */
+   struct dentry * victim = sysfs_get_dentry(sb, victim_sd);
+   if (IS_ERR(victim))
+     continue;

- if (rc == 0) {
+   fsnotify_change(victim, newattrs.ia_valid);
+ dput(victim);
+ }

+ out_unlock:
+   mutex_unlock(&inode->i_mutex);
+ sysfs_release_supers();
+ mutex_unlock(&sysfs_rename_mutex);
+   out:
- dput(victim);
+ iput(inode);
+   sysfs_put(victim_sd);
+   return rc;
+ }
--
1.5.3.rc6.17.g1911

```

---

Containers mailing list  
Containers@lists.linux-foundation.org  
<https://lists.linux-foundation.org/mailman/listinfo/containers>

---



---

Subject: Re: [PATCH 07/15] sysfs: sysfs\_chmod\_file handle multiple superblocks

---

Posted by [Tejun Heo](#) on Fri, 04 Jul 2008 06:44:34 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Eric W. Biederman wrote:

> Teach sysfs\_chmod\_file how to handle multiple sysfs superblocks.  
> Since we only have one inode per sd the only thing we have to deal  
> with is multiple dentries for sending fs notifications. This might  
> dup the inode notifications oh well.

>

> Signed-off-by: Eric W. Biederman <ebiederm@xmission.com>

Great, Acked-by: Tejun Heo <tj@kernel.org>

--

tejun

---

Containers mailing list

[Containers@lists.linux-foundation.org](mailto:Containers@lists.linux-foundation.org)

<https://lists.linux-foundation.org/mailman/listinfo/containers>

---