
Subject: KEEPALIVE: Socket operation error
Posted by [jrosenquist](#) on Thu, 11 Sep 2008 17:21:53 GMT
[View Forum Message](#) <> [Reply to Message](#)

I having some difficulties with a server running cvs.
When I run the cvs server from inside xinetd, with the following config:

```
service cvspserver
{
    disable      = no
    socket_type  = stream
    wait        = no
    user        = root
    log_type    = FILE /var/log/cvspserver
    protocol    = tcp
    env        = HOME=/var/cvsroot
    log_on_failure += USERID
    port       = 2401
    server     = /usr/bin/cvs
    server_args = -f --allow-root=/var/cvsroot pserver
}
```

and netstat -a shows the cvspserver port listening.

When I run it from the command line:
cvs -f --allow-root=/cvsrepos pserver
it shows the following message in the logs:

```
cvs: error setting KEEPALIVE: Socket operation on non-socket
```

and netstat -a doesn't show the port.

(It doesn't matter whether I have the CVSROOT variable set or not.)
Has anyone seen this before?

Thanks, John.
p.s.
kernel 2.6.24 - ovz005
Gentoo root & vz env.
cvs version: 1.12.12-r5 (also tried r2 and r4)

Subject: Re: KEEPALIVE: Socket operation error
Posted by [khorenko](#) on Fri, 12 Sep 2008 08:05:25 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi.

can you please try to use 2.6.18-x RHEL5 based kernel temporarily?
Just to narrow the bounds - to findout if this issue depends on kernel or not.

Thanks,
Konstantin
