
Subject: EASYVZ auf debian etch, amd64 installieren. IST DAS MÖGLICH?

Posted by [ralphw](#) on Sat, 20 Sep 2008 10:37:06 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hallo,

ich habe ein Debian etch 64bit auf meinem Server installiert und versuche seit 2 Tagen Centos5 als VE zu installieren, was erforderlich sein soll, da ich easyvz nutzen möchte.

Leider gibt es dabei nur Probleme, bzw. openvz läßt sich zwar installieren, aber bei dem Versuch ein VE anzulegen gibt es nur Fehlermeldungen.

Ist es inzwischen vielleicht möglich, easyvz auch in einer 64bit Umgebung zu nutzen?
Wäre schön.

Ansonsten werd ich openvz wohl wieder deinstallieren und mich nach einer anderen Anwendung umsehen. Kann das Elend wirklich nicht länger ansehen.

Hat jemand vielleicht einen klärenden Link oder einen Tip?

Gruß

ralphw

Subject: Re: EASYVZ auf debian etch, amd64 installieren. IST DAS MÖGLICH?

Posted by [curx](#) on Sun, 21 Sep 2008 10:26:19 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi,

dann her mit den Fehlermeldungen ...
oder erkläre doch kurz wie hast Du easyvz installiert (Schritte)

Subject: ActiveRecord::StatementInvalid in LoginController#sign_in

Posted by [ralphw](#) on Sun, 21 Sep 2008 13:49:56 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi

danke für Deine Antwort.

EasyVZ habe ich inzwischen wieder gestrichen, da auch bei dem Versuch, die Free Beta licens anzufordern, mein Browser nur eine Fehlermeldung ausgegeben hat. Bin nun bei webVZ

gelandet und habe es auch installiert. Mit dieser Anleitung:

for debian Etch users please read this article

<http://www.howtoforge.com/managing-openvz-with-webvz-on-debian-etch>

Ich bekomme beim Login jedoch eine Fehlermeldung und zwar diese:

ActiveRecord::StatementInvalid in LoginController#sign_in

Could not find table 'users'

RAILS_ROOT: /root/webvz.2.0

Application Trace | Framework Trace | Full Trace

```

/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re
cord/connection_adapters/sqlite3_adapter.rb:29:in `table_structure'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re
cord/connection_adapters/sqlite3_adapter.rb:28:in `returning'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re
cord/connection_adapters/sqlite3_adapter.rb:28:in `table_structure'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re
cord/connection_adapters/sqlite3_adapter.rb:189:in `columns'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re
cord/base.rb:1145:in `columns'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re
cord/base.rb:1158:in `column_names'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re
cord/base.rb:1171:in `column_methods_hash'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re
cord/base.rb:1714:in `all_attributes_exists?'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re
cord/base.rb:1714:in `each'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re
cord/base.rb:1714:in `all?'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re
cord/base.rb:1714:in `all_attributes_exists?'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re
cord/base.rb:1613:in `method_missing'
app/models/user.rb:13:in `authenticate'
app/controllers/login_controller.rb:16:in `sign_in'

```

```

/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re
cord/connection_adapters/sqlite3_adapter.rb:29:in `table_structure'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re
cord/connection_adapters/sqlite3_adapter.rb:28:in `returning'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re
cord/connection_adapters/sqlite3_adapter.rb:28:in `table_structure'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re
cord/connection_adapters/sqlite3_adapter.rb:189:in `columns'

```

```

/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re cord/base.rb:1145:in `columns'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re cord/base.rb:1158:in
`column_names'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re cord/base.rb:1171:in
`column_methods_hash'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re cord/base.rb:1714:in
`all_attributes_exists?'
/usr/lib/ruby/gems/1.8/gems/activesupport-2.1.0/lib/active_s upport/inflector.rb:283:in `all?'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re cord/base.rb:1714:in `each'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re cord/base.rb:1714:in `all?'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re cord/base.rb:1714:in
`all_attributes_exists?'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re cord/base.rb:1613:in
`method_missing'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_cont roller/base.rb:1162:in `send'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_cont roller/base.rb:1162:in
`perform_action_without_filters'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_cont roller/filters.rb:580:in `call_filters'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_cont roller/filters.rb:573:in
`perform_action_without_benchmark'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_cont roller/benchmarking.rb:68:in
`perform_action_without_rescue'
/usr/lib/ruby/1.8/benchmark.rb:293:in `measure'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_cont roller/benchmarking.rb:68:in
`perform_action_without_rescue'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_cont roller/rescue.rb:201:in
`perform_action_without_caching'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_cont roller/caching/sql_cache.rb:13:in
`perform_action'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re
cord/connection_adapters/abstract/query_cache.rb:33:in `cache'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re cord/query_cache.rb:8:in `cache'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_cont roller/caching/sql_cache.rb:12:in
`perform_action'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_cont roller/base.rb:529:in `send'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_cont roller/base.rb:529:in
`process_without_filters'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_cont roller/filters.rb:569:in
`process_without_session_management_support'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_cont
roller/session_management.rb:130:in `process'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_cont roller/base.rb:389:in `process'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_cont roller/dispatcher.rb:149:in
`handle_request'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_cont roller/dispatcher.rb:107:in `dispatch'
/usr/lib/ruby/1.8/thread.rb:135:in `synchronize'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_cont roller/dispatcher.rb:104:in `dispatch'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_cont roller/dispatcher.rb:120:in

```

```

`dispatch CGI'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_controller/dispatcher.rb:35:in `dispatch'
/usr/lib/ruby/gems/1.8/gems/rails-2.1.0/lib/webrick_server.rb:112:in `handle_dispatch'
/usr/lib/ruby/gems/1.8/gems/rails-2.1.0/lib/webrick_server.rb:78:in `service'
/usr/lib/ruby/1.8/webrick/httpserver.rb:104:in `service'
/usr/lib/ruby/1.8/webrick/httpserver.rb:65:in `run'
/usr/lib/ruby/1.8/webrick/server.rb:173:in `start_thread'
/usr/lib/ruby/1.8/webrick/server.rb:162:in `start'
/usr/lib/ruby/1.8/webrick/server.rb:162:in `start_thread'
/usr/lib/ruby/1.8/webrick/server.rb:95:in `start'
/usr/lib/ruby/1.8/webrick/server.rb:92:in `each'
/usr/lib/ruby/1.8/webrick/server.rb:92:in `start'
/usr/lib/ruby/1.8/webrick/server.rb:23:in `start'
/usr/lib/ruby/1.8/webrick/server.rb:82:in `start'
/usr/lib/ruby/gems/1.8/gems/rails-2.1.0/lib/webrick_server.rb:62:in `dispatch'
/usr/lib/ruby/gems/1.8/gems/rails-2.1.0/lib/commands/servers/webrick.rb:66
/usr/local/lib/site_ruby/1.8/rubygems/custom_require.rb:27:in `gem_original_require'
/usr/local/lib/site_ruby/1.8/rubygems/custom_require.rb:27:in `require'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_support/dependencies.rb:509:in
`require'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_support/dependencies.rb:354:in
`new_constants_in'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_support/dependencies.rb:509:in
`require'
/usr/lib/ruby/gems/1.8/gems/rails-2.1.0/lib/commands/server.rb:39
/usr/local/lib/site_ruby/1.8/rubygems/custom_require.rb:27:in `gem_original_require'
/usr/local/lib/site_ruby/1.8/rubygems/custom_require.rb:27:in `require'
script/server:3

/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re
cord/connection_adapters/sqlite3_adapter.rb:29:in `table_structure'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_support/core_ext/object/misc.rb:28:in
`returning'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re
cord/connection_adapters/sqlite3_adapter.rb:28:in `table_structure'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re
cord/connection_adapters/sqlite_adapter.rb:189:in `columns'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re cord/base.rb:1145:in `columns'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re cord/base.rb:1158:in
`column_names'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re cord/base.rb:1171:in
`column_methods_hash'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re cord/base.rb:1714:in
`all_attributes_exists?'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_s upport/inflector.rb:283:in `all?'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re cord/base.rb:1714:in `each'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re cord/base.rb:1714:in `all?'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_re cord/base.rb:1714:in

```

```

`all_attributes_exists?'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_record/base.rb:1613:in
`method_missing'
app/models/user.rb:13:in `authenticate'
app/controllers/login_controller.rb:16:in `sign_in'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_controller/base.rb:1162:in `send'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_controller/base.rb:1162:in
`perform_action_without_filters'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_controller/filters.rb:580:in `call_filters'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_controller/filters.rb:573:in
`perform_action_without_benchmark'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_controller/benchmarking.rb:68:in
`perform_action_without_rescue'
/usr/lib/ruby/1.8/benchmark.rb:293:in `measure'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_controller/benchmarking.rb:68:in
`perform_action_without_rescue'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_controller/rescue.rb:201:in
`perform_action_without_caching'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_controller/caching/sql_cache.rb:13:in
`perform_action'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_record/connection_adapters/abstract/query_cache.rb:33:in `cache'
/usr/lib/ruby/gems/1.8/gems/activerecord-2.1.0/lib/active_record/query_cache.rb:8:in `cache'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_controller/caching/sql_cache.rb:12:in
`perform_action'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_controller/base.rb:529:in `send'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_controller/base.rb:529:in
`process_without_filters'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_controller/filters.rb:569:in
`process_without_session_management_support'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_controller/session_management.rb:130:in `process'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_controller/base.rb:389:in `process'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_controller/dispatcher.rb:149:in
`handle_request'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_controller/dispatcher.rb:107:in `dispatch'
/usr/lib/ruby/1.8/thread.rb:135:in `synchronize'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_controller/dispatcher.rb:104:in `dispatch'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_controller/dispatcher.rb:120:in
`dispatch_cgi'
/usr/lib/ruby/gems/1.8/gems/actionpack-2.1.0/lib/action_controller/dispatcher.rb:35:in `dispatch'
/usr/lib/ruby/gems/1.8/gems/rails-2.1.0/lib/webrick_server.rb:112:in `handle_dispatch'
/usr/lib/ruby/gems/1.8/gems/rails-2.1.0/lib/webrick_server.rb:78:in `service'
/usr/lib/ruby/1.8/webrick/httpserver.rb:104:in `service'
/usr/lib/ruby/1.8/webrick/httpserver.rb:65:in `run'
/usr/lib/ruby/1.8/webrick/server.rb:173:in `start_thread'
/usr/lib/ruby/1.8/webrick/server.rb:162:in `start'
/usr/lib/ruby/1.8/webrick/server.rb:162:in `start_thread'

```

```
/usr/lib/ruby/1.8/webrick/server.rb:95:in `start'
/usr/lib/ruby/1.8/webrick/server.rb:92:in `each'
/usr/lib/ruby/1.8/webrick/server.rb:92:in `start'
/usr/lib/ruby/1.8/webrick/server.rb:23:in `start'
/usr/lib/ruby/1.8/webrick/server.rb:82:in `start'
  /usr/lib/ruby/gems/1.8/gems/rails-2.1.0/lib/webrick_server.rb:62:in `dispatch'
  /usr/lib/ruby/gems/1.8/gems/rails-2.1.0/lib/commands/servers /webrick.rb:66
  /usr/local/lib/site_ruby/1.8/rubygems/custom_require.rb:27:in `gem_original_require'
  /usr/local/lib/site_ruby/1.8/rubygems/custom_require.rb:27:in `require'
  /usr/lib/ruby/gems/1.8/gems/activesupport-2.1.0/lib/active_support/dependencies.rb:509:in
`require'
  /usr/lib/ruby/gems/1.8/gems/activesupport-2.1.0/lib/active_support/dependencies.rb:354:in
`new_constants_in'
  /usr/lib/ruby/gems/1.8/gems/activesupport-2.1.0/lib/active_support/dependencies.rb:509:in
`require'
  /usr/lib/ruby/gems/1.8/gems/rails-2.1.0/lib/commands/server.rb:39
  /usr/local/lib/site_ruby/1.8/rubygems/custom_require.rb:27:in `gem_original_require'
  /usr/local/lib/site_ruby/1.8/rubygems/custom_require.rb:27:in `require'
script/server:3
```

Request

Parameters:

```
{"commit"=>"Sign in",
"authenticity_token"=>"0c4ac16ef615e9c53671d7a24f20353c7c910785 ",
"username"=>"admin",
"password"=>"admin123"}
```

Show session dump

```
---
:csrf_id: 15fc6ce8d258e9d5e5027c13301d9ab7
:permission:
:user_id:
flash: !map: ActionController::Flash::FlashHash {}
```

Response

Headers:

```
{"cookie"=>[],
"Cache-Control"=>"no-cache"}
```

Kannst Du mir eventuell hier weiterhelfen?

Gruß

Ralph

Subject: Re: ActiveRecord::StatementInvalid in LoginController#sign_in
Posted by [ralphw](#) on Sun, 21 Sep 2008 17:51:31 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hallo, das Problem ist erst einmal gelöst.
Werde die Schritte hier spätestens morgen posten

Gruß

Ralph

Subject: Re: ActiveRecord::StatementInvalid in LoginController#sign_in
Posted by [curx](#) on Sun, 21 Sep 2008 23:57:10 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hallo Ralph,

siehe den Beitrag vom Entwickler Shuaib Zahda hier im Support Forum
-> <http://forum.openvz.org/index.php?t=msg&th=6725&star t=0&>

Wurde auf howtoforge ein Artikel eingeplegt
-> <http://howtoforge.com/install-webvz-2.0-on-debian-etch-to-administrate-openvz>

Damit sollte das Problem gelöst sein.

P.S. die PM hat sich somit erledigt!
