
Posted by [sHaggY_caT](#) on Sun, 09 Nov 2008 01:38:44 GMT

[View Forum Message](#) <> [Reply to Message](#)

```
[shaggycat@hn SOURCES]$ cat /etc/redhat-release
CentOS release 5.2 (Final)
[shaggycat@hn SOURCES]$ uname -a
Linux hn.loc 2.6.18-92.1.1.el5.028stab057.2 #1 SMP Mon Jul 21 20:55:45 MSD 2008 i686 i686
i386 GNU/Linux
[shaggycat@hn SOURCES]$ rpm -qa | grep vz | grep -v vztmp
ovzkernel-2.6.18-92.1.1.el5.028stab057.2
vzrpm44-4.4.1-22.5
vzrpm43-python-4.3.3-7_nonptl.6
vzdump-1.0-2
ovzkernel-devel-2.6.18-92.1.1.el5.028stab057.2
vzctl-lib-3.0.22-1
vzctl-3.0.22-1
vzyum-2.4.0-11
vzrpm44-python-4.4.1-22.5
vzrpm43-4.3.3-7_nonptl.6
vzquota-3.0.11-1
vzpkg-2.7.0-18
[shaggycat@hn SOURCES]$
```

```
[shaggycat@hn SOURCES]$ lspci -v | grep -A 4 "Atheros Communications Inc"
01:09.0 Ethernet controller: Atheros Communications Inc. AR5212/AR5213 Multiprotocol
MAC/baseband processor (rev 01)
    Subsystem: D-Link System Inc D-Link AirPlus DWL-G520 Wireless PCI Adapter(rev.B)
    Flags: medium devsel, IRQ 225
    Memory at f9000000 (32-bit, non-prefetchable) [disabled] [size=64K]
    Capabilities: <access denied>
[shaggycat@hn SOURCES]$
```

```

=====
ieee80211_unref_node: NULL ieee80211_node *
[<f8b65180>] ieee80211_input+0x165e/0x1676 [wlan]
[<f9673724>] ath_intr+0xbbe/0x236e [ath_pci]
[<f8b7a2cb>] ieee80211_input_monitor+0x10f/0x72b [wlan]
[<f8b65210>] ieee80211_input_all+0x78/0x9a [wlan]
[<f966aec6>] ath_rx_tasklet+0x6e7/0x9d8 [ath_pci]
[<c0427577>] tasklet_action+0x5b/0xb5
[<c04271aa>] __do_softirq+0x84/0x109
[<c0427265>] do_softirq+0x36/0x3a
[<c0406583>] do_IRQ+0xad/0xb6
[<c060b2ae>] common_interrupt+0x1a/0x20
[<c0403c5d>] default_idle+0x0/0x59
[<c0403c8e>] default_idle+0x31/0x59
[<c0403d14>] cpu_idle+0x5e/0x74
[<c0742c08>] start_kernel+0x397/0x39e
=====
wifi0: ath_bstuck_tasklet: Stuck beacon; resetting (beacon miss count: 11)
ath0: no IPv6 routers present

```

```

ACPI: PCI interrupt for device 0000:01:09.0 disabled
AR5210, AR5211, AR5212, AR5416, RF5111, RF5112, RF2413, RF5413, RF2133)
ath_pci: disagrees about version of symbol ieee80211_check_mic
ath_pci: Unknown symbol ieee80211_check_mic
ath_pci: disagrees about version of symbol ieee80211_encap
ath_pci: Unknown symbol ieee80211_encap
ath_pci: disagrees about version of symbol ieee80211_input
ath_pci: Unknown symbol ieee80211_input
ath_pci: disagrees about version of symbol ieee80211_ifattach
ath_pci: Unknown symbol ieee80211_ifattach
ath_pci: disagrees about version of symbol ieee80211_beacon_update
ath_pci: Unknown symbol ieee80211_beacon_update

```

ath_pci: disagrees about version of symbol ieee80211_find_rxnode
ath_pci: Unknown symbol ieee80211_find_rxnode
ath_pci: disagrees about version of symbol ieee80211_ref_node
ath_pci: Unknown symbol ieee80211_ref_node
ath_pci: disagrees about version of symbol ieee80211_vap_setup
ath_pci: Unknown symbol ieee80211_vap_setup
ath_pci: disagrees about version of symbol ieee80211_ifdetach
ath_pci: Unknown symbol ieee80211_ifdetach
ath_pci: disagrees about version of symbol ieee80211_input_monitor

<http://sisyphus.ru/releases?tid=232>

Posted by [kir](#) on Sun, 09 Nov 2008 03:12:16 GMT
[View Forum Message](#) <> [Reply to Message](#)

http://www.google.ru/search?q=ieee80211_unref_node%3A+NULL+i+ieee80211_node
<http://www.google.ru/search?q=disagrees+about+version+of+symbol>
