
Posted by [Egenius](#) on Sun, 09 Nov 2008 17:28:18 GMT

[View Forum Message](#) <> [Reply to Message](#)

Posted by [kir](#) on Sun, 09 Nov 2008 18:59:23 GMT

[View Forum Message](#) <> [Reply to Message](#)

Posted by [Egenius](#) on Mon, 10 Nov 2008 05:15:05 GMT

[View Forum Message](#) <> [Reply to Message](#)

```
if [ "x${VZFASTBOOT}" = "xyes" -a "x${DISK_QUOTA}" = "xyes" ];  
then  
    $VZQUOTA stat ${veid} >/dev/null 2>&1  
    if [ $? -eq 6 ]; then  
        if $VZQUOTA show ${veid} 2>&1 | grep "vzquota : (warning) Quota is  
running" >/dev/null 2>&1; then  
            $VZQUOTA on ${veid} --nocheck >/dev/null 2>&1  
            need_restart="$${need_restart} ${veid}"  
        fi  
    fi  
msg=`$VZCTL start ${veid} 2>&1`
```

```
print_result "$msg"
```

Posted by [Egenius](#) on Tue, 11 Nov 2008 14:09:17 GMT

[View Forum Message](#) <> [Reply to Message](#)

Posted by [maratrus](#) on Tue, 11 Nov 2008 17:04:07 GMT

[View Forum Message](#) <> [Reply to Message](#)

running" >/dev/null 2>&1; then)

Posted by [Egenius](#) on Wed, 12 Nov 2008 19:04:43 GMT

[View Forum Message](#) <> [Reply to Message](#)

```
cat /etc/init.d/vhost100
#!/bin/sh
#
# Source function library.
. /etc/rc.d/init.d/functions
prog="vhost100"
PATH=$PATH:/usr/bin:/usr/local/bin:

# By default it's all good
RETVAL=0

rc_done='..done'
rc_failed='..failed'

# Source function library.
DISTR=redhat

print_success()
{
    if [ "$DISTR" = "redhat" ]; then
        echo_success
    else
        echo -n "$rc_done"
    fi
    echo
}

print_failure()
{
```

```

echo -n "$1"
if [ "$DISTR" = "redhat" ]; then
    failure $"$1"
else
    echo -n "$rc_failed"
fi
echo
}

# See how we were called.
case "$1" in
start)
    # Start daemon.
    echo -n $"Starting $prog: "
    vzctl start 100
    RETVAL=$?
    echo
    if [ $RETVAL = 0 ]; then
        touch /var/lock/subsys/vhost100
    fi
    print_success
    ;;
stop)
    # Stop daemons.
    echo -n $"Stopping $prog: "
    vzctl stop 100
    RETVAL=$?
    echo
    if [ $RETVAL = 0 ]; then
        rm -f /var/lock/subsys/vhost100
    fi
    print_success
    ;;
restart)
    $0 stop
    sleep 3
    $0 start
    ;;
status)
    vzctl status 100
    RETVAL=$?
    ;;
*)
    echo "Usage: $0 {start|stop|restart|status}"
    RETVAL=1
    ;;
esac

```

```
exit $RETVL
```

Posted by [maratrus](#) on Thu, 13 Nov 2008 09:00:20 GMT

[View Forum Message](#) <> [Reply to Message](#)

```
#!/bin/sh
#
# Source function library.
VZCONF=/etc/vz/vz.conf

[ -f ${VZCONF} ] || exit 0
. ${VZCONF}

VZQUOTA=/usr/sbin/vzquota
VZCTL=/usr/sbin/vzctl

start)
# Start daemon.
need_restart=""
echo -n $"Starting $prog: "
if [ "x${VZFASTBOOT}" = "xyes" -a "x${DISK_QUOTA}" = "xyes" ];
then
    $VZQUOTA stat 100 >/dev/null 2>&1
    if [ $? -eq 6 ]; then
```

```
if $VZQUOTA show 100 2>&1 | grep "vzquota : (warning) Quota is running" >/dev/null
2>&1; then
    $VZQUOTA on 100 --nocheck >/dev/null 2>&1
    need_restart="yes"
fi
fi
fi
if [ "x${need_restart}" != "xyes" ];
then
    $VZCTL start 100
    RETVAL=$?
    echo
    if [ $RETVAL = 0 ]; then
        touch /var/lock/subsys/vhost100
        print_success
    fi
else
    $VZCTL start 100
    sleep 3
    $VZCTL stop 100
    $VZCTL start 100
    RETVAL=$?
    echo
    if [ $RETVAL = 0 ]; then
        touch /var/lock/subsys/vhost100
        print_success
    fi
fi
```

Posted by [Egenius](#) on Fri, 14 Nov 2008 03:48:38 GMT
[View Forum Message](#) <> [Reply to Message](#)

vzquota on 200 --nocheck >/dev/null 2>&1

vzctl start 200
