
Subject: Gateway 192.0.2.1 with Ubuntu-8.04 and Debian 4.0

Posted by [tanteauguri](#) on Mon, 17 Nov 2008 22:36:08 GMT

[View Forum Message](#) <> [Reply to Message](#)

I am new to OpenVZ so please be graceful...

On two hostsystems (ubuntu 8.04, Debian Lenny) I installed each a VE ununtu-8.04-minimal. In both envirements a gateway 192.0.2.1 is added and the network does not work. Changing the /etc/network/interfaces to correct values and after a network restart everything works.

After a reboot of the VE the /etc/network/interfaces is crappy again:

```
# This configuration file is auto-generated.
# WARNING: Do not edit this file, otherwise your changes will be lost.
# Please edit template /etc/network/interfaces.template instead.
auto lo
iface lo inet loopback

auto venet0
iface venet0 inet manual
    up ifconfig venet0 0
    up route add -net 192.0.2.1 netmask 255.255.255.255 dev venet0
    up route add default gw 192.0.2.1
auto venet0:0
iface venet0:0 inet static
    address 192.168.3.105
    netmask 255.255.255.255
    broadcast 0.0.0.0
```

This ist the routing table:

Kernel IP routing table

Destination	Gateway	Genmask	Flags	Metric	Ref	Use	Iface
192.0.2.1	0.0.0.0	255.255.255.255	UH	0	0	0	venet0
0.0.0.0	192.0.2.1	0.0.0.0	UG	0	0	0	venet0

The same problem using debian-4.0-minimal.

How do I get rid of this problem?

Thx...

Subject: Re: Gateway 192.0.2.1 with Ubuntu-8.04 and Debian 4.0

Posted by [maratrus](#) on Tue, 18 Nov 2008 09:27:13 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hello,

actually, if you're only using venet interface it doesn't matter what kind of ip address of default gateway you have inside VE because the next hop is always on the HN, the only important thing is device of the default gateway which should be venet0.

So, you shouldn't have bothered about the ip address of the default gateway.

Use, "vzctl set \$VEID --ipadd \$IP [--save]" command to add an ip address to your VE.

If it doesn't work (and you've mentioned than some problem occurred) please:

1. check sysctl parameters (for example please look at this page http://wiki.openvz.org/Quick_installation#sysctl)
2. Please show "ip a l", "ip rule list", "ip r l" (from HN and from inside the VE), "arp -n" (from the HN)
3. Or you can use tcpdump utility: run tcpdump on the venet interface inside VE, on the venet interface on the HN, on physical interface on the HN.

Subject: Re: Gateway 192.0.2.1 with Ubuntu-8.04 and Debian 4.0

Posted by [tanteauguri](#) on Tue, 18 Nov 2008 15:08:03 GMT

[View Forum Message](#) <> [Reply to Message](#)

I use exactly the same parameters in sysctl.conf:

```
root@openvz01:~# sysctl -p
net.ipv4.ip_forward = 1
net.ipv4.conf.default.proxy_arp = 0
net.ipv4.conf.all.rp_filter = 1
kernel.sysrq = 1
net.ipv4.conf.default.send_redirects = 1
net.ipv4.conf.all.send_redirects = 0
root@openvz01:~#
```

I create a fresh Server with this script:

```
root@openvz01:~# cat /etc/scripts/make_ev.sh
vzctl create 101 --ostemplate ubuntu-8.04-i386-minimal
vzctl set 101 --onboot yes --save
vzctl set 101 --ipadd 193.80.225.63 --save
vzctl set 101 --nameserver 193.80.225.58 --save
vzctl set 101 --hostname ev101 --save
```

```
root@openvz01:~# /etc/scripts/make_ev.sh
```

Creating VE private area (ubuntu-8.04-i386-minimal)
Performing postcreate actions
VE private area was created
Saved parameters for VE 101
Saved parameters for VE 101
Saved parameters for VE 101
Saved parameters for VE 101
root@openvz01:~#

I start the new VE and receive an error:

```
root@openvz01:~# vzctl start 101
Starting VE ...
VE is mounted
Adding IP address(es): 193.80.225.63
vps-net_add WARNING: Function proxy_arp for eth0 is set to 0. Enable with 'sysctl -w
net.ipv4.conf.eth0.proxy_arp=1'. See /usr/share/doc/vzctl/README.Debian.
Setting CPU units: 1000
Configure meminfo: 65536
Set hostname: ev101
File resolv.conf was modified
VE start in progress...
root@openvz01:~#
```

I enter the Machine and have a crappy route:

```
root@openvz01:~# vzctl enter 101
entered into VE 101
root@ev101:/# route -n
Kernel IP routing table
Destination    Gateway         Genmask         Flags Metric Ref    Use Iface
192.0.2.1      0.0.0.0         255.255.255.255 UH   0    0    0 venet0
0.0.0.0        192.0.2.1      0.0.0.0         UG   0    0    0 venet0
root@ev101:/#
```

The IP commands inside the VE:

```
root@ev101:/# ip a l
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 16436 qdisc noqueue
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
    inet6 ::1/128 scope host
        valid_lft forever preferred_lft forever
2: venet0: <BROADCAST,POINTOPOINT,NOARP,UP,LOWER_UP> mtu 1500 qdisc noqueue
```

```
link/void
inet 127.0.0.1/32 scope host venet0
inet 193.80.225.63/32 scope global venet0:0
root@ev101:/# ip r l
192.0.2.1 dev venet0 scope link
default via 192.0.2.1 dev venet0
root@ev101:/#
```

The IP commands inside the HN:

```
root@ev101:/# logout
exited from VE 101
root@openvz01:~# ip a l
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 16436 qdisc noqueue
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
    inet6 ::1/128 scope host
        valid_lft forever preferred_lft forever
2: eth0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc pfifo_fast qlen 1000
    link/ether 00:14:5e:c9:28:9f brd ff:ff:ff:ff:ff:ff
    inet 193.80.225.62/25 brd 193.80.254.127 scope global eth0
    inet6 fe80::214:5eff:fec9:289f/64 scope link
        valid_lft forever preferred_lft forever
3: eth1: <BROADCAST,MULTICAST> mtu 1500 qdisc noop qlen 1000
    link/ether 00:02:44:52:79:54 brd ff:ff:ff:ff:ff:ff
4: eth2: <BROADCAST,MULTICAST> mtu 1500 qdisc noop qlen 1000
    link/ether 00:02:44:51:38:33 brd ff:ff:ff:ff:ff:ff
5: venet0: <BROADCAST,POINTOPOINT,NOARP,UP,LOWER_UP> mtu 1500 qdisc noqueue
    link/void
root@openvz01:~# ip r l
193.80.225.63 dev venet0 scope link src 193.80.225.62
193.80.225.0/25 dev eth0 proto kernel scope link src 193.80.225.62
default via 193.80.225.1 dev eth0 metric 100
root@openvz01:~#
```

A not very elegant solution is to add FAKEGATEWAY=193.80.225.1 to the script debian-add_ip.sh.

I run 300 vservers and would like to change to OpenVZ, so I would prefer a clean solution.
Thanks for your help.

Subject: Re: Gateway 192.0.2.1 with Ubuntu-8.04 and Debian 4.0

Posted by [maratrus](#) on Wed, 19 Nov 2008 13:37:36 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hello,

Quote:

vps-net_add WARNING: Function proxy_arp for eth0 is set to 0. Enable with 'sysctl -w net.ipv4.conf.eth0.proxy_arp=1'. See /usr/share/doc/vzctl/README.

Actually, it's not a error.

Could you please use tcpdump:

- try to ping your VE, at the same moment run tcpdump utility on the eth0 interface on the HN, on venet interface on the HN and on venet interface inside VE.

- please also specify "uname -a", "vzctl --version" and where have you got debian-4.0-minimal template you use to create VE.
