
Posted by [kert](#) on Tue, 18 Nov 2008 15:23:28 GMT

[View Forum Message](#) <> [Reply to Message](#)

```
vzctl set 101 --netdev_add eth1 --save  
vzctl set 102 --netdev_add eth2 --save
```

Posted by [khorenko](#) on Tue, 18 Nov 2008 16:38:56 GMT

[View Forum Message](#) <> [Reply to Message](#)

```
ip a l;  
vzctl exec 101 ip a l;  
vzctl set 101 --netdev_add eth1 --save;  
ip a l;  
vzctl exec 101 ip a l;  
vzctl set 101 --netdev_del eth1 --save;  
ip a l;  
vzctl exec 101 ip a l;
```

--

Posted by [kert](#) on Wed, 19 Nov 2008 13:18:08 GMT

[View Forum Message](#) <> [Reply to Message](#)

ip a l

```
2: lo: <LOOPBACK,UP,10000> mtu 16436 qdisc noqueue
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
    inet6 ::1/128 scope host
        valid_lft forever preferred_lft forever
4: eth0: <BROADCAST,MULTICAST,UP,10000> mtu 1500 qdisc pfifo_fast qlen 1000
    link/ether 00:1e:90:b8:90:b4 brd ff:ff:ff:ff:ff:ff
    inet 192.168.1.122/24 brd 192.168.1.255 scope global eth0
    inet6 fe80::21e:90ff:feb8:90b4/64 scope link
        valid_lft forever preferred_lft forever
8: eth2: <NO-CARRIER,BROADCAST,MULTICAST,UP> mtu 1500 qdisc pfifo_fast qlen 1000
    link/ether 00:e0:40:16:01:83 brd ff:ff:ff:ff:ff:ff
10: sit0: <NOARP> mtu 1480 qdisc noop
    link/sit 0.0.0.0 brd 0.0.0.0
1: venet0: <BROADCAST,POINTOPOINT,NOARP,UP,10000> mtu 1500 qdisc noqueue
    link/void
```

vzctl exec 101 ip a l

```
1: lo: <LOOPBACK,UP,10000> mtu 16436 qdisc noqueue
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
    inet6 ::1/128 scope host
        valid_lft forever preferred_lft forever
3: venet0: <BROADCAST,POINTOPOINT,NOARP,UP,10000> mtu 1500 qdisc noqueue
    link/void
    inet 192.168.1.168/32 scope global venet0:0
6: eth1: <BROADCAST,MULTICAST> mtu 1500 qdisc noop qlen 1000
    link/ether 00:e0:42:39:01:ee brd ff:ff:ff:ff:ff:ff
```

Posted by [khorenko](#) on Wed, 19 Nov 2008 13:37:12 GMT
[View Forum Message](#) <> [Reply to Message](#)

Quote:

--

Posted by [kert](#) on Wed, 19 Nov 2008 13:43:58 GMT
[View Forum Message](#) <> [Reply to Message](#)

Posted by [khorenko](#) on Wed, 19 Nov 2008 14:09:55 GMT

[View Forum Message](#) <> [Reply to Message](#)

```
# This configuration file is auto-generated.  
# WARNING: Do not edit this file, otherwise your changes will be lost.  
# Please edit template /etc/network/interfaces.template instead.
```

--

Posted by [kert](#) on Wed, 19 Nov 2008 14:12:53 GMT

[View Forum Message](#) <> [Reply to Message](#)

Posted by [khorenko](#) on Wed, 19 Nov 2008 14:17:29 GMT

[View Forum Message](#) <> [Reply to Message](#)

Posted by [kert](#) on Wed, 19 Nov 2008 14:30:42 GMT

[View Forum Message](#) <> [Reply to Message](#)

Posted by [khorenko](#) on Wed, 19 Nov 2008 14:37:33 GMT

[View Forum Message](#) <> [Reply to Message](#)

Posted by [veresk](#) on Wed, 22 Jul 2009 16:16:28 GMT

[View Forum Message](#) <> [Reply to Message](#)
