
Posted by [pentarh](#) on Wed, 10 Dec 2008 16:35:43 GMT
[View Forum Message](#) <> [Reply to Message](#)

```
#iptables -t nat -A PREROUTING -p tcp -s $VE_IP --dport 25 -j DNAT --to-destination  
$HOST_IP:26  
#iptables -t nat -A POSTROUTING -p tcp --dport 26 -d $HOST_IP -o eth0 -j SNAT --to-source  
$VE_IP
```

\$HOST_IP:26?

Posted by [maratrus](#) on Thu, 11 Dec 2008 12:22:14 GMT
[View Forum Message](#) <> [Reply to Message](#)

Posted by [pentarh](#) on Thu, 11 Dec 2008 12:41:54 GMT
[View Forum Message](#) <> [Reply to Message](#)

Posted by [maratrus](#) on Thu, 11 Dec 2008 13:03:57 GMT
[View Forum Message](#) <> [Reply to Message](#)

Quote:

Quote:

Posted by [pentarh](#) on Thu, 11 Dec 2008 13:19:53 GMT
[View Forum Message](#) <> [Reply to Message](#)

maratrus wrote on Thu, 11 December 2008 16:03

maratrus wrote on Thu, 11 December 2008 16:03

```
# iptables -t nat -A PREROUTING -p tcp -s $VE_NETWORK --dport 25 -j DNAT --to-destination $HOST_IP:26
```

Posted by [maratrus](#) on Thu, 11 Dec 2008 13:51:34 GMT

[View Forum Message](#) <> [Reply to Message](#)

Quote:

localhost.

Posted by [pentarh](#) on Thu, 11 Dec 2008 14:02:23 GMT

[View Forum Message](#) <> [Reply to Message](#)
