

---

Subject: Accessing host directory/partition from VPS  
Posted by [SyRenity](#) on Sun, 08 Mar 2009 10:07:17 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hi.

Is there any way to access host physical directory or partition from VPS?

Xen provides one via mapping, but I couldn't find any method to do so in OpenVZ.

Thanks in advance!

---

---

Subject: Re: Accessing host directory/partition from VPS  
Posted by [TheStig](#) on Mon, 09 Mar 2009 17:51:29 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

hi

i guess that's what you're looking for  
[http://wiki.openvz.org/Bind\\_mounts](http://wiki.openvz.org/Bind_mounts)

---

---

Subject: Re: Accessing host directory/partition from VPS  
Posted by [SyRenity](#) on Mon, 09 Mar 2009 17:59:53 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Thanks!

Any idea how fast this works, compared to HN regular writes/reads?

Regards.

---

---

Subject: Re: Accessing host directory/partition from VPS  
Posted by [TheStig](#) on Mon, 09 Mar 2009 18:25:15 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

if I understand the architectue of openvz correctly and there are no errors in the implementation it should be (almost?) just as fast because in fact there is just one kernel running and i don't think that such a mount uses a lot of overhead.

creating an uncompressed tarball of one of my web-apps (292 mb) took between 8 and 15 secs on the CT (@usual background load) and just about the same on my HN. (same directory, done multiple times)

compressing the same directory did take longer on the CT, but I guess that depends on the CPUUNITS you assign your CT.

regards,  
joe

edit: the output directory was the same where the web-app lies and I'm using a hardware-raid5/lvm setup.

---

---

Subject: Re: Accessing host directory/partition from VPS  
Posted by [SyRenity](#) on Mon, 09 Mar 2009 18:42:07 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Thanks for the information.

---