

---

Subject: Contrack ftp

Posted by [xido](#) on Tue, 17 Mar 2009 18:00:20 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

~# lsmod

Module	Size	Used by
ipt_REJECT	13952	1
ipt_owner	10880	3
kvm_intel	57960	0
kvm	191752	1 kvm_intel
vzethdev	23808	0
vznetdev	32776	10
simfs	14320	5
vzrst	155688	0
vzcpt	129976	0
tun	23168	2 vzrst,vzcpt
vzdquota	58864	5 [permanent]
vzmon	58520	9 vzethdev,vznetdev,vzrst,vzcpt
vzdev	13064	6 vzethdev,vznetdev,vzdquota,vzmon
ipt_REDIRECT	11008	0
nf_nat_irc	11648	0
nf_conntrack_irc	16544	1 nf_nat_irc
nf_nat_ftp	12544	0
iptable_nat	19716	2
nf_nat	31376	4 ipt_REDIRECT,nf_nat_irc,nf_nat_ftp,iptable_nat
xt_helper	11648	0
xt_state	11392	26
nf_conntrack_ftp	19240	1 nf_nat_ftp
nf_conntrack_ipv4	36880	30 iptable_nat
nf_conntrack	101600	9
nf_nat_irc,nf_conntrack_irc,nf_nat_ftp,iptable_nat,nf_nat,xt_helper,xt_state,nf_conntrack_ftp,nf_c onntrack_ipv4		
xt_length	10752	0
ipt_LOG	15872	0
ipt_ttl	10752	0
xt_tcpmss	11264	0
ipt_TOS	11136	0
ipt_tos	10496	0
xt_multiport	12288	12
xt_limit	12032	0
iptable_mangle	13824	5
iptable_filter	13696	7

```

ip_tables      33256 3 iptable_nat,iptable_mangle,iptable_filter
ipv6           342016 81 vzrst,vzcpt,vzmon
bridge        73128 0
raid1         34944 1
md_mod        96924 2 raid1
dm_snapshot   28256 0
dm_mirror     34432 0
xt_tcpudp    12288 37
x_tables      33672 16
ipt_REJECT,ipt_owner,ipt_REDIRECT,iptable_nat,xt_helper,xt_state,xt_length,ipt_LOG,ipt_ttl,xt_t
cpmss,ipt_TOS,ipt_tos,xt_multiport,xt_limit,ip_tables,xt_tcpudp
eeprom        17296 0
lm85          43684 0
hwmon_vid     12416 1 lm85
thermal       27168 0
e1000         176068 0
psmouse       53788 0
button        18336 0
ipmi_msghandler 51704 0
processor     49768 1 thermal
e1000e        139948 0
serio_raw     16516 0
evdev         22912 0
pcspkr        12288 0
sg            49432 0
floppy        76904 0
scsi_wait_scan 10112 0
dm_mod        79736 9 dm_snapshot,dm_mirror
usbhid        43616 0
hid           52544 1 usbhid
usb_storage   90304 0
libusual      31072 1 usb_storage
sd_mod        40448 7
sr_mod        27684 0
ide_disk      26496 0
ide_generic   9856 0 [permanent]
ide_cd        43040 0
cdrom         48936 2 sr_mod,ide_cd
ide_core      144152 3 ide_disk,ide_generic,ide_cd
uhci_hcd      37408 0
ehci_hcd      48908 0
usbcore       178608 6 usbhid,usb_storage,libusual,uhci_hcd,ehci_hcd
iTCO_wdt      22992 0
iTCO_vendor_support 13188 1 iTCO_wdt
ata_piix      31492 4
pata_acpi     17152 0
ata_generic   17412 0
libata        184496 3 ata_piix,pata_acpi,ata_generic

```

```

scsi_mod      187192 6 sg,scsi_wait_scan,usb_storage,sd_mod,sr_mod,libata
i2c_i801      19740 0
i2c_core      36352 3 eeprom,lm85,i2c_i801
shpchp       45596 0
pci_hotplug   43312 1 shpchp
isofs         47144 0
msdos         19712 0
fat           67760 1 msdos

```

```

:~# cat /etc/vz/vz.conf |grep IPTABLES

```

```

IPTABLES="iptables_filter iptable_mangle ipt_limit ipt_multiport ipt_tos ipt_TOS ipt_REJECT
iptables_tcpmss ipt_tcpmss ipt_ttl ipt_LOG ipt_length ip_conntrack ip_conntrack_ftp ip_conntrack_irc
ip_conntrack ipt_state ipt_helper iptable_nat ip_nat_ftp ip_nat_irc ipt_REDIRECT ipt_owner"

```

```

ve3 [/]# iptables -L
Chain INPUT (policy DROP)
target prot opt source destination
DROP icmp -- anywhere anywhere state INVALID
ACCEPT all -- anywhere anywhere state RELATED,ESTABLISHED
ACCEPT tcp -- anywhere anywhere state NEW multiport dports
ftp-data,ftp,smtp,http,pop3,imap,https,smtps,imaps,pop3s
ACCEPT tcp -- anywhere anywhere state NEW multiport dports
trellisagt,trellisvr,infowave,radsec,nbx-ser,nbx-dir
ACCEPT icmp -- anywhere anywhere icmp ttl-zero-during-reassembly state
NEW
ACCEPT icmp -- anywhere anywhere icmp ttl-zero-during-transit state NEW
ACCEPT icmp -- anywhere anywhere icmp type 0 code 0 state NEW
ACCEPT icmp -- anywhere anywhere icmp type 8 code 0 state NEW
ACCEPT icmp -- anywhere anywhere icmp destination-unreachable state NEW

Chain FORWARD (policy DROP)
target prot opt source destination

Chain OUTPUT (policy DROP)
target prot opt source destination

```

ACCEPT all -- anywhere anywhere  
DROP icmp -- anywhere anywhere state INVALID  
ACCEPT all -- anywhere anywhere state RELATED,ESTABLISHED  
ACCEPT udp -- anywhere anywhere state NEW multiport dports ntp  
ACCEPT udp -- anywhere anywhere state NEW multiport dports domain  
ACCEPT tcp -- anywhere anywhere state NEW multiport dports  
nicname,http,https,submission,rsync  
ACCEPT tcp -- anywhere anywhere state NEW multiport dports ftp,ssh,eli,sep  
OWNER UID match root

---

Subject: Re: Contrack ftp  
Posted by [maratrus](#) on Wed, 18 Mar 2009 09:56:56 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Subject: Re: Contrack ftp  
Posted by [xido](#) on Wed, 18 Mar 2009 12:25:12 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Subject: Re: Contrack ftp  
Posted by [maratrus](#) on Wed, 18 Mar 2009 12:30:31 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Subject: Re: Contrack ftp  
Posted by [xido](#) on Wed, 18 Mar 2009 12:33:29 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Subject: Re: Contrack ftp  
Posted by [maratrus](#) on Wed, 18 Mar 2009 12:34:20 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

---

Subject: Re: Contrack ftp  
Posted by [xido](#) on Wed, 18 Mar 2009 13:50:07 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

---

Subject: Re: Contrack ftp  
Posted by [maratrus](#) on Wed, 18 Mar 2009 16:59:06 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

```
# iptables -L
Chain INPUT (policy DROP)
target    prot opt source                destination              state
DROP      icmp -- anywhere           anywhere                 state INVALID
ACCEPT    all  -- anywhere           anywhere                 state RELATED,ESTABLISHED
ACCEPT    tcp  -- anywhere           anywhere                 state NEW multiport dports
ftp-data,ftp,smtp,http,pop3,imap,https,smtps,imaps,pop3s
ACCEPT    tcp  -- anywhere           anywhere                 state NEW multiport dports
trellisagt,trellissvr,infowave,radsec,nbx-ser,nbx-dir
ACCEPT    icmp -- anywhere           anywhere                 icmp ttl-zero-during-reassembly state
NEW
ACCEPT    icmp -- anywhere           anywhere                 icmp ttl-zero-during-transit state NEW
ACCEPT    icmp -- anywhere           anywhere                 icmp type 0 code 0 state NEW
ACCEPT    icmp -- anywhere           anywhere                 icmp type 8 code 0 state NEW
ACCEPT    icmp -- anywhere           anywhere                 icmp destination-unreachable state NEW
```

Chain FORWARD (policy DROP)

```

target  prot opt source          destination
Chain OUTPUT (policy DROP)
target  prot opt source          destination
ACCEPT  all  -- anywhere        anywhere
DROP    icmp -- anywhere        anywhere          state INVALID
ACCEPT  all  -- anywhere        anywhere          state RELATED,ESTABLISHED
ACCEPT  udp  -- anywhere        anywhere          state NEW multiport dports ntp
          udp  -- anywhere        anywhere          state NEW multiport dports domain
ACCEPT  tcp  -- anywhere        anywhere          state NEW multiport dports
nicname,http,https,submission,rsync
ACCEPT  tcp  -- anywhere        anywhere          state NEW multiport dports ftp,ssh,eli,sep
OWNER UID match root

```

```

# uname -r
2.6.24-ovz008.1

```

Quote:

```

# ftp SERVER
Connected to SERVER (*. *.*).
220 (vsFTPd 2.0.3)
Name (SERVER:root): anonymous
331 Please specify the password.
Password:
230 Login successful.
Remote system type is UNIX.
Using binary mode to transfer files.
ftp> ls
227 Entering Passive Mode (*,*,*,113,109)
150 Here comes the directory listing.
drwx--x---  2 ftp  ftp    4096 Nov 11  2005 dir1
drwxrwxrwx  22 ftp  ftp    4096 Mar 12  14:24 dir2
drwx-----  3 ftp  ftp    4096 Mar 28  2006 dir3
drwxr-xr-x  10 ftp  ftp    4096 Jan 12  2007 dir4
226 Directory send OK.

```

Quote:

```
# ftp SERVER
```

```
Connected to SERVER (*. *.*.*).
```

```
220 (vsFTPd 2.0.3)
```

```
Name (SERVER:root): anonymous
```

```
331 Please specify the password.
```

```
Password:
```

```
230 Login successful.
```

```
Remote system type is UNIX.
```

```
Using binary mode to transfer files.
```

```
ftp> passive
```

```
Passive mode off.
```

```
ftp> ls
```

```
200 PORT command successful. Consider using PASV.
```