Subject: Conntrack ftp
Posted by xido on Tue, 17 Mar 2009 18:00:20 GMT
View Forum Message <> Reply to Message

~# lsmod
Module Size Used by
ipt_REJECT 13952 1
ipt_owner 10880 3
kvm_intel 57960 0
kvm 191752 1 kvm_intel
vzethdev 23808 0
vznetdev 32776 10
simfs 14320 5
vzrst 155688 0
vzcpt 129976 0
tun 23168 2 vzrst,vzcpt
vzdquota 58864 5 [permanent]
vzmon 58520 9 vzethdev,vznetdev,vzrst,vzcpt
vzdev 13064 6 vzethdev,vznetdev,vzdquota,vzmon
ipt_REDIRECT 11008 0
nf_nat_irc 11648 0
nf_conntrack_irc 16544 1 nf_nat_irc
nf_nat_ftp 12544 0
iptable_nat 19716 2
nf_nat 31376 4 ipt_REDIRECT,nf_nat_irc,nf_nat_ftp,iptable_nat
xt_helper 11648 0
xt_state 11392 26
nf_conntrack_ftp 19240 1 nf_nat_ftp
nf_conntrack_ipv4 36880 30 iptable_nat
nf_conntrack 101600 9
nf_nat_irc,nf_conntrack_irc,nf_nat_ftp,iptable_nat,nf_nat,xt_helper,xt_state,nf_conntrack_ftp,nf_c
onntrack_ipv4
xt_length 10752 0
ipt_LOG 15872 0
ipt_ttl 10752 0
xt_tcpmss 11264 0
ipt_TOS 11136 0
ipt_tos 10496 0
xt_multiport 12288 12
xt_limit 12032 0
iptable_mangle 13824 5
iptable_filter 13696 7

```
ip_tables              33256  3 iptable_nat,iptable_mangle,iptable_filter
ipv6                  342016  81 vzrst,vzcpt,vzmon
bridge                 73128  0
raid1                  34944  1
md_mod                 96924  2 raid1
dm_snapshot            28256  0
dm_mirror              34432  0
xt_tcpudp              12288  37
x_tables               33672  16
ipt_REJECT,ipt_owner,ipt_REDIRECT,iptable_nat,xt_helper,xt_state,xt_length,ipt_LOG,ipt_ttl,xt_t
cpmss,ipt_TOS,ipt_tos,xt_multiport,xt_limit,ip_tables,xt_tcpudp
eeprom                 17296  0
lm85                   43684  0
hwmon_vid              12416  1 lm85
thermal                27168  0
e1000                 176068  0
psmouse                53788  0
button                 18336  0
ipmi_msghandler        51704  0
processor              49768  1 thermal
e1000e                139948  0
serio_raw              16516  0
evdev                  22912  0
pcspkr                 12288  0
sg                     49432  0
floppy                 76904  0
scsi_wait_scan         10112  0
dm_mod                 79736  9 dm_snapshot,dm_mirror
usbhid                 43616  0
hid                    52544  1 usbhid
usb_storage            90304  0
libusual               31072  1 usb_storage
sd_mod                 40448  7
sr_mod                 27684  0
ide_disk               26496  0
ide_generic             9856  0 [permanent]
ide_cd                 43040  0
cdrom                  48936  2 sr_mod,ide_cd
ide_core              144152  3 ide_disk,ide_generic,ide_cd
uhci_hcd               37408  0
ehci_hcd               48908  0
usbcore               178608  6 usbhid,usb_storage,libusual,uhci_hcd,ehci_hcd
iTCO_wdt               22992  0
iTCO_vendor_support    13188  1 iTCO_wdt
ata_piix               31492  4
pata_acpi              17152  0
ata_generic            17412  0
libata                184496  3 ata_piix,pata_acpi,ata_generic
```

```
scsi_mod            187192  6 sg,scsi_wait_scan,usb_storage,sd_mod,sr_mod,libata
i2c_i801             19740  0
i2c_core             36352  3 eeprom,lm85,i2c_i801
shpchp               45596  0
pci_hotplug           43312  1 shpchp
isofs                47144  0
msdos                19712  0
fat                  67760  1 msdos
```

```
:~# cat /etc/vz/vz.conf |grep IPTABLES

IPTABLES="iptable_filter iptable_mangle ipt_limit ipt_multiport ipt_tos ipt_TOS ipt_REJECT
ipt_TCPMSS ipt_tcpmss ipt_ttl ipt_LOG ipt_length ip_conntrack ip_conntrack_ftp ip_conntrack_irc
ipt_conntrack ipt_state ipt_helper iptable_nat ip_nat_ftp ip_nat_irc ipt_REDIRECT ipt_owner"
```

```
ve3 [/]# iptables -L
Chain INPUT (policy DROP)
target     prot opt source               destination
DROP       icmp --  anywhere             anywhere            state INVALID
ACCEPT     all  --  anywhere             anywhere            state RELATED,ESTABLISHED
ACCEPT     tcp  --  anywhere             anywhere            state NEW multiport dports
ftp-data,ftp,smtp,http,pop3,imap,https,smtps,imaps,pop3s
ACCEPT     tcp  --  anywhere             anywhere            state NEW multiport dports
trellisagt,trellissvr,infowave,radsec,nbx-ser,nbx-dir
ACCEPT     icmp --  anywhere             anywhere            icmp ttl-zero-during-reassembly state
NEW
ACCEPT     icmp --  anywhere             anywhere            icmp ttl-zero-during-transit state NEW
ACCEPT     icmp --  anywhere             anywhere            icmp type 0 code 0 state NEW
ACCEPT     icmp --  anywhere             anywhere            icmp type 8 code 0 state NEW
ACCEPT     icmp --  anywhere             anywhere            icmp destination-unreachable state NEW

Chain FORWARD (policy DROP)
target     prot opt source               destination

Chain OUTPUT (policy DROP)
target     prot opt source               destination
```

```
ACCEPT     all  --  anywhere             anywhere
DROP       icmp --  anywhere             anywhere            state INVALID
ACCEPT     all  --  anywhere             anywhere            state RELATED,ESTABLISHED
ACCEPT     udp  --  anywhere             anywhere            state NEW multiport dports ntp
ACCEPT     udp  --  anywhere             anywhere            state NEW multiport dports domain
ACCEPT     tcp  --  anywhere             anywhere            state NEW multiport dports
nicname,http,https,submission,rsync
ACCEPT     tcp  --  anywhere             anywhere            state NEW multiport dports ftp,ssh,eli,sep
OWNER UID match root
```

Subject: Re: Conntrack ftp
Posted by maratrus on Wed, 18 Mar 2009 09:56:56 GMT
View Forum Message <> Reply to Message

Subject: Re: Conntrack ftp
Posted by xido on Wed, 18 Mar 2009 12:25:12 GMT
View Forum Message <> Reply to Message

Subject: Re: Conntrack ftp
Posted by maratrus on Wed, 18 Mar 2009 12:30:31 GMT
View Forum Message <> Reply to Message

Subject: Re: Conntrack ftp
Posted by xido on Wed, 18 Mar 2009 12:33:29 GMT
View Forum Message <> Reply to Message

Linux vps1 2.6.24-2-pve #1 SMP PREEMPT Wed Jan 14 11:32:49 CET 2009 x86_64 GNU/Linux

Subject: Re: Conntrack ftp
Posted by maratrus on Wed, 18 Mar 2009 12:34:20 GMT
View Forum Message <> Reply to Message

Subject: Re: Conntrack ftp
Posted by xido on Wed, 18 Mar 2009 13:50:07 GMT
View Forum Message <> Reply to Message

Subject: Re: Conntrack ftp
Posted by maratrus on Wed, 18 Mar 2009 16:59:06 GMT
View Forum Message <> Reply to Message

```
# iptables -L
Chain INPUT (policy DROP)
target     prot opt source               destination
DROP       icmp --  anywhere             anywhere            state INVALID
ACCEPT     all  --  anywhere             anywhere            state RELATED,ESTABLISHED
ACCEPT     tcp  --  anywhere             anywhere            state NEW multiport dports
ftp-data,ftp,smtp,http,pop3,imap,https,smtps,imaps,pop3s
ACCEPT     tcp  --  anywhere             anywhere            state NEW multiport dports
trellisagt,trellissvr,infowave,radsec,nbx-ser,nbx-dir
ACCEPT     icmp --  anywhere             anywhere            icmp ttl-zero-during-reassembly state
NEW
ACCEPT     icmp --  anywhere             anywhere            icmp ttl-zero-during-transit state NEW
ACCEPT     icmp --  anywhere             anywhere            icmp type 0 code 0 state NEW
ACCEPT     icmp --  anywhere             anywhere            icmp type 8 code 0 state NEW
ACCEPT     icmp --  anywhere             anywhere            icmp destination-unreachable state NEW

Chain FORWARD (policy DROP)
```

```
target     prot opt source               destination

Chain OUTPUT (policy DROP)
target     prot opt source               destination
ACCEPT     all  --  anywhere             anywhere
DROP       icmp --  anywhere             anywhere            state INVALID
ACCEPT     all  --  anywhere             anywhere            state RELATED,ESTABLISHED
ACCEPT     udp  --  anywhere             anywhere            state NEW multiport dports ntp
           udp  --  anywhere             anywhere            state NEW multiport dports domain
ACCEPT     tcp  --  anywhere             anywhere            state NEW multiport dports
nicname,http,https,submission,rsync
ACCEPT     tcp  --  anywhere             anywhere            state NEW multiport dports ftp,ssh,eli,sep
OWNER UID match root
```

```
# uname -r
2.6.24-ovz008.1
```

Quote:

```
# ftp SERVER
Connected to SERVER (*.*.*.*).
220 (vsFTPd 2.0.3)
Name (SERVER:root): anonymous
331 Please specify the password.
Password:
230 Login successful.
Remote system type is UNIX.
Using binary mode to transfer files.
ftp> ls
227 Entering Passive Mode (*,*,*,*,113,109)
150 Here comes the directory listing.
drwx--x---    2 ftp      ftp          4096 Nov 11  2005 dir1
drwxrwxrwx   22 ftp      ftp          4096 Mar 12 14:24 dir2
drwx------    3 ftp      ftp          4096 Mar 28  2006 dir3
drwxr-xr-x   10 ftp      ftp          4096 Jan 12  2007 dir4
226 Directory send OK.
```

Quote:
ftp SERVER
Connected to SERVER (*.*.*.*).
220 (vsFTPd 2.0.3)
Name (SERVER:root): anonymous
331 Please specify the password.
Password:
230 Login successful.
Remote system type is UNIX.
Using binary mode to transfer files.
ftp> passive
Passive mode off.
ftp> ls
200 PORT command successful. Consider using PASV.