

---

Subject: Problem on creating debian template  
Posted by [satimis](#) on Wed, 13 May 2009 05:27:38 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hi folks,

On creating osteamplate I encountered following error;

Disable sync() for syslog

[http://wiki.openvz.org/Debian\\_template\\_creation#Disable\\_sync .28.29\\_for\\_syslog](http://wiki.openvz.org/Debian_template_creation#Disable_sync_.28.29_for_syslog)

```
# sed -i -e 's@\([[:space:]]*\)(/var/log/)\1-2@' /etc/syslog.conf  
sed: can't read /etc/syslog.conf: No such file or directory
```

```
# updatedb
```

```
# locate syslog.conf  
/etc/rsyslog.conf  
/usr/share/man/man5/rsyslog.conf.5.gz  
/var/lib/dpkg/info/rsyslog.conf.5.gz
```

Please advise how to fix the problem. TIA

B.R.  
satimis

---

Subject: Re: Problem on creating debian template  
Posted by [kir](#) on Wed, 13 May 2009 07:20:53 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Debian 5.0 can use rsyslog and thus rsyslog.conf rather than syslog.conf, but the format of the file remains the same AFAIK (still you'd better check it).

So just change /etc/syslog.conf to /etc/rsyslog.conf in sed cmdline. I have fixed the wiki accordingly.

---

---

Subject: Re: Problem on creating debian template

Posted by [satimis](#) on Wed, 13 May 2009 11:27:45 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

kir wrote on Wed, 13 May 2009 15:20 Debian 5.0 can use rsyslog and thus rsyslog.conf rather than syslog.conf, but the format of the file remains the same AFAIK (still you'd better check it).

So just change /etc/syslog.conf to /etc/rsyslog.conf in sed cmdline. I have fixed the wiki accordingly.

Hi kir,

Thanks. Problem solved.

satimis

---