

---

VPS

Posted by [linelect](#) on Fri, 15 May 2009 13:20:31 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

eth1

---

---

3 VPS

Posted by [linelect](#) on Mon, 18 May 2009 05:15:45 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

---

---

3 VPS

Posted by [sa10](#) on Mon, 18 May 2009 08:25:24 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

---

---

3 VPS

Posted by [linelect](#) on Mon, 18 May 2009 08:54:01 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

veth1 - IP2

eth1 - IP3

veth2 - IP4

---

---

3 VPS

Posted by [linelect](#) on Thu, 21 May 2009 12:23:12 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

3 VPS

Posted by [sa10](#) on Thu, 21 May 2009 12:44:24 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

ifconfig br0 up

---

---

3 VPS

Posted by [linelect](#) on Thu, 21 May 2009 13:55:07 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

---

---

3 VPS

Posted by [sa10](#) on Sat, 23 May 2009 11:55:07 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

---

---

3 VPS

Posted by [linelect](#) on Sun, 24 May 2009 10:44:47 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

---

---

3 VPS

Posted by [linelect](#) on Mon, 25 May 2009 16:00:50 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

VPS name - 52

192.168.0.10

---

---

3 VPS

Posted by [sa10](#) on Tue, 26 May 2009 09:05:23 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

```
#/etc/networks/interfaces
```

```
auto lo
```

```
iface lo inet loopback
```

```
auto eth0
```

```
iface eth0 inet manual
```

```
up ethtool -K eth0 tx off
```

```
up ifconfig $IFACE 0.0.0.0 up
```

```
down ifconfig $IFACE down
```

```
auto eth1
```

```
iface eth0 inet manual
```

```
up ifconfig $IFACE 0.0.0.0 up
```

```
up ethtool -K eth1 tx off
```

```
down ifconfig $IFACE down
```

```
auto br0
```

```
iface vmbr0 inet static
```

```
    address 10.6.20.25
```

```
    netmask 255.255.255.0
```

```
    gateway 10.6.20.1
```

```
    bridge_ports eth0
```

```
    bridge_stp off
```

```
    bridge_fd 9
```

```
    bridge_hello 2
```

```
    bridge_maxage 12
```

```
auto br1
```

```
iface br1 inet manual
```

```
up ifconfig $IFACE 0.0.0.0 up
```

```
    address 0.0.0.0
```

```
    bridge_ports eth1
```

```
    bridge_stp off
```

```
    bridge_fd 9
```

```
    bridge_hello 2
```

```
    bridge_maxage 12
```

```
down ifconfig $IFACE down
```

```
#/etc/vz/conf/3005.conf
```

```
NETIF="ifname=eth0,bridge=br1,mac=00:18:51:3C:CD:5F,host_ifname=veth3005.0,host_mac=00
```

:18:51:0F:DC:F7"

---

---

3 VPS

Posted by [linelect](#) on Tue, 26 May 2009 16:17:25 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Quote:~# /etc/init.d/networking restart

Reconfiguring network interfaces...if-up.d/mountnfs[eth0]: waiting for interface eth1 before doing NFS mounts (warning).

if-up.d/mountnfs[eth0]: waiting for interface br1 before doing NFS mounts (warning).

Cannot set device tx csum settings: Operation not supported

Failed to bring up eth1.

Waiting for br1 to get ready (MAXWAIT is 20 seconds).

if-up.d/mountnfs[br1]: waiting for interface eth1 before doing NFS mounts (warning).  
done.

---

---

3 VPS

Posted by [linelect](#) on Tue, 26 May 2009 20:36:09 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

<http://av5.com/journals-magazines-online/1/20/736>

3 VPS

Posted by [sa10](#) on Thu, 28 May 2009 08:52:25 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

```
up ethtool -K eth0 tx off
up ethtool -K eth1 tx off
```

---

---

3 VPS

Posted by [sa10](#) on Thu, 28 May 2009 09:09:09 GMT

[View Forum Message](#) <> [Reply to Message](#)

---



Lenny)  
[http://pve.proxmox.com/wiki/Main\\_Page](http://pve.proxmox.com/wiki/Main_Page)

---

### 3 VPS

Posted by [linelect](#) on Thu, 28 May 2009 09:16:05 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Quote:~# /etc/init.d/networking restart

Reconfiguring network interfaces...if-up.d/mountnfs[eth0]: waiting for interface eth0:1 before doing NFS mounts (warning).

if-up.d/mountnfs[eth0]: waiting for interface eth1 before doing NFS mounts (warning).

if-up.d/mountnfs[eth0]: waiting for interface eth1:1 before doing NFS mounts (warning).

if-up.d/mountnfs[eth0:1]: waiting for interface eth1 before doing NFS mounts (warning).

if-up.d/mountnfs[eth0:1]: waiting for interface eth1:1 before doing NFS mounts (warning).

if-up.d/mountnfs[eth1]: waiting for interface eth1:1 before doing NFS mounts (warning).

done.

Quote:auto eth0

iface eth0 inet static

address A.B.101.43

netmask 255.255.255.0

network A.B.101.0

broadcast A.B.101.255

gateway A.B.101.1

---

---

3 VPS

Posted by [linelect](#) on Thu, 28 May 2009 09:31:25 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

sa10 wrote on Thu, 28 May 2009 05:09

Lenny)

[http://pve.proxmox.com/wiki/Main\\_Page](http://pve.proxmox.com/wiki/Main_Page)

---

---

3 VPS

Posted by [sa10](#) on Thu, 28 May 2009 12:52:38 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

linelect wrote on Thu, 28 May 2009 12:31

KVM

[http://ru.wikipedia.org/wiki/Kernel-based\\_Virtual\\_Machine](http://ru.wikipedia.org/wiki/Kernel-based_Virtual_Machine)

<http://www.ibm.com/developerworks/ru/library/l-linux-kvm/>

---

---

3 VPS

Posted by [linelect](#) on Thu, 28 May 2009 20:43:07 GMT

/etc/network/interfaces

Quote:auto eth0

```
iface eth0 inet static
    address A.B.101.43
    netmask 255.255.255.0
    network A.B.101.0
    broadcast A.B.101.255
    gateway A.B.101.1
```

auto eth1

```
iface eth1 inet manual
up ifconfig $IFACE 0.0.0.0 up
down ifconfig $IFACE down
```

auto br1

```
iface br1 inet manual
up ifconfig $IFACE 0.0.0.0 up
    address 0.0.0.0
    bridge_ports eth1
    bridge_stp off
    bridge_fd 9
    bridge_hello 2
    bridge_maxage 12
down ifconfig $IFACE down
```

/etc/vz/conf/52.conf

Quote:NETIF=" ifname=eth1,bridge=br1,mac=00:30:18:B0:C1:A1,host\_ifname=veth52.1,host\_mac=00:30:18:B0:C1:A1 "

Quote:auto eth1

```
iface eth1 inet static
address A.B.102.52
netmask 255.255.255.0
network A.B.102.0
broadcast A.B.102.255
gateway A.B.102.1
```

Quote:br1      Link encap:Ethernet HWaddr 00:30:18:b0:c1:a1  
                  inet6 addr: fe80::230:18ff:feb0:c1a1/64 Scope:Link  
                  UP BROADCAST RUNNING MULTICAST MTU:1500 Metric:1  
                  RX packets:1578 errors:0 dropped:0 overruns:0 frame:0  
                  TX packets:6 errors:0 dropped:0 overruns:0 carrier:0  
                  collisions:0 txqueuelen:0  
                  RX bytes:73521 (71.7 KiB) TX bytes:468 (468.0 B)

eth0      Link encap:Ethernet HWaddr 00:30:18:b0:c1:a2  
                  inet addr:A.B.101.43 Bcast:A.B.101.255 Mask:255.255.255.0  
                  inet6 addr: fe80::230:18ff:feb0:c1a2/64 Scope:Link  
                  UP BROADCAST RUNNING MULTICAST MTU:1500 Metric:1  
                  RX packets:3255 errors:0 dropped:0 overruns:0 frame:0  
                  TX packets:1164 errors:0 dropped:0 overruns:0 carrier:0  
                  collisions:0 txqueuelen:1000  
                  RX bytes:251354 (245.4 KiB) TX bytes:166423 (162.5 KiB)  
                  Interrupt:18 Base address:0xf000

eth1      Link encap:Ethernet HWaddr 00:30:18:b0:c1:a1  
                  inet6 addr: fe80::230:18ff:feb0:c1a1/64 Scope:Link  
                  UP BROADCAST RUNNING MULTICAST MTU:1500 Metric:1  
                  RX packets:2052 errors:0 dropped:0 overruns:0 frame:0  
                  TX packets:19 errors:0 dropped:0 overruns:0 carrier:0  
                  collisions:0 txqueuelen:1000  
                  RX bytes:124295 (121.3 KiB) TX bytes:1474 (1.4 KiB)  
                  Interrupt:19 Base address:0xf200

lo      Link encap:Local Loopback  
                  inet addr:127.0.0.1 Mask:255.0.0.0  
                  inet6 addr: ::1/128 Scope:Host  
                  UP LOOPBACK RUNNING MTU:16436 Metric:1  
                  RX packets:8 errors:0 dropped:0 overruns:0 frame:0  
                  TX packets:8 errors:0 dropped:0 overruns:0 carrier:0  
                  collisions:0 txqueuelen:0  
                  RX bytes:560 (560.0 B) TX bytes:560 (560.0 B)

venet0      Link encap:UNSPEC HWaddr 00-00-00-00-00-00-00-00-00-00-00-00-00-00-00-00  
                  UP BROADCAST POINTOPOINT RUNNING NOARP MTU:1500 Metric:1  
                  RX packets:0 errors:0 dropped:0 overruns:0 frame:0  
                  TX packets:0 errors:0 dropped:0 overruns:0 carrier:0  
                  collisions:0 txqueuelen:0  
                  RX bytes:0 (0.0 B) TX bytes:0 (0.0 B)

veth52.1      Link encap:Ethernet HWaddr 00:30:18:b0:c1:a1  
                  inet6 addr: fe80::230:18ff:feb0:c1a1/64 Scope:Link  
                  UP BROADCAST RUNNING MULTICAST MTU:1500 Metric:1

RX packets:3 errors:0 dropped:0 overruns:0 frame:0  
TX packets:4 errors:0 dropped:0 overruns:0 carrier:0  
collisions:0 txqueuelen:0  
RX bytes:216 (216.0 B) TX bytes:240 (240.0 B)

brctl show

Quote:

bridge name bridge id STP enabled interfaces  
br1 8000.003018b0c1a1 no eth1

---

### 3 VPS

Posted by [sa10](#) on Fri, 29 May 2009 06:23:17 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

brctl addif br1 veth52.1

brctl show

tcpdump -i veth52.1 icmp

tcpdump -i br1 icmp

tcpdump -i eth1 icmp

[--netif\_add <ifname[,mac,host\_ifname,host\_mac,bridge]]> [--netif\_del <ifname>]

---

---

### 3 VPS

Posted by [linelect](#) on Fri, 29 May 2009 07:36:40 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Quote:

```
~# brctl addif br1 veth52.1
~# brctl show
bridge name bridge id STP enabled interfaces
br1 8000.003018b0c1a1 no eth1
    veth52.1
```

/etc/network/interfaces

Quote:

```
auto br1
iface br1 inet manual
up ifconfig $IFACE 0.0.0.0 up
address 0.0.0.0
bridge_ports eth1 veth52.1
bridge_stp off
bridge_fd 9
bridge_hello 2
bridge_maxage 12
down ifconfig $IFACE down
```

Quote:tcpdump -i veth52.1 icmp

tcpdump -i br1 icmp

tcpdump -i eth1 icmp

Quote:

```
:~# tcpdump -i veth52.1 icmp
tcpdump: WARNING: veth52.1: no IPv4 address assigned
tcpdump: verbose output suppressed, use -v or -vv for full protocol decode
listening on veth52.1, link-type EN10MB (Ethernet), capture size 96 bytes
10:09:33.221803 IP 52.102.B.A > 91.198.10.10: ICMP echo request, id 41473, seq 163, length 64
10:09:34.221803 IP 52.102.B.A > 91.198.10.10: ICMP echo request, id 41473, seq 164, length 64
```

Quote:

```
~# tcpdump -i br1 icmp
tcpdump: WARNING: br1: no IPv4 address assigned
tcpdump: verbose output suppressed, use -v or -vv for full protocol decode
```

```
listening on br1, link-type EN10MB (Ethernet), capture size 96 bytes
10:10:20.241803 IP 52.102.B.A > 91.198.10.10: ICMP echo request, id 41473, seq 210, length 64
10:10:20.249523 IP 91.198.10.10 > 52.102.B.A: ICMP echo reply, id 41473, seq 210, length 64
10:10:21.241798 IP 52.102.B.A > 91.198.10.10: ICMP echo request, id 41473, seq 211, length 64
```

Quote:

```
~# tcpdump -i eth1 icmp
tcpdump: WARNING: eth1: no IPv4 address assigned
tcpdump: verbose output suppressed, use -v or -vv for full protocol decode
listening on eth1, link-type EN10MB (Ethernet), capture size 96 bytes
10:10:30.241823 IP 52.102.B.A > 91.198.10.10: ICMP echo request, id 41473, seq 220, length 64
10:10:30.249216 IP 91.198.10.10 > 52.102.B.A : ICMP echo reply, id 41473, seq 220, length 64
10:10:31.241850 IP 52.102.B.A > 91.198.10.10: ICMP echo request, id 41473, seq 221, length 64
10:10:31.248458 IP 91.198.10.10 > 52.102.B.A : ICMP echo reply, id 41473, seq 221, length 64
10:10:32.241812 IP 52.102.B.A > 91.198.10.10: ICMP echo request, id 41473, seq 222, length 64
```

```
~# vzctl --help
```

Quote:

```
[--netif_add <ifname[,mac,host_ifname,host_mac]]>] [--netif_del <ifname>]
```

---

### 3 VPS

Posted by [sa10](#) on Fri, 29 May 2009 14:09:40 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

vzctl version 3.0.23-1pve3

/etc/network/interfaces

ip a l

---

### 3 VPS

Posted by [linelect](#) on Fri, 29 May 2009 14:37:48 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

vzctl version 3.0.22

Quote:

~# ip a l

```
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 16436 qdisc noqueue state UNKNOWN
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
    inet6 ::1/128 scope host
        valid_lft forever preferred_lft forever
2: eth0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc pfifo_fast state
UNKNOWN qlen 1000
    link/ether 00:30:18:b0:c1:a2 brd ff:ff:ff:ff:ff:ff
    inet A.B.101.43/24 brd A.B.101.255 scope global eth0
    inet6 fe80::230:18ff:feb0:c1a2/64 scope link
        valid_lft forever preferred_lft forever
3: eth1: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc pfifo_fast state
UNKNOWN qlen 1000
    link/ether 00:30:18:b0:c1:a1 brd ff:ff:ff:ff:ff:ff
    inet6 fe80::230:18ff:feb0:c1a1/64 scope link
        valid_lft forever preferred_lft forever
5: venet0: <BROADCAST,POINTOPOINT,NOARP,UP,LOWER_UP> mtu 1500 qdisc noqueue
state UNKNOWN
    link/void
8: br1: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc noqueue state UNKNOWN

    link/ether 00:30:18:b0:c1:a1 brd ff:ff:ff:ff:ff:ff
    inet6 fe80::230:18ff:feb0:c1a1/64 scope link
        valid_lft forever preferred_lft forever
```



12: veth52.1: <BROADCAST,MULTICAST,UP,LOWER\_UP> mtu 1500 qdisc noqueue state UNKNOWN  
link/ether 00:30:18:b0:c1:a1 brd ff:ff:ff:ff:ff:ff  
inet6 fe80::230:18ff:feb0:c1a1/64 scope link  
valid\_lft forever preferred\_lft forever

---

---

### 3 VPS

Posted by [sa10](#) on Mon, 01 Jun 2009 08:32:52 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

UNKNOWN

ifconfig lo up  
ifconfig eth0 up

36: vmbr0: <BROADCAST,MULTICAST,UP,10000> mtu 1500 qdisc noqueue  
link/ether 00:15:60:ac:56:5a brd ff:ff:ff:ff:ff:ff  
inet 10.1.11.111/24 brd 10.6.2.255 scope global vmbr0  
inet6 fe80::215:60ff:feac:565a/64 scope link  
valid\_lft forever preferred\_lft forever  
38: vmbr1: <BROADCAST,MULTICAST,UP,10000> mtu 1500 qdisc noqueue  
link/ether 00:15:60:ac:56:5a brd ff:ff:ff:ff:ff:ff  
inet6 fe80::215:60ff:feac:565a/64 scope link  
valid\_lft forever preferred\_lft forever

---

---

### 3 VPS

Posted by [sa10](#) on Mon, 01 Jun 2009 08:47:30 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

```
auto lo
iface lo inet loopback
```

---

---

3 VPS

Posted by [linelect](#) on Mon, 01 Jun 2009 08:49:31 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

```
/etc/network/interfaces
```

```
auto lo
iface lo inet loopback
```

---

---

3 VPS

Posted by [linelect](#) on Mon, 01 Jun 2009 08:59:02 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

3 VPS

Posted by [sa10](#) on Mon, 01 Jun 2009 10:36:11 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

```
sysctl -a | grep bridge  
sysctl -a | grep arp
```

---

### 3 VPS

Posted by [linelect](#) on Mon, 01 Jun 2009 10:53:32 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Quote:

```
~# sysctl -a | grep bridge  
error: "Success" reading key "dev.parport.parport0.autoprobe"  
error: "Success" reading key "dev.parport.parport0.autoprobe0"  
error: "Success" reading key "dev.parport.parport0.autoprobe1"  
error: "Success" reading key "dev.parport.parport0.autoprobe2"  
error: "Success" reading key "dev.parport.parport0.autoprobe3"  
error: permission denied on key 'net.ipv4.route.flush'  
net.bridge.bridge-nf-call-arptables = 1  
net.bridge.bridge-nf-call-iptables = 1  
net.bridge.bridge-nf-call-ip6tables = 1  
net.bridge.bridge-nf-filter-vlan-tagged = 1  
net.bridge.bridge-nf-filter-pppoe-tagged = 1  
error: permission denied on key 'net.ipv6.route.flush'
```

### File Attachments

1) [sysctl](#), downloaded 7029 times

---

### 3 VPS

Posted by [sa10](#) on Mon, 01 Jun 2009 12:45:56 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

```
#disable bridge-nf-call
net.bridge.bridge-nf-filter-vlan-tagged=0
net.bridge.bridge-nf-call-ip6tables=0
net.bridge.bridge-nf-call-iptables=0
net.bridge.bridge-nf-call-arptables=0
net.bridge.bridge-nf-filter-pppoe-tagged=0
###
net.ipv4.conf.default.forwarding=1
net.ipv4.conf.default.proxy_arp = 0
```

---

---

### 3 VPS

Posted by [linelect](#) on Mon, 01 Jun 2009 13:39:07 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

### File Attachments

1) [sysctl.conf](#), downloaded 7239 times

---

---

### 3 VPS

Posted by [linelect](#) on Mon, 01 Jun 2009 13:52:58 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

```
Quote:~# sysctl -p
net.ipv4.conf.all.rp_filter = 1
net.ipv4.ip_forward = 1
net.ipv4.conf.default.forwarding = 1
net.ipv4.conf.default.proxy_arp = 0
net.ipv4.icmp_echo_ignore_broadcasts = 1
```

```
net.ipv4.conf.default.send_redirects = 1
net.ipv4.conf.all.send_redirects = 0
net.ipv4.conf.eth0.proxy_arp = 1
kernel.sysrq = 1
net.bridge.bridge-nf-filter-vlan-tagged = 0
net.bridge.bridge-nf-call-ip6tables = 0
net.bridge.bridge-nf-call-iptables = 0
net.bridge.bridge-nf-call-arptables = 0
net.bridge.bridge-nf-filter-pppoe-tagged = 0
```

---

---

### 3 VPS

Posted by [sa10](#) on Tue, 02 Jun 2009 09:25:11 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

P.S.

---

## File Attachments

1) [sysctl.conf](#), downloaded 7587 times

---

---

## 3 VPS

Posted by [linelect](#) on Tue, 02 Jun 2009 10:16:12 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Quote:~# iptables -L

Chain INPUT (policy ACCEPT)

target	prot	opt	source	destination
--------	------	-----	--------	-------------

Chain FORWARD (policy ACCEPT)

target	prot	opt	source	destination
--------	------	-----	--------	-------------

Chain OUTPUT (policy ACCEPT)

target	prot	opt	source	destination
--------	------	-----	--------	-------------

Quote:~# iptables -t nat -L

Chain PREROUTING (policy ACCEPT)

target	prot	opt	source	destination
--------	------	-----	--------	-------------

Chain POSTROUTING (policy ACCEPT)

target	prot	opt	source	destination
--------	------	-----	--------	-------------

Chain OUTPUT (policy ACCEPT)

target	prot	opt	source	destination
--------	------	-----	--------	-------------

```
Quote:#!/bin/bash
echo route add
```

```
ip route add default via A.B.101.1 dev eth0 table A.B.101.1
ip route add default via A.B.102.1 dev eth1 table A.B.102.1
ip rule add from A.B.101.0/24 table A.B.101.1
ip rule add from A.B.102.0/24 table A.B.102.1
```

```
Quote:~# route
```

```
Kernel IP routing table
```

Destination	Gateway	Genmask	Flags	Metric	Ref	Use	Iface
localnet	*	255.255.255.0	U	0	0	0	eth0
default	1.101.B.A.co	0.0.0.0	UG	0	0	0	eth0

```
Quote:~# /root/route
```

```
route add
```

```
RTNETLINK answers: File exists
```

```
RTNETLINK answers: No such process
```

---

### 3 VPS

Posted by [sa10](#) on Tue, 02 Jun 2009 10:48:41 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

```
auto eth0
iface eth0 inet static
address A.B.101.10
netmask A.B.101.255
gateway A.B.101.2
up ip route add default via A.B.101.1 dev eth0 table A.B.101.1
up ip rule add from A.B.101.0/24 table A.B.101.1
down ip route del default via A.B.101.1 dev eth0 table A.B.101.1
```



NETIF="ifname=eth0,bridge=br0035,mac=00:18:51:A3:3B:B8,host\_ifname=veth4353.0,host\_mac=00:18:51:55:8C:A1;

---

---

3 VPS

Posted by [linelect](#) on Tue, 02 Jun 2009 13:57:04 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

---

---

3 VPS

Posted by [sa10](#) on Tue, 02 Jun 2009 14:15:41 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

---

---

3 VPS

Posted by [linelect](#) on Tue, 02 Jun 2009 14:28:38 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

---

---

3 VPS

Posted by [sa10](#) on Tue, 02 Jun 2009 14:35:07 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

### 3 VPS

Posted by [linelect](#) on Tue, 02 Jun 2009 14:42:46 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Quote:~# ifconfig

```
br1    Link encap:Ethernet HWaddr 00:30:18:b0:c1:a1
       inet6 addr: fe80::230:18ff:feb0:c1a1/64 Scope:Link
       UP BROADCAST RUNNING MULTICAST  MTU:1500  Metric:1
       RX packets:959 errors:0 dropped:0 overruns:0 frame:0
       TX packets:6 errors:0 dropped:0 overruns:0 carrier:0
       collisions:0 txqueuelen:0
       RX bytes:44691 (43.6 KiB) TX bytes:468 (468.0 B)
```

```
eth0    Link encap:Ethernet HWaddr 00:30:18:b0:c1:a2
       inet addr:A.B.101.43 Bcast:A.B.101.255 Mask:255.255.255.0
       inet6 addr: fe80::230:18ff:feb0:c1a2/64 Scope:Link
       UP BROADCAST RUNNING MULTICAST  MTU:1500  Metric:1
       RX packets:903 errors:0 dropped:0 overruns:0 frame:0
       TX packets:492 errors:0 dropped:0 overruns:0 carrier:0
       collisions:0 txqueuelen:1000
       RX bytes:70444 (68.7 KiB) TX bytes:193894 (189.3 KiB)
       Interrupt:18 Base address:0xf000
```

```
eth1    Link encap:Ethernet HWaddr 00:30:18:b0:c1:a1
       inet6 addr: fe80::230:18ff:feb0:c1a1/64 Scope:Link
       UP BROADCAST RUNNING MULTICAST  MTU:1500  Metric:1
       RX packets:1022 errors:0 dropped:0 overruns:0 frame:0
       TX packets:12 errors:0 dropped:0 overruns:0 carrier:0
       collisions:0 txqueuelen:1000
       RX bytes:61897 (60.4 KiB) TX bytes:936 (936.0 B)
       Interrupt:19 Base address:0xf200
```

```
lo      Link encap:Local Loopback
       inet addr:127.0.0.1 Mask:255.0.0.0
       inet6 addr: ::1/128 Scope:Host
       UP LOOPBACK RUNNING  MTU:16436  Metric:1
       RX packets:8 errors:0 dropped:0 overruns:0 frame:0
```

TX packets:8 errors:0 dropped:0 overruns:0 carrier:0  
collisions:0 txqueuelen:0  
RX bytes:560 (560.0 B) TX bytes:560 (560.0 B)

venet0 Link encap:UNSPEC HWaddr 00-00-00-00-00-00-00-00-00-00-00-00-00-00-00-00  
UP BROADCAST POINTOPOINT RUNNING NOARP MTU:1500 Metric:1  
RX packets:0 errors:0 dropped:0 overruns:0 frame:0  
TX packets:0 errors:0 dropped:0 overruns:0 carrier:0  
collisions:0 txqueuelen:0  
RX bytes:0 (0.0 B) TX bytes:0 (0.0 B)

veth52.1 Link encap:Ethernet HWaddr 00:31:19:b0:c1:a3  
inet6 addr: fe80::231:19ff:feb0:c1a3/64 Scope:Link  
UP BROADCAST RUNNING MULTICAST MTU:1500 Metric:1  
RX packets:6 errors:0 dropped:0 overruns:0 frame:0  
TX packets:517 errors:0 dropped:0 overruns:0 carrier:0  
collisions:0 txqueuelen:0  
RX bytes:384 (384.0 B) TX bytes:24007 (23.4 KiB)

---

### 3 VPS

Posted by [linelect](#) on Wed, 03 Jun 2009 15:30:12 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

vzctl

vzctl version 3.0.23-1pve3

---

### 3 VPS

Posted by [sa10](#) on Wed, 03 Jun 2009 15:38:08 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

---

---

3 VPS

Posted by [linelect](#) on Wed, 03 Jun 2009 18:41:03 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

---

---

3 VPS

Posted by [linelect](#) on Thu, 18 Jun 2009 21:18:15 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

[http://wiki.openvz.org/Using\\_private\\_IPs\\_for\\_Hardware\\_Nodes#Making\\_the\\_configuration\\_persistent](http://wiki.openvz.org/Using_private_IPs_for_Hardware_Nodes#Making_the_configuration_persistent)

---

---

3 VPS

Posted by [linelect](#) on Fri, 19 Jun 2009 10:11:27 GMT

---

### 3 VPS

Posted by [sa10](#) on Fri, 19 Jun 2009 10:40:52 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

```
brctl addbr br0123
```

```
ip a s br0123
```

```
vzctl start 2203
```

```
ip a s veth2203.0
```

```
brctl addif br0123 veth2203.0
```

```
brctl show
```

```
brctl addif br0123 eth0
```

```
brctl show
```

```
ip a l
```

---

---

3 VPS

Posted by [linelect](#) on Fri, 19 Jun 2009 13:01:42 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

br1  
eth1  
veth52.0  
veth74.0

---

---

3 VPS

Posted by [sa10](#) on Fri, 19 Jun 2009 13:08:30 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

<http://gazette.linux.ru.net/rus/articles/lartc/x2879.html>  
<http://mindprovider.livejournal.com/10063.html>

---

---



3 VPS

Posted by [linelect](#) on Mon, 22 Jun 2009 19:08:27 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

<http://gazette.linux.ru.net/rus/articles/lartc/x2879.html>

<http://mindprovider.livejournal.com/10063.html>

<http://wiki.openvz.org/Veth>

```
echo 1 > /proc/sys/net/ipv4/conf/ethL/proxy_arp
echo 1 > /proc/sys/net/ipv4/conf/ethR/proxy_arp
```

Quote:Configure bridge device

```
[host-node]# ifconfig vzbr0 0
```

```
[host-node]# echo 1 > /proc/sys/net/ipv4/conf/vzbr0/forwarding
```

```
[host-node]# echo 1 > /proc/sys/net/ipv4/conf/vzbr0/proxy_arp
```

---

---

3 VPS

Posted by [linelect](#) on Thu, 02 Jul 2009 17:19:21 GMT

[View Forum Message](#) <> [Reply to Message](#)

---