
Subject: Iptables on Host Node

Posted by [Ashley](#) on Thu, 11 Jun 2009 16:24:16 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hello,

I am looking at securing my Host Node's, I was looking at trying to block all traffic to the host node's IP apart from SSH port and my port used for my own soap server.

Would this cause any problem's and also what ipconfig line's could I use to just block traffic to the one IP and not all the VPS's?

Thanks,
Ashley

Subject: Re: Iptables on Host Node

Posted by [irontowngeek](#) on Mon, 20 Jul 2009 23:30:14 GMT

[View Forum Message](#) <> [Reply to Message](#)

As a suggestion for an alternative to using IPTABLES syntax,I would like to recommend using SHOREWALL firewall on the Node server.

It has excellent docs,and makes it easier for a user,if they are not that familiar with working with IPTABLES syntax.(all you need to do,is edit certain config files.(zones,interfaces,SNAT,DNAT,traffic shaping,etc)

To answer your question,you are doing to have to DNAT the incoming source IP subnet/address,to reflect the IP address(s) that you need to re-direct towards a given VE container.

Before moving to SHOREWALL,I configured an init script upon bootup,that would lock down access to the Node,and then open up the ports I needed,or redirected to a VE.

I'm at a Windows workstation at the moment,and I will post this setup I used before,in hopes it may be useful to you,or use a guide.

Subject: Re: Iptables on Host Node

Posted by [irontowngeek](#) on Wed, 22 Jul 2009 20:53:39 GMT

[View Forum Message](#) <> [Reply to Message](#)

I'm going to re-post this,as I'm having trouble getting it submitted.

To answer your question,as its stated,add this rule to the INPUT chain.

```
iptables -A INPUT -p TCP -i eth0 -s 0/0 --destination-port \
22 -j okay
```

There is a firewall script over in the OpenVZ WIKI,you might want to inspect.

http://wiki.openvz.org/Setting_up_an_iptables_firewall

For simplicity in console based firewalls,use SHOREWALL.

Cheers
