

---

Subject: [patch 4/4] Network namespaces: playing and debugging  
Posted by [Andrey Savochkin](#) on Mon, 26 Jun 2006 09:55:37 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Temporary code to play with network namespaces in the simplest way.

Do

exec 7< /proc/net/net\_ns

in your bash shell and you'll get a brand new network namespace.

There you can, for example, do

ip link set lo up

ip addr list

ip addr add 1.2.3.4 dev lo

ping -n 1.2.3.4

Signed-off-by: Andrey Savochkin <[saw@swsoft.com](mailto:saw@swsoft.com)>

---

dev.c | 27 ++++++-----

1 files changed, 26 insertions, 1 deletion

--- ./net/core/dev.c.vensdbg Fri Jun 23 11:50:16 2006

+++ ./net/core/dev.c Fri Jun 23 11:50:40 2006

@@ -3444,6 +3444,8 @@ int net\_ns\_start(void)

if (err)

goto out\_register;

put\_net\_ns(orig\_ns);

+ printk(KERN\_DEBUG "NET\_NS: created new netcontext %p for %s (pid=%d)\n",

+ ns, task->comm, task->tgid);

return 0;

out\_register:

@@ -3461,6 +3463,7 @@ EXPORT\_SYMBOL(net\_ns\_start);

void net\_ns\_free(struct net\_namespace \*ns)

{

+ printk(KERN\_DEBUG "NET\_NS: netcontext %p freed\n", ns);

kfree(ns);

}

EXPORT\_SYMBOL(net\_ns\_free);

@@ -3473,8 +3476,13 @@ static void net\_ns\_destroy(void \*data)

ns = data;

push\_net\_ns(ns, orig\_ns);

unregister\_netdev(ns->loopback);

+ if (!list\_empty(&ns->dev\_base)) {

+ printk("NET\_NS: BUG: context %p has devices! ref %d\n",

+ ns, atomic\_read(&ns->active\_ref));

+ pop\_net\_ns(orig\_ns);

+ return;

+ }

```

ip_fib_struct_fini();
- BUG_ON(!list_empty(&ns->dev_base));
pop_net_ns(orig_ns);

/* drop (hopefully) final reference */
@@ -3483,9 +3491,23 @@ static void net_ns_destroy(void *data)

void net_ns_stop(struct net_namespace *ns)
{
+ printk(KERN_DEBUG "NET_NS: netcontext %p scheduled for stop\n", ns);
execute_in_process_context(net_ns_destroy, ns, &ns->destroy_work);
}
EXPORT_SYMBOL(net_ns_stop);
+
+static int net_ns_open(struct inode *i, struct file *f)
+{
+ return net_ns_start();
+}
+static struct file_operations net_ns_fops = {
+ .open = net_ns_open,
+};
+static int net_ns_init(void)
+{
+ return proc_net_fops_create("net_ns", S_IRWXU, &net_ns_fops)
+ ? 0 : -ENOMEM;
+}
#endif

/*
@@ -3550,6 +3572,9 @@ static int __init net_dev_init(void)
hotcpu_notifier(dev_cpu_callback, 0);
dst_init();
dev_mcast_init();
+ifdef CONFIG_NET_NS
+ net_ns_init();
+endif
rc = 0;
out:
return rc;

```

---



---

Subject: Re: [patch 4/4] Network namespaces: playing and debugging  
 Posted by [Daniel Lezcano](#) on Mon, 26 Jun 2006 15:04:29 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Andrey Savochkin wrote:

> Temporary code to play with network namespaces in the simplest way.  
 > Do

> exec 7< /proc/net/net\_ns  
> in your bash shell and you'll get a brand new network namespace.  
> There you can, for example, do  
> ip link set lo up  
> ip addr list  
> ip addr add 1.2.3.4 dev lo  
> ping -n 1.2.3.4  
>

Is it possible to setup a network device to communicate with the outside ?

---

---

Subject: Re: [patch 4/4] Network namespaces: playing and debugging  
Posted by [Andrey Savochkin](#) on Mon, 26 Jun 2006 15:43:39 GMT  
[View Forum Message](#) <> [Reply to Message](#)

On Mon, Jun 26, 2006 at 05:04:29PM +0200, Daniel Lezcano wrote:

> Andrey Savochkin wrote:  
>> Temporary code to play with network namespaces in the simplest way.  
>> Do  
>> exec 7< /proc/net/net\_ns  
>> in your bash shell and you'll get a brand new network namespace.  
>> There you can, for example, do  
>> ip link set lo up  
>> ip addr list  
>> ip addr add 1.2.3.4 dev lo  
>> ping -n 1.2.3.4  
>>  
>  
> Is it possible to setup a network device to communicate with the outside ?

Such device was planned for the second patchset :)

I perhaps can send the patch tomorrow.

Andrey

---

---

Subject: Re: [patch 4/4] Network namespaces: playing and debugging  
Posted by [Daniel Lezcano](#) on Mon, 26 Jun 2006 17:29:57 GMT  
[View Forum Message](#) <> [Reply to Message](#)

>>>Do  
>>> exec 7< /proc/net/net\_ns  
>>>in your bash shell and you'll get a brand new network namespace.  
>>>There you can, for example, do  
>>> ip link set lo up  
>>> ip addr list

```
>>> ip addr add 1.2.3.4 dev lo  
>>> ping -n 1.2.3.4  
>>>
```

Andrey,

I began to play with your patchset. I am able to connect to 127.0.0.1 from different namespaces. Is it the expected behavior ? Furthermore, I am not able to have several programs, running in different namespaces, to bind to the same INADDR\_ANY:port.

Will these features be included in the second patchset ?

```
>>  
>>Is it possible to setup a network device to communicate with the outside ?  
>  
>  
> Such device was planned for the second patchset :)  
> I perhaps can send the patch tomorrow.
```

Cool :)

---

---

Subject: Re: [patch 4/4] Network namespaces: playing and debugging  
Posted by [Andrey Savochkin](#) on Mon, 26 Jun 2006 19:34:34 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

On Mon, Jun 26, 2006 at 07:29:57PM +0200, Daniel Lezcano wrote:

```
>>>Do  
>>> exec 7< /proc/net/net_ns  
>>>in your bash shell and you'll get a brand new network namespace.  
>>>There you can, for example, do  
>>> ip link set lo up  
>>> ip addr list  
>>> ip addr add 1.2.3.4 dev lo  
>>> ping -n 1.2.3.4  
>>>  
>  
> Andrey,  
>  
> I began to play with your patchset. I am able to connect to 127.0.0.1  
> from different namespaces. Is it the expected behavior ?  
> Furthermore, I am not able to have several programs, running in  
> different namespaces, to bind to the same INADDR_ANY:port.  
>  
> Will these features be included in the second patchset ?
```

Of course.

This patchset adds namespaces to routing code, which means that you can define local IP addresses in each namespace independently. But this first patchset doesn't include namespaces in socket lookup code.

Andrey

---