
Subject: RTNETLINK problem with tc

Posted by [SÃ@kiltoyai](#) on Sun, 16 Aug 2009 16:08:54 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hello,

I'm trying to set up traffic control on the HN to limit bandwidth used in VPS.

These two rules are tests (see futher). The first one (tc qdisc) seems to work without error, but the second one (tc class) throw a "RTNETLINK answers: Invalid argument" error.

After some searches on Google, I have ensured every /lib/modules/2.6.26-2-openvz-amd64/kernel/net/sched/ modules were modprobed (so as sch_cbq). But no way to make this second rule to work...

Do you have some relative feedback or ideas for investigate the problem ?

Thanks for your help.

My OS : Debian Lenny

My kernel : linux-image-2.6.26-2-openvz-amd64 (installed by debian packages)

The tc commands :

```
sudo tc qdisc add \  
dev eth0 \  
root handle "1:" \  
cbq \  
avpkt 1500 \  
bandwidth 100mbit
```

```
sudo tc class add \  
dev eth0 \  
parent "1:" \  
classid "1:1" \  
cbq \  
rate 15mbit \  
allot 5000 \  
prio 2
```

Subject: Re: RTNETLINK problem with tc

Posted by [curx](#) on Mon, 17 Aug 2009 17:11:29 GMT

[View Forum Message](#) <> [Reply to Message](#)

maybe the OpenVZ wiki help you:

-> http://wiki.openvz.org/Traffic_shaping_with_tc

Bye,
Thorsten

Subject: Re: RTNETLINK problem with tc
Posted by [SÃ©kiltoyai](#) on Mon, 17 Aug 2009 17:52:37 GMT
[View Forum Message](#) <> [Reply to Message](#)

Mmh, I have already seen this page.

But, after your post, i have done a new test. Initially, I haven't considered relevant the "bounded" and "isolated" keywords as they are marked optional in manpages.

This behaviour (isolating bandwidth) doesn't interest me. Do you know why I get an error by not using them ?

These commands work :

```
sudo tc class add dev eth0 parent "1:" classid "1:1" cbq rate 15mbit allot 5000 prio 2 bounded
```

```
sudo tc class add dev eth0 parent "1:" classid "1:1" cbq rate 15mbit allot 5000 prio 2 isolated
```

```
sudo tc class add dev eth0 parent "1:" classid "1:1" cbq rate 15mbit allot 5000 prio 2 bounded  
isolated
```

But this one doesn't work :

```
sudo tc class add dev eth0 parent "1:" classid "1:1" cbq rate 15mbit allot 5000 prio 2
```

So it seems not to be possible with my kernel to have a trafic controlling which would be neither bounded (able to borrow bandwidth) or isolated (able to lend bandwidth). Is it a particularity of my tc commands or a bug in the kernel ?

Subject: Re: RTNETLINK problem with tc
Posted by [SÃ©kiltoyai](#) on Fri, 21 Aug 2009 06:52:59 GMT
[View Forum Message](#) <> [Reply to Message](#)

SÃ©kiltoyai wrote on Mon, 17 August 2009 19:52

So it seems not to be possible with my kernel to have a trafic controlling which would be neither bounded (able to borrow bandwidth) or isolated (able to lend bandwidth). Is it a particularity of my tc commands or a bug in the kernel ?

Up.
Any idea ?
