

---

Subject: Creating /reboot file in container when running reboot

Posted by [p1rj1s](#) on Mon, 14 Sep 2009 10:23:37 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

CentOS 5.3 minimal with vzkernel up and running. Containers are working fine, and I can reboot from hostnode with vzctl restart.

My problem is that the virtual machine does not come up when executing reboot command inside container.

I understand that there should be placed a reboot file in the container root directory when reboot command is run, and a cron job on the node should look after this every five minutes or so, and then start the ve.

My question is how to set up the creation of this file, since I apparently have a "buggy" template where this isn't already set up.

In the documentation (<http://download.openvz.org/doc/OpenVZ-Users-Guide.pdf>) page 71 the issue is addressed, but simply adding ALLOWREBOOT="yes" doesn't help me.

Kind regards

---

---

Subject: Re: Creating /reboot file in container when running reboot

Posted by [deafboy](#) on Sun, 24 Jan 2010 20:27:13 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Having same problem.

Host OS - Proxmox

Guest - Arch

On other virtual system like debian, reboot in container works fine

---

---

Subject: Re: Creating /reboot file in container when running reboot

Posted by [maratrus](#) on Fri, 29 Jan 2010 17:25:59 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Please, examine /etc/cron.d/vpsreboot on the HN.

This file is mentioned in User's Guide

---