
Subject: Using OpenVZ as a development environment
Posted by [bobmcgraw](#) on Mon, 03 Jul 2006 08:56:37 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi all. I'm looking at using OpenVZ to create a simulated live environment for our coders.

Ideally, I'd like to replicate each existing live machines in a VPS per developer. From an admin side, I'd like to build a template for each machine, which will have varying versions of Apache, MySQL & PHP. This all appears possible but I'm unsure on what is the way forward from starting out with the template 'fedora-core-5-i386-minimal' and then moving to having templates my-db-server1 my-www-server1 etc that I can re-use.

Is all this possible and what would be the process? Is there anyway that I can copy an existing VPS I have configured (some packages have been installed from source).

Thanks in advance,
Bob

Subject: Re: Using OpenVZ as a development environment
Posted by [kir](#) on Mon, 03 Jul 2006 09:06:50 GMT
[View Forum Message](#) <> [Reply to Message](#)

(1) Install everything that is needed into a VE

(2) Remove VE-specific settings, such as root password and IP address (assuming VEID is 123):

```
vzctl set 123 --ipdel all --save  
vzctl exec 123 /usr/sbin/usermod -L root
```

(3) Stop the VE:

```
vzctl stop 123
```

(4) Tar its private area, like this (assuming VEID is 123):

```
cd /vz/private/123  
tar czf /vz/template/cache/fedora-core-5-i386-my_db_server.tar.gz .
```

(5) You can now use your new template to create more VEs:

```
vzctl create 456 --ostemplate fedora-core-5-i386-my_db_server
```

Please note that your OS template name should start with fedora-core-5, otherwise vzctl will not be able to guess how to set up networking and other parameters inside a VE. In other words, template name should start with linux distro name you use for it.

HTH

Subject: Re: Using OpenVZ as a development environment
Posted by [bobmcgraw](#) on Mon, 03 Jul 2006 11:53:01 GMT
[View Forum Message](#) <> [Reply to Message](#)

Great stuff. That works like a charm! Thanks for the quick response.

From a maintenance perspective, If I create 2 VE's today, then need to apply a few updates tomorrow. Following these procedures will update existing VE's also?

Thanks,
Bob

Subject: Re: Using OpenVZ as a development environment
Posted by [kir](#) on Mon, 03 Jul 2006 12:14:24 GMT
[View Forum Message](#) <> [Reply to Message](#)

OS template is used to create new VEs; existing VEs are not affected by new/changed OS templates. So you need to update VEs separately.

Subject: Re: Using OpenVZ as a development environment
Posted by [bobmcgraw](#) on Wed, 05 Jul 2006 09:03:05 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi,

I have created a template 'baseinstall' as you have described. This has the basic set-up (users etc) across my servers.

From this I have created a number of (db|fs|www) templates.

When I try to then install apps on the db template, for example:

```
vzyum 102 install flex  
Warning: Set baseinstall for fedora-core-5-i386 OS template not found
```

I won't install.... please can you advise?

Thanks,
Bob

Subject: Re: Using OpenVZ as a development environment

Posted by [kir](#) on Wed, 05 Jul 2006 09:24:03 GMT

[View Forum Message](#) <> [Reply to Message](#)

This is just a warning and can be safely ignored. Or are there other problems?

Subject: Re: Using OpenVZ as a development environment

Posted by [bobmcgraw](#) on Wed, 05 Jul 2006 10:40:25 GMT

[View Forum Message](#) <> [Reply to Message](#)

It didn't install, it gives the warning then exits.

```
root@hn1 vz]# vzyum 102 install flex
Warning: Set baseinstall for fedora-core-5-i386 OS template not found
[root@hn1 vz]# vzctl exec 102 lex --help
bash: lex: command not found
[root@hn1 vz]#
```

However, from strace I found a missing file.... I found the below fix works (and removes the warning):

```
cp /vz/template/fedora-core/5/i386/config/minimal.list
/vz/template/fedora-core/5/i386/config/baseinstall.list
```

Cheers

Subject: Re: Using OpenVZ as a development environment

Posted by [bobmcgraw](#) on Fri, 21 Jul 2006 08:53:47 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi.

Regarding resources.

Would it be dangerous to set all memory barrier::limit UBC settings for all VPS's to that of the HN?

I want to allow VPS's to utilize all the server resource if possible.

Thanks in advance!

Bob

Subject: Re: Using OpenVZ as a development environment

Posted by [alt0v14](#) on Thu, 27 Jul 2006 11:23:27 GMT

[View Forum Message](#) <> [Reply to Message](#)

kir wrote on Mon, 03 July 2006 05:06(1) Install

Please note that your OS template name should start with fedora-core-5, otherwise vzctl will not be able to guess how to set up networking and other parameters inside a VE. In other words, template name should start with linux distro name you use for it.

HTH

alternate method look at /etc/debian_version /etc/readhat_release /etc/slackware_version and so on
