
Subject: init.d scripts not executed

Posted by [shatter](#) on Mon, 09 Nov 2009 12:55:43 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi *,

to get an Oracle virtual server I have installed a Suse Linux Enterprise Server 11.1 in a KVM, installed an Oracle 11.2 Server in it and tested it. When it worked just fine I then did a "physical to virtual" migration".

The result is a container which runs just fine too IF I run the needed startup scripts (network/xinetd,sshd,oracle) in /etc/init.d by hand.

Runlevel is 3

Kernel version is 2.6.24-pve

Basi OS is Debian (Proxmox)

Any ideas/hints why those scripts are not executed automatically?

Joachim

Subject: Re: init.d scripts not executed

Posted by [maratrus](#) on Fri, 13 Nov 2009 16:17:22 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi,

could you please say whether all scripts are not started or just a few of them?
Are you sure that they are expected to start ? Check "chkconfig" output.

Subject: Re: init.d scripts not executed

Posted by [shatter](#) on Fri, 13 Nov 2009 17:55:06 GMT

[View Forum Message](#) <> [Reply to Message](#)

Good questions ... right after boot:

```
dhsrv03vz:/ # ps -ef
UID      PID  PPID  C  STIME TTY      TIME CMD
root      1    0  0  20:52 ?        00:00:00 init boot
root     31    1  0  20:52 ?        00:00:00 [init-logger]
root     32    1  0  20:52 ?        00:00:00 init boot
```

```
root    33   32  0 20:52 ?    00:00:00 /bin/bash /etc/init.d/boot
root    60   33  0 20:52 ?    00:00:00 startpar -p4 -t 30 -T 3 -M boot
root    71    1  0 20:52 ?    00:00:00 /sbin/udev --daemon
root   163   60  0 20:52 ?    00:00:00 /bin/sh /etc/init.d/boot.klog st
root   262  163  0 20:52 ?    00:00:00 /sbin/klogd -s -o -n -f /var/log
root   575    0  0 20:52 ?    00:00:00 vzctl: pts/0
root   576  575  0 20:52 pts/0   00:00:00 -bash
root   613  576  0 20:53 pts/0   00:00:00 ps -ef
```

```
dhsrv03vz:/ #
```

```
dhsrv03vz:/ # chkconfig
```

```
SuSEfirewall2_init off
```

```
SuSEfirewall2_setup off
```

```
aaeventd off
```

```
acpid on
```

```
alsasound on
```

```
amavis off
```

```
atd off
```

```
auditd on
```

```
autofs off
```

```
autoyast off
```

```
bluetooth off
```

```
bluetooth-coldplug on
```

```
chargen off
```

```
chargen-udp off
```

```
clamav-milter off
```

```
clamd off
```

```
cron on
```

```
cups on
```

```
cups-lpd off
```

```
cvs off
```

```
cyrus off
```

```
daytime off
```

```
daytime-udp off
```

```
dbus on
```

```
discard off
```

```
discard-udp off
```

```
earlsyslog on
```

```
echo off
```

```
echo-udp off
```

```
fbset on
```

```
freshclam off
```

```
gpm off
```

```
haldaemon on
```

```
inn off
```

```
ipmi off
```

```
irq_balancer on
```

```
ivman off
```

```
joystick off
```

kbd	on
kexec	off
mailman	off
mdadm	off
microcode_ctl	on
multipathd	off
mysql	off
netstat	off
network	on
network-remotefs	on
nfs	on
nfsserver	off
nmb	off
nscd	on
ntp	off
openct	off
openwsmmand	off
oracle	on
pcscd	off
pm-profiler	off
postfix	on
powerd	off
pure-ftpd	off
random	on
raw	on
rexec	xinetd
rlogin	xinetd
rpasswdd	off
rpcbind	on
rpmconfigcheck	off
rsh	off
rsync	xinetd
rsyncd	off
sane-port	off
saslauthd	off
servers	off
services	off
setserial	off
sfc	off
skeleton.compat	off
slpd	off
smartd	on
smb	off
smbfs	on
spamd	off
splash	on
splash_early	on
sshd	on

```
swat            off
syslog         on
systat        off
telnet         xinetd
tftp          off
time          off
time-udp      off
uidd          off
vnc           off
winbind       off
xdm           on
xfs           off
xinetd        on
ypbind        off
dhsrv03vz:~
```

Subject: Re: init.d scripts not executed
Posted by [shatter](#) on Fri, 13 Nov 2009 17:58:56 GMT
[View Forum Message](#) <> [Reply to Message](#)

My script for manual startup:

```
dhsrv03vz:~ # cat init.sh
echo "emergency startup ..."
```

```
cd /etc/init.d
```

```
echo "... starting network"
./network start
sleep 3
```

```
echo "... starting xinetd"
./xinetd start
sleep 3
```

```
echo "... starting sshd"
./sshd start
dhsrv03vz:~ #
```