
Subject: *SOLVED* arpsend: x.x.x.x is detected on another computer

Posted by [hvdkamer](#) on Fri, 07 Jul 2006 09:46:35 GMT

[View Forum Message](#) <> [Reply to Message](#)

There are a few similar questions in this forum, but none has an usable answer. I'm probably doing something very stupid, but what

I've one public IP-adres, so I figured to use a private serie for all my guest nodes. I tried with and without and eth0:1 with IP-adres 192.168.13.1 and there is no difference.

```
strato:~# vzctl set 1313 --ipadd 192.168.13.2 --save
strato:~# vzctl start 1313
Starting VPS ...
VPS is mounted
Adding IP address(es): 192.168.13.2
arpsend: 192.168.13.2 is detected on another computer : 00:00:5e:00:01:02
vps-net_add WARNING: arpsend -c 1 -w 1 -D -e 192.168.13.2 eth0 FAILED
Setting CPU units: 1000
VPS start in progress...
```

In another thread someone is suggesting that IP-address is used elsewhere on the network, but that is not the case. If I do an /etc/init.d/vz stop and then a ping there is no reply. If VZ is started all private IP-adresses give an reply, probably this is the function of the vznetdev module?

After entering the guestnode 1313 nothing has be done, so the above warning is serious? But I've no idea how to solve it. Any suggestions would be appreciated...

Subject: Re: arpsend: x.x.x.x is detected on another computer

Posted by [dev](#) on Sun, 09 Jul 2006 11:34:08 GMT

[View Forum Message](#) <> [Reply to Message](#)

you can try to find whom belongs this MAC address 00:00:5e:00:01:02.
This MAC reports that it uses IP address 192.168.13.2.

Most often error which is done is that VPS IP address is used in host system, because people believe they should assign it to eth0:1 or something. IP address should not be in use when assigned to VPS.

Check output of the following command in the host:

```
# ifconfig
# ip a l
# ip r l
```

Subject: Re: arpsend: x.x.x.x is detected on another computer

Posted by [aistis](#) on Mon, 10 Jul 2006 21:45:57 GMT

[View Forum Message](#) <> [Reply to Message](#)

In addition - it is quite frequent that switches are configured in "arp guarding"(?) mode so they report that they own the IP. That's done for security(?) reasons. So it is better that you ask your network administrator (or HSP) on that to be 100% sure.

P.S. Sorry for lame description - not the biggest networking guru

Subject: Re: arpsend: x.x.x.x is detected on another computer

Posted by [hvdkamer](#) on Tue, 11 Jul 2006 09:03:33 GMT

[View Forum Message](#) <> [Reply to Message](#)

aistis wrote on Mon, 10 July 2006 23:45"arp guarding"(?) mode

I don't know if Strato is doing this. However as said, it only happens when OpenVZ is started. If it is indeed an feature of an upstream switch, it should also raise the problem without OpenVZ. Right?

```
strato:~# iptables -t nat -F
```

```
strato:~# iptables -F
```

```
strato:~# iptables -vxnL
```

```
Chain INPUT (policy ACCEPT 33 packets, 2988 bytes)
```

```
  pkts  bytes target    prot opt in   out  source            destination
```

```
Chain FORWARD (policy ACCEPT 0 packets, 0 bytes)
```

```
  pkts  bytes target    prot opt in   out  source            destination
```

```
Chain OUTPUT (policy ACCEPT 16 packets, 1600 bytes)
```

```
  pkts  bytes target    prot opt in   out  source            destination
```

```
strato:~# /etc/init.d/vz stop
```

```
Shutting down VPS 1313
```

```
Stopping OpenVZ: ..done
```

```
strato:~# lsmod | grep vz
```

```
vzdquota          40800 0 [permanent]
```

```
vzdev              2624 1 vzdquota
```

```
strato:~# ping -c4 192.168.13.2
```

```
PING 192.168.13.2 (192.168.13.2) 56(84) bytes of data.
```

```
--- 192.168.13.2 ping statistics ---
```

```
4 packets transmitted, 0 received, 100% packet loss, time 2999ms
```

```
strato:~# /etc/init.d/vz start
```

```
Starting OpenVZ: ..done
```

```
Bringing up interface venet0: ..done
```

```
Configuring interface venet0: ..done
strato:~# lsmod | grep vz
vznetdev          17952  1
vzmon             45020  1 vznetdev
vzdquota          40800  0 [permanent]
vzdev             2624   3 vznetdev,vzmon,vzdquota
strato:~# ping -c4 192.168.13.2
PING 192.168.13.2 (192.168.13.2) 56(84) bytes of data.
From 85.214.0.133 icmp_seq=2 Destination Net Unreachable

--- 192.168.13.2 ping statistics ---
4 packets transmitted, 0 received, +1 errors, 100% packet loss, time 2999ms

strato:~# vzctl start 1313
Starting VPS ...
VPS is mounted
Adding IP address(es): 192.168.13.2
arp send: 192.168.13.2 is detected on another computer : 00:00:5e:00:01:02
vps-net_add WARNING: arp send -c 1 -w 1 -D -e 192.168.13.2 eth0 FAILED
Setting CPU units: 1000
VPS start in progress...
strato:~# ping -c4 192.168.13.2
PING 192.168.13.2 (192.168.13.2) 56(84) bytes of data.
64 bytes from 192.168.13.2: icmp_seq=1 ttl=64 time=0.086 ms
64 bytes from 192.168.13.2: icmp_seq=2 ttl=64 time=0.014 ms
64 bytes from 192.168.13.2: icmp_seq=3 ttl=64 time=0.012 ms
64 bytes from 192.168.13.2: icmp_seq=4 ttl=64 time=0.013 ms

--- 192.168.13.2 ping statistics ---
4 packets transmitted, 4 received, 0% packet loss, time 2999ms
rtt min/avg/max/mdev = 0.012/0.031/0.086/0.031 ms
```

There is a slight difference with my start of this topic. The ping with only vz started doesn't work anymore. Probably because after much experimenting I now have networking in the VE nodes. But as you can see the arp send is still failing. At first I thought that that was the cause of my problems. Now I think that this message is complete bogus. It would be nice if it can be resolved however, because now I wasted a day before I decided that it probably doesn't mean anything...

Subject: Re: arp send: x.x.x.x is detected on another computer
Posted by [hvdkamer](#) on Tue, 11 Jul 2006 09:19:45 GMT
[View Forum Message](#) <> [Reply to Message](#)

dev wrote on Sun, 09 July 2006 13:34 Check output of the following command in the host:
ifconfig
ip a l

```
# ip r l
```

I have experimented with IP-adress 192.168.13.1 on eth0:1 but that didn't resolve my networking problems inside the VE. As said above, this MAC address can only come from OpenVZ itself. But may be you see something different in this output:

```
strato:~# /etc/init.d/vz stop
Shutting down VPS 1313
Stopping OpenVZ: ..done
strato:~# ifconfig
eth0  Link encap:Ethernet HWaddr 00:30:48:58:09:F0
      inet addr:85.214.61.55 Bcast:85.214.61.55 Mask:255.255.255.255
      UP BROADCAST RUNNING MULTICAST MTU:1500 Metric:1
      RX packets:96934 errors:0 dropped:0 overruns:0 frame:0
      TX packets:11622 errors:0 dropped:0 overruns:0 carrier:0
      collisions:0 txqueuelen:1000
      RX bytes:30646960 (29.2 MiB) TX bytes:3059910 (2.9 MiB)
      Interrupt:24

lo    Link encap:Local Loopback
      inet addr:127.0.0.1 Mask:255.0.0.0
      UP LOOPBACK RUNNING MTU:16436 Metric:1
      RX packets:0 errors:0 dropped:0 overruns:0 frame:0
      TX packets:0 errors:0 dropped:0 overruns:0 carrier:0
      collisions:0 txqueuelen:0
      RX bytes:0 (0.0 b) TX bytes:0 (0.0 b)

strato:~# ip a l
2: lo: <LOOPBACK,UP> mtu 16436 qdisc noqueue
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
4: eth0: <BROADCAST,MULTICAST,UP> mtu 1500 qdisc pfifo_fast qlen 1000
    link/ether 00:30:48:58:09:f0 brd ff:ff:ff:ff:ff:ff
    inet 85.214.61.55/32 brd 85.214.61.55 scope global eth0
6: eth1: <BROADCAST,MULTICAST> mtu 1500 qdisc noop qlen 1000
    link/ether 00:30:48:58:09:f1 brd ff:ff:ff:ff:ff:ff
strato:~# ip r l
85.214.48.1 dev eth0 scope link
default via 85.214.48.1 dev eth0
strato:~# /etc/init.d/vz start
Starting OpenVZ: ..done
Bringing up interface venet0: ..done
Configuring interface venet0: ..done
strato:~# ifconfig
eth0  Link encap:Ethernet HWaddr 00:30:48:58:09:F0
      inet addr:85.214.61.55 Bcast:85.214.61.55 Mask:255.255.255.255
```

```
UP BROADCAST RUNNING MULTICAST MTU:1500 Metric:1
RX packets:97042 errors:0 dropped:0 overruns:0 frame:0
TX packets:11676 errors:0 dropped:0 overruns:0 carrier:0
collisions:0 txqueuelen:1000
RX bytes:30660432 (29.2 MiB) TX bytes:3068042 (2.9 MiB)
Interrupt:24
```

```
lo    Link encap:Local Loopback
inet addr:127.0.0.1 Mask:255.0.0.0
UP LOOPBACK RUNNING MTU:16436 Metric:1
RX packets:0 errors:0 dropped:0 overruns:0 frame:0
TX packets:0 errors:0 dropped:0 overruns:0 carrier:0
collisions:0 txqueuelen:0
RX bytes:0 (0.0 b) TX bytes:0 (0.0 b)
```

```
venet0 Link encap:UNSPEC HWaddr 00-00-00-00-00-00-00-00-00-00-00-00-00-00-00-00
UP BROADCAST POINTOPOINT RUNNING NOARP MTU:1500 Metric:1
RX packets:0 errors:0 dropped:0 overruns:0 frame:0
TX packets:0 errors:0 dropped:0 overruns:0 carrier:0
collisions:0 txqueuelen:0
RX bytes:0 (0.0 b) TX bytes:0 (0.0 b)
```

```
strato:~# ip a l
2: lo: <LOOPBACK,UP> mtu 16436 qdisc noqueue
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
4: eth0: <BROADCAST,MULTICAST,UP> mtu 1500 qdisc pfifo_fast qlen 1000
    link/ether 00:30:48:58:09:f0 brd ff:ff:ff:ff:ff:ff
    inet 85.214.61.55/32 brd 85.214.61.55 scope global eth0
6: eth1: <BROADCAST,MULTICAST> mtu 1500 qdisc noop qlen 1000
    link/ether 00:30:48:58:09:f1 brd ff:ff:ff:ff:ff:ff
5: venet0: <BROADCAST,POINTOPOINT,NOARP,UP> mtu 1500 qdisc noqueue
    link/void
```

```
strato:~# ip r l
85.214.48.1 dev eth0 scope link
default via 85.214.48.1 dev eth0
strato:~# vzctl start 1313
Starting VPS ...
VPS is mounted
Adding IP address(es): 192.168.13.2
arp send: 192.168.13.2 is detected on another computer : 00:00:5e:00:01:02
vps-net_add WARNING: arp send -c 1 -w 1 -D -e 192.168.13.2 eth0 FAILED
Setting CPU units: 1000
VPS start in progress...
```

```
strato:~# ifconfig
eth0    Link encap:Ethernet HWaddr 00:30:48:58:09:F0
        inet addr:85.214.61.55 Bcast:85.214.61.55 Mask:255.255.255.255
        UP BROADCAST RUNNING MULTICAST MTU:1500 Metric:1
```

```
RX packets:97115 errors:0 dropped:0 overruns:0 frame:0
TX packets:11716 errors:0 dropped:0 overruns:0 carrier:0
collisions:0 txqueuelen:1000
RX bytes:30671056 (29.2 MiB) TX bytes:3075326 (2.9 MiB)
Interrupt:24
```

```
lo    Link encap:Local Loopback
      inet addr:127.0.0.1  Mask:255.0.0.0
      UP LOOPBACK RUNNING  MTU:16436  Metric:1
      RX packets:0 errors:0 dropped:0 overruns:0 frame:0
      TX packets:0 errors:0 dropped:0 overruns:0 carrier:0
      collisions:0 txqueuelen:0
      RX bytes:0 (0.0 b) TX bytes:0 (0.0 b)

venet0  Link encap:UNSPEC HWaddr 00-00-00-00-00-00-00-00-00-00-00-00-00-00-00-00
      UP BROADCAST POINTOPOINT RUNNING NOARP  MTU:1500  Metric:1
      RX packets:0 errors:0 dropped:0 overruns:0 frame:0
      TX packets:0 errors:0 dropped:0 overruns:0 carrier:0
      collisions:0 txqueuelen:0
      RX bytes:0 (0.0 b) TX bytes:0 (0.0 b)
```

```
strato:~# ip a l
2: lo: <LOOPBACK,UP> mtu 16436 qdisc noqueue
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
4: eth0: <BROADCAST,MULTICAST,UP> mtu 1500 qdisc pfifo_fast qlen 1000
    link/ether 00:30:48:58:09:f0 brd ff:ff:ff:ff:ff:ff
    inet 85.214.61.55/32 brd 85.214.61.55 scope global eth0
6: eth1: <BROADCAST,MULTICAST> mtu 1500 qdisc noop qlen 1000
    link/ether 00:30:48:58:09:f1 brd ff:ff:ff:ff:ff:ff
5: venet0: <BROADCAST,POINTOPOINT,NOARP,UP> mtu 1500 qdisc noqueue
    link/void
strato:~# ip r l
192.168.13.2 dev venet0 scope link src 85.214.61.55
85.214.48.1 dev eth0 scope link
default via 85.214.48.1 dev eth0
```

See also my ping answers in the previous post. An Google on the MAC address gives more hits than you would believe. And almost always in combination with OpenVZ. So I think it is somewhere in there . As said, the FAILED arpsend is probably bogus. I now have networking, after rebooting the computer. Setting the following in Debian /etc/modules.conf doesn't work:

```
options ip_conntrack ip_conntrack_enable_ve0=1
```

I now have the following first line in my firewall/iptables script:

modprobe ip_contrack ip_contrack_enable_ve0=1

That only works if the module wasn't loaded before without this option! rmmod doesn't help, you NEED to reboot.

Subject: Re: arpsend: x.x.x.x is detected on another computer

Posted by [aistis](#) on Tue, 11 Jul 2006 10:22:18 GMT

[View Forum Message](#) <> [Reply to Message](#)

hvdkamer wrote on Tue, 11 July 2006 12:03aistis wrote on Mon, 10 July 2006 23:45"arp guarding"(?) mode

I don't know if Strato is doing this. However as said, it only happens when OpenVZ is started. If it is indeed an feature of an upstream switch, it should also raise the problem without OpenVZ. Right?

I'm almost 100% sure they are doing it. And like i mentioned in the previous post - it is best to check this with their support. Fast and painless.

Regards,

Subject: Re: arpsend: x.x.x.x is detected on another computer

Posted by [hvdkamer](#) on Tue, 11 Jul 2006 15:36:20 GMT

[View Forum Message](#) <> [Reply to Message](#)

aistis wrote on Tue, 11 July 2006 12:22I'm almost 100% sure they are doing it.

Sometimes I'm so stupid . It didn't occur to me that it is possible for Strato to make a server which does reply to ARP requests, but doesn't reply to ping requests.

I've booted to another Debian partition on the same machine which doesn't have any OpenVZ stuff on it. With a tcpdump I see the ARP reply and that the ping requests are going to this MAC address. But no answers of course. I hate it when they make networks this complex

Ok, now going through the scripts to see if I can exclude eth0 in the arpsend test that OpenVZ is using. So that I can rely on the arpsend test in the future...

Thanks for the help.

Subject: Re: arpsend: x.x.x.x is detected on another computer

Posted by [dev](#) on Tue, 11 Jul 2006 15:43:50 GMT

[View Forum Message](#) <> [Reply to Message](#)

Oh, I see. BTW, better be carefull and ask your provider for a range of private IP addresses which you can safely use. Otherwise in case of collision and poor provider network security they can cancel your contract deciding that you did harm intentionally.

Subject: Re: arpsend: x.x.x.x is detected on another computer

Posted by [Raredemon](#) on Thu, 20 Jul 2006 15:56:25 GMT

[View Forum Message](#) <> [Reply to Message](#)

hm.. i'm also have this problem with arpsend.

Short description:

Host server:

```
hp01 ~ # uname -ra
```

```
Linux hp01 2.6.16-026test015 #1 SMP Thu Jul 20 19:10:00 TJT 2006 i686 Intel(R) Xeon(TM)
```

```
CPU 3.00GHz GNU/Linux
```

```
with two fastethernet -
```

```
eth0 192.168.0.250/24
```

```
eth1 195.x.x.8/28
```

3 testing openvz system (template gentoo) - 192.168.1.[1-4]/24

Quote:

```
hp01 ~ # vzctl --verbose restart 814
```

```
Restarting VPS
```

```
Stopping VPS ...
```

```
VPS was stopped
```

```
Running: /usr/lib/vzctl/scripts/vps-net_del
```

```
Running: /etc/vz/814.umount
```

```
Running: /usr/sbin/vzquota stat 814 -f
```

```
Running: /usr/sbin/vzquota off 814
```

```
VPS is unmounted
```

```
Running: /usr/lib/vzctl/scripts/vps-stop
```

```
Starting VPS ...
```

```
Running: /usr/sbin/vzquota show 814
```

```
Running: /usr/sbin/vzquota on 814 -r 0 -b 1048676 -B 1153534 -i 200100 -l 220100 -e 0 -n 0 -s 0
```

```
Mounting root: /vz/root/814 /vz/private/814
```

```
Running: /etc/vz/814.mount
```

```
VPS is mounted
```

```
Adding IP address(es): 192.168.1.4
```



```
Running: /usr/lib/vzctl/scripts/vps-net_add
arp send: 192.168.1.4 is detected on another computer : 00:0e:38:46:a8:c4
vps-net_add WARNING: arp send -c 1 -w 1 -D -e 192.168.1.4 eth1 FAILED
Running VPS script: /etc/vz/dists/scripts/gentoo-add_ip.sh
Setting CPU units: 1000
Set hostname: test1
Running VPS script: /etc/vz/dists/scripts/gentoo-set_hostname.sh
Running VPS script: /etc/vz/dists/scripts/set_dns.sh
File resolv.conf was modified
Running: /usr/sbin/vzquota stat 814 -f
Running: vzquota setlimit 814 -b 1048576 -B 1153434 -i 200000 -l 220000 -e 0 -n 0
VPS start in progress...
```

i don't have any firewall installed and i can't resolve this.

2 Moderators

May be you transfer this post to russian zone of forum, because my english is very ugly

Subject: Re: arp send: x.x.x.x is detected on another computer

Posted by [hvdkamer](#) on Tue, 25 Jul 2006 08:21:45 GMT

[View Forum Message](#) <> [Reply to Message](#)

Currently I just ignore this warning . I now know that there is a server on the Strato network who is doing this. But afterwards my VEX's work perfectly, so this check if the IP-address is in use is in my case not returning an useful answer. I could remove the eth0 form the NETDEVICES in the controlsript I suppose.

The only problem with this warning is that it got me confused for two days because of another problem. And that one was the cause of my VEX's not owrking. Because the only warning I got was the one about arp send, it took me quite some time...

So the real question to you is this. If you ignore this warning and go into your newly started VEX. Does the network work? If not, do you use the 2.6.8 kernel?
